



RESTITLANE® SKINBOOSTERS™

**THE ONLY SKIN HYDRATING INJECTABLE
CLINICALLY PROVEN TO ENHANCE 6
KEY ASPECTS OF SKIN QUALITY¹⁻⁹.**

Restylane[®]
by GALDERMA

Imagery is of actual Restylane patient. For Healthcare Professionals Only

RESTYLANE® SKINBOOSTERS™

THE ONLY SKIN HYDRATING INJECTABLE **CLINICALLY PROVEN** TO ENHANCE 6 KEY ASPECTS OF SKIN QUALITY¹⁻⁹

RESTYLANE SKINBOOSTERS OFFERS A **VERSATILE TREATMENT** OPTION WITH A COLLECTION OF TWO PRODUCTS BASED ON DIFFERENT HA CONCENTRATIONS DESIGNED TO **IMPROVE SKIN HYDRATION AND QUALITY**^{1,3,10,11}



RESTYLANE SKINBOOSTERS VITAL^{1,11}

For various patients and treatment areas e.g., the midface, cheeks, temples, hands, and décolletage


RESTYLANE SKINBOOSTERS VITAL LIGHT^{2,11}

For various patients and treatment areas e.g., the perioral, periorcular areas or neck



THE AWARD-WINNING BESPOKE SMARTCLICK™ SYRINGE SYSTEM^{1,2,12,13}


The SmartClick syringe system uses an innovative and unique **audible dosage indicator** that facilitates appropriate use of Restylane Skinboosters^{1,2,12,13}



CAN BE USED AS STAND-ALONE TREATMENT OR IN COMBINATION WITH RESTYLANE FILLERS¹¹

THE ORIGINAL AND LONG-LASTING SKIN CARE INJECTABLE WITH RESULTS THAT LAST FOR UP TO 12 MONTHS AFTER THREE TREATMENTS^{*1-3,5-9}

CLINICALLY PROVEN TO **IMPROVE**



* In a 12 month evaluator-blind, placebo-controlled study, 30 female patients received treatment of Restylane Skinboosters Vital Lidocaine in one hand and 1.0 ml saline in the other. There was a total of three treatment sessions, one month apart.⁵

RESTYLANE® SKINBOOSTERS™

RESTYLANE SKINBOOSTERS OFFERS **SMOOTH, EVEN, YOUNG-LOOKING,** AND **GLOWING** SKIN ACROSS DIFFERENT TREATMENT AREAS



CLINICALLY PROVEN TO BOOST SKIN HYDRATION FOR SMOOTH, EVEN, YOUNGER-LOOKING, AND GLOWING SKIN³⁻⁹

Patients with dry, dull, uneven, crêpey skin can benefit from treatment with Restylane Skinboosters to boost their overall skin quality^{3,9}



DEEP AND LONG-LASTING HYDRATION^{3,9}

Restylane Skinboosters uses the natural ability of HA to bind water molecules, locking moisture within the skin^{1-3,9}



LONG-LASTING EFFECT FOR UP TO 12 MONTHS WITH 3 TREATMENTS⁵

Restylane Skinboosters offers long-lasting skin quality improvements for up to 12 months⁵



WELL-ESTABLISHED SAFETY PROFILE FOR OVER 18 YEARS^{3-8,14}

Restylane Skinboosters has a clinical safety profile built on over 18 years of clinical use and experience^{3-8,14}

Injection-related reactions (including bruising, erythema, itching, swelling, pain or tenderness at the implant site) might occur after treatment. Typically resolution is spontaneous within a few days after treatment.^{1,2}

Please refer to the Instructions for Use for the full product information.



CLOSE TO NATURAL STABILISED HA TO IMPROVE THE NATURAL SKIN STRUCTURE AND SKIN HYDRO-BALANCE^{3-6,15,16}

Based on NASHA crosslinking technology improving both skin structure and hydro-balance^{3-6,15,16}

‡ Restylane Skinboosters Vital obtained first CE certification in Europe in 2004.¹⁴

CE, Conformité Européene; **HA**, hyaluronic acid; **NASHA**, Non-Animal Stabilised Hyaluronic Acid.

AREAS TO TREAT

FACE (CHEEKS, CHIN, PERIORAL, PERIOCCULAR, TEMPLES)^{1,2}

NECK^{1,2}

DÉCOLLETAGE^{1,2}

HANDS^{1,2}



RAFAT, 34 YEARS

BEFORE



Restylane[®]
SKINBOOSTERS[™]
VITAL
LIDOCAINE

CHEEKS
6 ml over three
treatments (2ml/
treatment)

Restylane[®]
SKINBOOSTERS[™]
VITAL LIGHT
LIDOCAINE

PERIORAL
1 ml

GIVE YOUR PATIENTS A **LASTING BOOST IN CONFIDENCE** AND **SELF-ESTEEM** THAT LEAVES THEM **GLOWING FROM WITHIN**⁶

HIGH PATIENT SATISFACTION AND TREATMENT RECOMMENDATION*



12 months after initial treatment in the hands with Restylane Skinboosters:

91%

of patients (n=22) said they **wanted to repeat their treatment**⁵

96%

of patients would **recommend it to their friends**⁵

FOLLOWING A COURSE OF 3 TREATMENTS IT IS **RECOMMENDED TO REPEAT TREATMENT EVERY 6 MONTHS** TO MAINTAIN A CONSISTENT IMPROVEMENT^{1,2}

* As evaluated by self-assessment questionnaires.

REFERENCES:

- Restylane[®] Skinboosters[™] VITAL EU IFU.
- Restylane[®] Skinboosters[™] VITAL LIGHT EU IFU.
- Wu Y et al. J Cosmet Dermatol 2020; 19(7): 1627-1635.
- Williams S et al. J Cosmet Dermatol 2009; 8(3): 216-225.
- Gubanova E et al. J Drugs Dermatol 2015; 14(3): 288-299.
- Dierickx C et al. Dermatol Surg 2018; 44 Suppl 1: S104-S18.
- Lee B et al. Arch Plast Surg 2015; 42(3): 282-287.
- Ribé A et al. J Cosmet Laser Ther 2011; 13(4): 154-161.
- Kim J. Arch Aesthetic Plast Surg 2014; 20(2): 97-103.
- Kerscher M et al. Dermatol Surg 2008; 34: 720-726.
- Belmontesi M et al. J Drugs Dermatol 2018; 17(1): 83-88.
- Aesthetics Journal News. Restylane Skinboosters SmartClick delivery system wins Red Dot Award. Available at: <https://aestheticsjournal.com/news/restylane-skinboosters-smartclick-delivery-system-wins-red-dot-award>. Accessed January 2023.
- Red-dot.org. Injection Device SmartClick[™] System. Available at: <https://red-dot.org/project/smartclicktm-system-32176>. Accessed January 2023.
- Galderma. Data on File. MA-39929.
- Gubanova EI et al. Aesthetic Med 2010; 1: 94-98.

GALDERMA

EST. 1981



FOR ANY & EVERY LOOK

Restylane[®]
by GALDERMA

Adverse events should be reported. For the UK, Reporting forms and information can be found at www.mhra.gov.uk/yellowcard or search for Yellow Card in the Google Play or Apple App Store.

For Ireland, Suspected adverse events can be reported via HPRA Pharmacovigilance, Website: www.hpra.ie; Adverse events should also be reported to Galderma (UK) Ltd, Email: medinfo.uk@galderma.com Tel: +44 (0) 300 3035674

Imagery is of actual Restylane patients.
UKI-RES-2300017 DOP March 2023