



ZARGES



[www.zarges.com/en/work-platforms](http://www.zarges.com/en/work-platforms)

**MORE HEIGHT. MORE CONVENIENCE.  
LESS SET-UP TIME.**

ZAP work platforms from ZARGES

# ZAP IS FOR EVERYONE – AND FOR EVERY WORK AREA

## Safer than stepladders and more flexible than powered access

Working at height is essential in many industries, and the right equipment is crucial for safety and efficiency. ZAP work platforms are ideal for working at medium heights, providing safety and freedom of movement where the high reach or load capacity

of powered access is not required. As early as 2007, we were one of the first manufacturers to develop work platforms; we were meeting the industry's increasing safety requirements even before the EN 131-7 was introduced.



## ZAP work platforms are the perfect solution

**Wide work platforms are suitable for longer periods of work at height** and offer more safety and comfort and full freedom of movement in all directions, for example during installation, maintenance, or quality control work.

**The sturdy platform with safety guardrails** allows working with both hands, ensuring 360 degree protection and freedom of movement. Many ZAP work platforms also have practical tool trays that greatly reduce the need to frequently ascend and descend the platform.





## WHAT SETS OUR ZAP WORK PLATFORMS APART

- Minimum dimensions of platform 400 × 400 mm
- Minimum 3-sided guardrail
- Guardrail height is at least 1,000 mm
- Foldable/collapsible without the use of tools
- Min. EN 131 – in some cases part 7

### Restricted space and frequent relocation

In narrow aisles or between machines, ZAP work platforms are easier to set up and relocate than a powered access.



# ZAP WORK PLATFORMS

Find the right work platform for your requirements and applications



ZAP MASTERFLEX PLUS S

ZAP MASTERFLEX S

## 1) APPLICATION

Maintenance and servicing



Construction/trades



Warehouse work and order picking



## 2) MAIN REQUIREMENTS

Frequent relocation



Working in hard-to-reach places



Working at greater heights



Working 360°



Working at height for longer periods



## 3) SPECIAL FEATURES

· Height-adjustability

· For use in stairwells

· Saloon doors

· Height-adjustability

· For use in stairwells

## 4) DETAILS

For use in stairwells



Adjustable height



Weight\* (PH height of 1.8 m)

32.7 kg

32.4 kg

Safety level



Max. working height (largest model)

5.05 m

4.30 m

Standard

EN 131-7

EN 131-7

Available sizes

4

2

Number of treads

3/5; 4/7; 6/9; 8/12

4/7; 6/9

Tread depth

60 mm

30 mm

Price level

EEEE

EEE



#### ZAP SAFEMASTER MAX S

#### ZAP SAFEMASTER PLUS S

#### ZAP SAFEMASTER S

#### ZAP NEO S



- Safety saloon doors
- Stabiliser

- Large platform
- Safer Step treads
- For working close to a wall

- Safer Step treads
- Long handrail

- Collapsible handrails

—

—

—

—

27.4 kg

50.6 kg

17.4 kg

13.8 kg



3.70 m

5.10 m

4.34 m

3.99 m

EN 131-7

EN 131-7

EN 131 (optional EN 131-7)

EN 131

5

7

8

6

3-7

4-8; 10; 12

2-9

3-8

80/60 mm

80 mm

80 mm

80 mm

€€€

€€€€

€€

€



# ZAP MASTERFLEX PLUS S

NEW

**The height-adjustable premium variant combines the highest working height in its class with the highest safety available on the market**

The ZAP Masterflex Plus, with its increased working height and enhanced safety features, is ideal for use where complex scaffolding constructions would previously have been required. Ideal for rapid deployment – even in stairwells.




Platform height m	Working height max. approx. m	Height including guardrails max. m	Base area, extended stabiliser, L × W m	Base area, stabiliser retracted, L × W m	Number of rungs incl. platform	Weight kg	Order no.
0.78/1.03/1.28	3.28	2.31	1.80 × 2.10	1.80 × 0.69	5	29.5	41156
1.03/1.28/1.53/1.79	3.79	2.82	2.20 × 2.40	2.20 × 0.69	7	32.7	41157
1.53/1.79/2.05/2.30	4.30	3.33	2.60 × 3.30	2.60 × 0.69	9	39.2	41158
2.05/2.30/2.54/3.05	5.05	4.08	3.19 × 3.01	3.19 × 0.69	12	45.5	41159

# ZAP MASTERFLEX S


NEW

## The flexible top model for quick height adjustment even on stairs

The practical platform ladder is perfect for a variety of uses at different heights and in hard-to-reach areas. The quick and easy assembly and disassembly is particularly impressive.



Platform height m	Working height max. approx. m	Height including guardrails max. m	Base area, extended stabiliser, L × W m	Base area, stabiliser retracted, L × W m	Number of rungs incl. platform	Weight kg	Order no.
1.05/1.30/1.60/1.80	3.80	2.82	2.17 × 2.39	2.17 × 0.67	7	32.4	41218
1.55/1.80/2.05/2.30	4.30	3.33	2.58 × 3.27	2.58 × 0.67	9	38.9	41219





# ZAP SAFEMASTER MAX S

NEW

## The high-standard premium version with maximum safety features

The new platform ladder meets all safety criteria in accordance with EN 131-7. It sets the highest safety standards with its automatic saloon door, integrated stabilisers and tread width.

The easy-to-fold cage ensures space-saving transport. Easy to move even when assembled thanks to the rear wheel set.



### WORKING SAFELY 360°

Solid peripheral guardrail and automatic saloon doors



### COMFORTABLE STANDING

due to spacious platform



### COMFORTABLE AND SAFE ASCENT AND DESCENT

on wide, non-slip treads



### PERFECT WORK ORGANISATION

Large, well-designed tool tray



### QUICK TO FOLD AWAY

Practical handle on the platform



### EASY TO RELOCATE

even when assembled, thanks to its large wheel set



Platform height m	Ladder length m	Working height m	Height including guardrails max. m	Lower, outside width m	Number of steps incl. platform	Weight kg	Order no.
0.70	2.06	2.70	1.72	0.69	3	16.0	41440
0.95	2.34	2.95	1.97	0.78	4	16.6	41441
1.20	2.62	3.20	2.23	0.67	5	24.9	41442
1.45	2.91	3.45	2.48	0.67	6	26.1	41443
1.70	3.18	3.70	2.74	0.67	7	27.4	41444



# ZAP SAFEMASTER PLUS S

## The robust variant for convenient close-to-wall order picking work

The wide platform ladder features long handrails and a spacious platform. These make it very easy to repeatedly ascend and descend while frequently changing position during picking. The close-to-wall

design of the ladder minimises the reach length. It can be relocated quickly and easily thanks to the stable chassis beam and lockable wheel set.



Platform height m	Working height m	Height including guardrails m	Width of chassis beams m	Width of horizontal stabiliser bar m	Number of steps incl. platform	Weight kg	Order no.
1.00	3.00	2.00	1.09	-	4	42.0	41201
1.30	3.30	2.30	1.09	-	5	43.0	41202
1.60	3.60	2.60	1.29	1.00	6	47.0	41203
1.80	3.80	2.80	1.29	1.00	7	50.6	41204
2.10	4.10	3.10	1.69	1.00	8	55.0	41205
2.60	4.60	3.60	1.88	1.40	10	61.0	41207
3.10	5.10	4.10	1.88	1.80	12	65.8	41209

### Associated equipment

Description	Order no.
Ballast weight	42915

### Required ballast (number of weights)

Indoors	-
Outdoors	4

Required for order no. 41207, 41209

# ZAP SAFEMASTER S

**Maximum sense of security, especially when ascending and descending thanks to the Safer Step tread and the long, stable handrail**

Our best-selling platform ladder is as flexible as your applications. It can be retrofitted with stabilisers, transport wheels and a guard bar.




## EASY TO RELOCATE

Can also be used in confined spaces thanks to self-folding handrails



## WORKING WITH BOTH HANDS FREE

Three-sided safety guardrails with safety strap



## EVERYTHING INCLUDED

Spacious storage tray for tools and small parts



## COMFORTABLE STANDING

on a spacious aluminium work platform



## QUICKLY FOLDED

Practical handle on the platform



## SAFE ASCENT AND DESCENT

on 80 mm deep Safer Step tread and the extra-long handrail



## ALWAYS STABLE

Automatic locking of rigid connections for secure standing



## UPGRADING

Can be upgraded with stabilisers to comply with EN 131-7

Platform height m	Ladder length m	Working height m	Height incl. guardrail m	Lower, outer width m	Number of steps incl. platform	Weight kg	Order no.
0.53	1.87	2.53	1.53	0.59	2	10.6	41672
0.79	2.15	2.79	1.79	0.62	3	11.8	41681
1.06	2.43	3.06	2.06	0.65	4	13.0	41674
1.32	2.71	3.32	2.32	0.68	5	14.4	41675
1.58	2.99	3.58	2.60	0.71	6	16.1	41676
1.85	3.27	3.85	2.87	0.74	7	17.4	41677
2.11	3.55	4.11	3.13	0.77	8	19.1	41678
2.34	3.88	4.34	3.40	0.802	9	20.4	41679

### Associated equipment


Description	Fits	Order no.
ZAP castor set	-	41671
ZAP stabiliser set, size 1	41674, 41675	41667
ZAP stabiliser set, size 2	41676, 41677	41668
ZAP stabiliser set, size 3	41678, 41679	41669
Safety bar	-	41649



# ZAP NEO S

## The lightest platform ladder in the range: For frequent relocation, for interior trades, servicing and repair

The ZAP Neo S is the ideal, super-light ZAP-family entry-level ladder: light, easy to use and compact with folding handrails. Perfect for long periods working at height. Particularly for trades that need both hands free to work.



Ladder length m	Platform height m	Working height m	Lower, outside width m	Stile height on access/support section mm	Number of steps incl. platform	Weight kg	Order no.
1.93	0.74	2.74	0.62	48	3	9.3	42440
2.20	0.99	2.99	0.64	48	4	10.4	42441
2.47	1.24	3.24	0.67	48	5	11.3	42442
2.74	1.49	3.49	0.70	48	6	12.5	42443
3.01	1.74	3.74	0.73	48	7	13.8	42444
3.28	1.99	3.99	0.75	48	8	15.0	42445





## Packaging and transportation



## Access technology



## Special solutions



## Medical



## Fall protection



[www.zarges.com](http://www.zarges.com)

**ZARGES GmbH** • Zargesstrasse 7 • D-82362 Weilheim • Tel.: +49 881 687-100 • Email: [steigtechnik.vertrieb@zarges.de](mailto:steigtechnik.vertrieb@zarges.de)

We reserve the right to make changes to technical specifications, the product range and prices without prior notice. Previous prices are hereby invalid.  
We accept no liability for any printing errors or mistakes in the information provided. Last updated: date of printing. Reproduction of this document,  
in its entirety or in part, is only permitted with the express consent of ZARGES GmbH.