

NOMA[®] PROTECT

—
WARNING
PROFILES

nmc

SOLUTIONS
FOR INDUSTRIES



SHOCK
ABSORPTION
REDEFINED

Warning profiles

NOMA® PROTECT WARNING PROFILES

NOMA® PROTECT WARNING PROFILES effectively prevent dangers thanks to their striking signal colour and provide reliable impact protection through their flexibility. The high-performance adhesive used, keeps the profile in place even under difficult conditions.

PRODUCT FEATURES:

- › Impact protection profiles with high absorbing effect
- › Extremely flexible
- › Permanent adhesive
- › Very good signalisation effect
- › Easy to apply to almost all surfaces (free from dust and grease)
- › Silicone-free
- › Temperature resistant
- › Fire performance: Euroclass E (EN 13501-1)
- › Available in lengths of 1 m or on request in 2 m lengths

NOMA® PROTECT



WP C
50 x 25 mm

Item Code: 3044629 Packaging unit: 6 m



Technical drawing showing a semi-circular profile with a height of 25 mm, a width of 50 mm, and a diameter of 30 mm. A 1° angle is indicated at the base.



WP C
40 x 28 mm

Item Code: 3044628 Packaging unit: 6 m



Technical drawing showing a semi-circular profile with a height of 27.7 mm, a width of 40 mm, and a 90° angle at the base.

Warning profiles



WP L
32 x 22 mm

Item Code: 3044630 Packaging unit: 12 m



Technical drawing showing a V-shaped profile with a height of 22 mm, a top width of 31.7 mm, and an angle of 88° at the base.



WP L
54 x 41 mm

Item Code: 3044729 Packaging unit: 6 m



Technical drawing showing a V-shaped profile with a height of 40.7 mm, a top width of 54 mm, and an angle of 88° at the base.



WP P
40 x 11 mm

Item Code: 3044631 Packaging unit: 12 m



WP P
40 x 28 mm

Item Code: 3044727 Packaging unit: 6 m



WP U
27 x 30 mm

Item Code: 3044730 Packaging unit: 6 m



WP U
39 x 36 mm

Item Code: 3044728 Packaging unit: 6 m

NMC sa

Gert-Noël-Strasse · B-4731 Eynatten

+32 87 85 85 00 · +32 87 85 85 11

info@nmc.eu



www.nmc-nomafoam.com