

Empower workers to create labels & receipts anywhere, any time

The mobile printer range at a glance

Featuring impressive print speeds and a rugged build quality, the Brother RJ Series is built to fit the requirements a wide range of market applications.

Drop tested up to 2.5m and carrying an IP54 certification, the RJ Series offers extra ruggedness for any applications subject to damp, moisture or dust with the ability to withstand the rigours of daily use for a range of applications, even in the harshest environments.

Compact and lightweight 2 inch mobile printer



Prints receipts
Weight 215g
Print width of up to 48mm
Print speeds up to 4ips (101.6mm/sec)
USB and Bluetooth connectivity
Drop tested to 2.5m*
IP54 certification*
203dpi print resolution
FBPL-EZC (EPL2/ZPL2/CPCL) supported
FBPL-EZP (EPL2/ZPL2/ESC-POS) downloadable

RJ-2035B

Compact and lightweight 2 inch mobile printer with additional Wi-Fi connectivity



Prints receipts
Weight 215g
Print width of up to 48mm
Print speeds up to 4ips (101.6mm/sec)
USB, Bluetooth and Wi-Fi connectivity
Drop tested to 2.5m*
IP54 certification*
203dpi print resolution
FBPL-EZC (EPL2/ZPL2/CPCL) supported
FBPL-EZP (EPL2/ZPL2/ESC-POS) downloadable

RJ-2055WB

Compact and lightweight 3 inch mobile printer



Prints receipts
Weight 375g
Print width of up to 72mm
Print speeds up to 4ips (101.6mm/sec)
USB and Bluetooth connectivity
Drop tested to 2.5m*
IP54 certification*
203dpi print resolution
FBPL-EZC (EPL2/ZPL2/CPCL) supported
FBPL-EZP (EPL2/ZPL2/ESC-POS) downloadable

RJ-3035B

Compact and lightweight 3 inch mobile printer with additional Wi-Fi connectivity



Prints receipts
Weight 375g
Print width of up to 72mm
Print speeds up to 4ips (101.6mm/sec)
USB, Bluetooth and Wi-Fi connectivity
Drop tested to 2.5m*
IP54 certification*
203dpi print resolution
FBPL-EZC (EPL2/ZPL2/CPCL) supported
FBPL-EZP (EPL2/ZPL2/ESC-POS) downloadable

RJ-3055WB

Drop tested up to 2.5m with IP54 certification for built-in durability

Rugged and compact 2 inch mobile printer with Bluetooth connectivity



Prints receipts

Weight 465g

Print width of up to 54mm

Print speeds up to 6ips (152mm/sec)

USB and Bluetooth connectivity

Drop tested to 2.5m

IP54 certification

203dpi print resolution

Raster, ESC/P, P-Touch Template, ZPL2, CPCL supported

RJ-2030

Rugged and compact 2 inch mobile printer with Bluetooth and Wi-Fi connectivity



Prints receipts

Weight 465g

Print width of up to 54mm

Print speeds up to 6ips (152mm/sec)

USB, Bluetooth and Wi-Fi connectivity

Drop tested to 2.5m

IP54 certification

203dpi print resolution

Raster, ESC/P, P-Touch Template, ZPL2, CPCL supported

RJ-2050

Rugged yet fast 2 inch mobile printer with Wi-Fi connectivity



Prints receipts and labels

Weight 545g

Print width of up to 54mm

Print speeds up to 6ips (152mm/sec)

USB and Wi-Fi connectivity

Drop tested to 2.5m

IP54 certification

203dpi print resolution

Raster, ESC/P, P-Touch Template, ZPL2, CPCL supported

RJ-2140

Rugged yet fast 2 inch mobile printer with Bluetooth and Wi-Fi connectivity



Prints receipts and labels

Weight 545g

Print width of up to 54mm

Print speeds up to 6ips (152mm/sec)

USB, Bluetooth and Wi-Fi connectivity

Drop tested to 2.5m

IP54 certification

203dpi print resolution

Raster, ESC/P, P-Touch Template, ZPL2, CPCL supported

RJ-2150

Rugged design and various connectivity options, perfect for mobile workers on the move

Durable and rugged 3 inch mobile printer with Bluetooth connectivity



Prints receipts and labels

Weight 807g

Print width of up to 72mm

Print speeds up to 5ips (127mm/sec)

USB and Bluetooth connectivity

Drop tested to 2m

IP54 certification

203dpi print resolution

Raster, ESC/P, P-Touch Template, ZPL2, CPCL supported

RJ-3230BL

Durable and rugged 3 inch mobile printer with Bluetooth and Wi-Fi connectivity



Prints receipts and labels

Weight 807g

Print width of up to 72mm

Print speeds up to 5ips (127mm/sec)

USB, Bluetooth and Wi-Fi connectivity

Drop tested to 2m

IP54 certification

203dpi print resolution

Raster, ESC/P, P-Touch Template, ZPL2, CPCL supported

RJ-3250WBL

Durable and rugged 4 inch mobile printer with Bluetooth connectivity



Prints receipts and labels

Weight 850g

Print width of up to 104mm

Print speeds up to 5ips (127mm/sec)

USB and Bluetooth connectivity

Drop tested to 2.1m

IP54 certification

203dpi print resolution

Raster, ESC/P, P-Touch Template, ZPL2, CPCL supported

RJ-4230B

Durable and rugged 4 inch mobile printer with Bluetooth and Wi-Fi connectivity



Prints receipts and labels

Weight 850g

Print width of up to 104mm

Print speeds up to 5ips (127mm/sec)

USB, Bluetooth and Wi-Fi connectivity

Drop tested to 2.1m

IP54 certification

203dpi print resolution

Raster, ESC/P, P-Touch Template, ZPL2, CPCL supported

RJ-4250WB

Accessories

Brother's wide range of accessories enables customisation to meet all mobile print solutions



Accessory type	Accessory	Compatible printers
AC adaptor	PAAD600AEU	RJ-2030, RJ-2050, RJ-2140, RJ-2150, RJ-3230BL, RJ-3250WBL, RJ-4230B, RJ-4250WB
	PAAD600AUK	
Battery eliminator kit (cigarette)	PABEK001CG	RJ-3230BL, RJ-3250WBL, RJ-4230B, RJ-4250WB
Battery eliminator kit (wired)	PABEK001WR	RJ-3230BL, RJ-3250WBL, RJ-4230B, RJ-4250WB
Rechargeable Li-ion battery	PABT003	RJ-2030, RJ-2050, RJ-2140, RJ-2150
	PABT008	RJ-2035B, RJ-2055WB
	PABT009	RJ-3035B, RJ-3055WB
Rechargeable Li-ion smart battery	PABT006	RJ-3230BL, RJ-3250WBL, RJ-4230B, RJ-4250WB
	PABT010	RJ-3035B, RJ-3055WB
1-slot battery charger	PABC002	RJ-2030, RJ-2050, RJ-2140, RJ-2150
	PABC003	RJ-3230BL, RJ-3250WBL, RJ-4230B, RJ-4250WB
	PABC005	RJ-3035B, RJ-3055WB
4-slot battery charger	PA4BC001	RJ-2035B, RJ-2055WB
	PA4BC002	RJ-3035B, RJ-3055WB
1-slot charging cradle	PACR003	RJ-2035B, RJ-2055WB
	PACR004	RJ-3035B, RJ-3055WB
	PACR005*	RJ-3230BL, RJ-3250WBL
Vehicle mount charging cradle	PACR002A	RJ-4230B, RJ-4250WB

* With ethernet port

Accessory type	Accessory	Compatible printers
4-slot charging cradle	PA4CR001	RJ-2035B, RJ-2055WB
	PA4CR002	RJ-3035B, RJ-3055WB
	PA4CR003*	RJ-3230BL, RJ-3250WBL
Car adaptor (cigarette)	PACD001CG	RJ-2035B, RJ-2055WB, RJ-3035B, RJ-3055WB
	PACD600CG	RJ-2030, RJ-2050, RJ-2140, RJ-2150, RJ-3230BL, RJ-3250WBL, RJ-4230B, RJ-4250WB
Car adaptor (wired)	PACD600WR	RJ-2030, RJ-2050, RJ-2140, RJ-2150, RJ-3230BL, RJ-3250WBL, RJ-4230B, RJ-4250WB
Shoulder strap	PASS001	RJ-2035B, RJ-2055WB, RJ-3035B, RJ-3055WB
	PASS4000	RJ-2030, RJ-2050, RJ-2140, RJ-2150, RJ-3230BL, RJ-3250WBL, RJ-4230B, RJ-4250WB
Peeler	PALP007	RJ-3230BL, RJ-3250WBL
Linerless platen roller	PALPR001	RJ-4230B, RJ-4250WB
	PALPR002	RJ-2035B, RJ-2055WB
	PALPR003	RJ-3035B, RJ-3055WB
	PALPR004	RJ-3230BL, RJ-3250WBL
Roll holder	PARH002	RJ-3035B, RJ-3055WB
Roll spacer	PARS001	RJ-2035B, RJ-2055WB
	PARS002	RJ-3035B, RJ-3055WB

Media options

BDL-7J000058-040

Continuous Receipt Roll

RJ-2030 | RJ-2050
RJ-2140 | RJ-2150
RJ-3230BL | RJ-3250WBL
RJ-4230B | RJ-4250WB

Roll Size:
58mm x 13.8m
Colour: white



BDL-7J000076-066

Continuous Receipt Roll

RJ-3230BL
RJ-3250WBL

Label Size:
76mm x 42m
Colour: white



BDL-7J000102-058

Continuous Receipt Roll

RJ-4230B | RJ-4250WB

Roll size:
101.6mm x 32.2m
Colour: white



BDE-1J026051-060

Die Cut Labels Roll

RJ-2140 | RJ-2150

Label size:
51mm x 26mm
Colour: white
Quantity: 500




BDE-1J044076-066

Die-cut Labels Roll

RJ-3230B | RJ-3250WB

Roll Size:
76mm x 44m
Colour: white
Quantity: 400




BDE-1J152102-058

Die-cut Labels Roll

RJ-4230B | RJ-4250WB

Label Size:
102mm x 152mm
Colour: white
Quantity: 85



BDE-1J000057-030

Continuous Receipt Roll

RJ-2035B | RJ-2055WB

Roll Size:
57mm x 6.6m
Colour: white



BDE-1J000079-040

Continuous Receipt Roll

RJ-3035B | RJ-3055WB

Roll Size:
79mm x 14m
Colour: white



BDE-1J044076-040

Die Cut Labels Roll

RJ-3055WB

Label size:
76mm x 44mm
Colour: white
Quantity: 70 per roll



Why choose Brother?

3 years return-to-base warranty

We feel it's extremely important to make sure expert help is at hand when things go wrong. That's why we offer a three-year return-to-base warranty as standard with all of our thermal printers.

"At your side"

Our award-winning specialist support team is on standby to offer support and advice for any integration needs. We also have Brother sales representatives across Europe and the rest of the world who are easy to contact and happy to help.

The print experts

From our versatile range of multifunction printers, scanners and label printers, to our business solutions that help personalise your technology to suit your business needs, we pride ourselves on being "the print experts" and having a print solution for any application.

RJ series range brief summary

RJ-2035B	RJ-2055WB	RJ-2030	RJ-2050	RJ-2140	RJ-2150
2 Inch					

Printing

Print technology	Direct thermal		
Print speed	101.6mm/sec	152mm/sec	
Resolution	203dpi		
Max print width	48mm (receipt)	54mm (receipt)	54mm (receipt) 51mm (label)

Media Types

Receipt	●	●	●	●	●
Labels				●	●

Connectivity

USB	●	●	●	●	●
Wireless LAN		●		●	●
Bluetooth	●	●	●		●
AirPrint				●	●
MFi	●			●	●

General

IP rating	IP42 (IP54 with optional case)		IP54	
Drop protection (metres)	1.8 (2.5 with optional case)		2.5	
Weight (with battery)	215g		465g	545g
Dimensions (mm)	79(w) 36.5(h) 116(d)		122(w) 57(h) 100(d)	151(w) 73(h) 100(d)
Operating system support	Microsoft® Windows® 7 Windows® 8.1 Windows® 10 Windows® Server 2012, 2012 R2, 2016, 2019 Linux Mac OS v10.11-10.15	Microsoft® Windows® 7 Windows® 8 Windows® 8.1 Windows® 10		Microsoft® Windows® 7 Windows® 8 Windows® 8.1 Windows® 10 Windows® Server 2008, 2008 R2, 2012, 2012 R2, 2016, 2019
Mobile OS	Android / iOS	Android	Android / iOS	
Supported commands	FBPL-EZC (EPL2/ZPL2/CPCL) FBPL-EZP (EPL2/ZPL2/ESC-POS) - download	P-touch Template, ESC/P, Raster, ZPL II emulation, CPCL emulation		

RJ series range brief summary

RJ-3035B	RJ-3055WB	RJ-3230BL	RJ-3250WBL	RJ-4230B	RJ-4250WB
3 Inch				4 Inch	

Printing

Print technology	Direct thermal		Direct thermal
Print speed	101.6mm/sec	127mm/sec	127mm/sec
Resolution	203dpi		203dpi
Max print width	72mm		104mm

Media Types

Receipt	●	●	●	●	●
Labels		●	●	●	●

Connectivity

USB	●	●	●	●	●
Wireless LAN		●		●	●
Bluetooth	●	●	●	●	●
AirPrint				●	●
MFi	●		●	●	●

General

IP rating	IP42 (IP54 with optional case)		IP54		IP54
Drop protection (metres)	1.8 (2.5 with optional case)		2.0		2.1
Weight (with battery)	375g	375g	802g	802g	850g
Dimensions (mm)	105(w) 49.5(h) 116(d)	105(w) 49.5(h) 116(d)	117(w) 77(h) 180(d)	117(w) 77(h) 180(d)	153(w) 68(h) 159(d)
Operating system support	Microsoft® Windows® 7 Windows® 8.1 Windows® 10 Windows® Server 2012, 2012 R2, 2016, 2019 Linux Mac OS v10.11-10.15		Microsoft® Windows® 7, 8.1, 10 Windows® Server 2012, 2012 R2, 2016, 2019		Microsoft® Windows® 7 Windows® 8 Windows® 8.1 Windows® 10 RJ-4250WB also supports: Microsoft® Windows Server® 2008 2008 R2 / 2012 / 2012 R2 / 2016
Mobile OS	Android / iOS		Android / iOS		Android / iOS
Supported commands	FBPL-EZC (EPL2/ZPL2/CPCL) FBPL-EZP (EPL2/ZPL2/ESC-POS) - downloadable		Raster, ESC/P, P-touch Template, ZPL II emulation, CPCL emulation		P-touch Template, ESC/P, Raster, ZPL II emulation, CPCL emulation