



BALEX®

**ROBUST VERTICAL BALERS FOR
DEMANDING USE**



CARDBOARD | PLASTICS | TEXTILES

**INTELLIGENT SMART-TECHNOLOGY
BALE WEIGHT 80–500 KG**



BALEX® BALERS

Europress Balex® is a range of extremely durable vertical balers. Their cross cylinder design ensures small footprint and low overall height, making them easy to place in any working environment. Their high-grade build quality contributes to extended service life.

Intelligent SMART technology on the balers contributes to more cost-efficient and safe operation. Device settings can be individually adjusted to best meet various waste management requirements. The balers monitor their usage and adapt to anomalies in order to protect both the operator and the components.

Intelligent SMART technology on the balers contributes to more cost-efficient and safe operation. Device settings can be individually adjusted to best meet various waste management requirements. The balers monitor their usage and adapt to anomalies in order to protect both the operator and the components.



Model	Balex-10	Balex-20	Balex-25
Compaction force (t)	10	20	25
Dimensions H x W x D (mm)	1.920 x 1.360 x 840	1.950 x 1.840 x 1.100	1.950 x 1.840 x 1.100
Weight (kg)	840	1.470	1.480
Infeed opening H x W x D (mm)	610 x 720 x 600	530 x 1.120 x 800	530 x 1.120 x 800
Infeed height (mm)	710	940	940
Bale dimensions H x W x D (mm)	600 x 800 x 670	800 x 1.200 x 840	800 x 1.200 x 840
Bale weight (kg) (cardboard)	80–110	200–250	200–300
Power supply	230 V, 50 Hz, 3x 32 A 400 V, 50 Hz, 3x 16 A Slow blow fuse	400 V, 50 Hz, 3x 16 A Slow blow fuse	400 V, 50 Hz, 3x 16 A Slow blow fuse
Press cycle time (s)	15	23	23
Noise level (dBa)	59	59	59
Motor	4,0 kW	4,0 kW	4,0 kW

Model	Balex-30	Balex-40	Balex-50
Compaction force (t)	30	40	50
Dimensions H x W x D (mm)	1.995 x 1.810 x 1.250	1.995 x 1.810 x 1.250	2.500 x 2.060 x 1.590
Weight (kg)	2.000	2.060	2.575
Infeed opening H x W x D (mm)	520 x 1.120 x 950	520 x 1.120 x 950	600 x 1.100 x 950
Infeed height (mm)	940	940	1.250
Bale dimensions H x W x D (mm)	950 x 1.200 x 840	950 x 1.200 x 840	950 x 1.200 x 1.200
Bale weight (kg) (cardboard)	280–320	350–400	up to 500
Power supply	400 V, 50 Hz, 3x 16 A Slow blow fuse	400 V, 50 Hz, 3x 16 A Slow blow fuse	400 V, 50 Hz, 3x 16 A Slow blow fuse
Press cycle time (s)	30	61	28
Noise level (dBa)	59	59	59
Motor	4,0 kW	4,0 kW	5,5 kW



 **EUROPRESS**
SMART BALERS & COMPACTORS