



Wenzhou SGON Valve Co., Ltd.

Address: No. 1633, Binhai First Avenue, Wenzhou Economic & Technological
Development Zone, Wenzhou City, Zhejiang Province, China

TEL: +86-577-86810182

FAX: +86-577-86810192

Email: sgonvalve@sgon-fm.com

Website: www.sgon-fm.com www.pd-ie.com

SGON[®]

温州世工阀门有限公司
WENZHOU SGON VALVE CO., LTD.



SGON VALVE
YOUR TRUSTED CHOICE



ABOUT US

Wenzhou SGON Valve Co., Ltd. is a Valve company integrated valve Research and Development, Manufacturing and Sales. The company is located in Longwan District, Wenzhou City, China Valve City, with convenient transportation.

We specialize in the manufacture and sale of stainless steel, carbon steel valves and pipe fittings, including ball valves, gate valves, globe valves, check valves, y type strainers, needle valves and pipe fittings etc. The products are produced in strict accordance with GB, API, DIN, JIS and other international standard. Our product is wide used in oil and gas, chemical, metallurgy, electric power, environmental protection, food, pharmaceutical, construction, etc.

QUALITY

Our factory integrate manufacturing, processing and assembling. With first-class equipment such as CNC Lathe, presser and drilling machine, We focus on every detail of producing processes, pursue higher quality and continuous creation, strive for each product qualified. SGON Valve Company strive for the world first-class industrial brand.

MARKET

We establish cooperative relations with customers in various regions of the world and set up Turkish agents. Our product more than 80% export to Europe and America, Middle East, Southeast Asia, etc. Due to reliable quality and reasonable price, our products are well-welcomed among our customers. We sincerely welcome customers visit our company, establish good business relationship with each other and encourage mutual development!



ENTERPRISE QUALIFICATION

The qualifications and honors we have obtained are the affirmation of our past achievements, and also the encouragement and spur to create tomorrow's brilliance! Moving forward to a new level is our belief that we will fight hard and never stop

SGON[®]



BALL VALVE SERIES

SGON[®]



1PC Threaded Ball valve
Size:1/4"-4"
Material:SS304/SS316/WCB
Pressure:1000WOG
Threaded Standard:BSPT/BSPP/NPT
DIN259/DIN2999



1PC Hexagonal Ball Valve
Size:1/4"-4"
Material:A105
Pressure:1000WOG-2000WOG
Threaded Standard:BSPT/BSPP/NPT



2PC Threaded Ball Valve
Size:1/4"-4"
Material:SS304/SS316/WCB
Pressure:1000WOG
Threaded Standard:BSPT/BSPP/NPT
DIN259/DIN2999



2PC Threaded Ball Valve
With ISO5211 Mounting Pad
Size:1/2"-4"
Material:SS304/SS316/WCB
Pressure:1000WOG
Threaded Standard:BSPT/BSPP/NPT
/DIN259/DIN2999



2PC Threaded Ball Valve
Size:1/4"-4"
Material:WCB
Pressure:1000WOG
Threaded Standard:BSPT/BSPP/NPT



2PC M / F Threaded Ball Valve
Size:1/4"-2"
Material:SS304/SS316/WCB
Pressure:1000WOG
Threaded Standard:BSPT/BSPP/NPT
DIN259/DIN2999



2PC Threaded Ball Valve(Korean Type)
Type:Reduce Port/Full Port
Size:1/4"-4"
Material:SCS13/SCS14
Pressure:10k/20k
Threaded Standard:BSPT/BSPP/NPT



2PC Hex Bar Ball Valve
Size:1/4"-2"
Material:A105
Pressure:2000WOG
Threaded Standard:BSPT/BSPP/NPT



2PC Threaded Ball Valve
Size:1/4"-2"
Material:SS304/SS316/WCB
Pressure:2000WOG
Threaded Standard:BSPT/BSPP/NPT



2PC Threaded Ball Valve
Size:1/4"-2"
Material:SS304/SS316/WCB
Pressure:3600WOG
Threaded Standard:BSPT/BSPP/NPT



2PC Threaded Ball Valve
Size:1/4"-2"
Material:SS304/SS316/WCB
Pressure:6000WOG
Threaded Standard:BSPT/BSPP/NPT



3PC Threaded Ball Valve
Size:1/4"-4"
Material:SS304/SS316/WCB
Pressure:1000WOG
Threaded Standard:BSPT/BSPP/NPT
DIN259/DIN2999

BALL VALVE SERIES

SGON®



3PC Threaded Ball Valve
With ISO5211 Mounting Pad
Size:1/2"-4"
Material:SS304/SS316/WCB
Pressure:1000WOG
Threaded Standard:BSPT/BSPP/NPT /DIN259/DIN2999



3PC Threaded Ball Valve
Size:1/4"-4"
Material:WCB
Pressure:1000WOG
Threaded Standard:BSPT/BSPP/NPT DIN259/DIN2999



2PC Threaded Ball Valve
Size:1/4"-4"
Material:SS304/SS316/WCB
Pressure:PN63
Dimension Standard:DIN3202-M3
Threaded Standard:BSP/DIN259/DIN2999



3PC Threaded Ball Valve
Size:1/4"-4"
Material:SS304/SS316/WCB
Pressure:PN63
Dimension Standard:DIN3202-M3
Threaded Standard:BSP/DIN259/DIN2999



3PC Threaded Ball Valve
With ISO5211 Mounting Pad
Size:1/2"-4"
Material:SS304/SS316/WCB
Pressure:PN63
Dimension Standard:DIN3202-M3
Threaded Standard:BSP/DIN259/DIN2999



3 Way Ball Valve
With ISO5211 Mounting Pad
Size:1/2"-4"
Material:SS304/SS316/WCB
Pressure:PN63
Dimension standard:DIN3202-M3
Threaded Standard:BSP/DIN259/DIN2999



3PC Socket Welded Ball Valve
Size:1/4"-4"
Material:SS304/SS316/WCB
Pressure:1000WOG
Connection:Socket Weld



3PC Butt Welded Ball Valve
Size:1/4"-4"
Material:SS304/SS316/WCB
Pressure:1000WOG
Connection:Butt Weld



3PC Extended Welded Ball Valve
Size:1/2"-4"
Material:SS304/SS316/WCB
Pressure:1000WOG
Connection:Butt Weld



3PC Threaded Ball Valve
With ISO5211 Mounting Pad
Size:1/2"-2"
Material:SS304/SS316/WCB
Pressure:2000WOG
Threaded Standard:BSPT/BSPP/NPT



Mini Ball Valve (M/M,M/F,F/F)
Size:1/4"-3/4"
Material:SS304/SS316
Pressure:PN63
Threaded:BSP/DIN259/DIN2999

GATE/GLOBE/CHECK VALVE SERIES

SGON®



Gate Valve
Size:1/2"-4"
Material:SS304/SS316
Pressure:200 PSI
Threaded:BSPT/BSPP/NPT



Globe Valve
Size:1/2"-4"
Material:SS304/SS316
Pressure:200 PSI
Threaded:BSPT/BSPP/NPT



Swing Check Valve
Size:1/2"-4"
Material:SS304/SS316
Pressure:200PSI
Threaded:BSPT/BSPP/NPT



Vertical Lift Check Valve
Size:1/2"-4"
Material:SS304/SS316
Pressure:1000PSI
Threaded:BSPT/BSPP/NPT



Wafer Type Check Valve(Disc Check Valve)
Size:1/2"-12"
Material:SS304/SS316
Pressure:PN40



Y Type Check Valve
Size:1/2"-4"
Material:SS304/SS316/WCB
Pressure:800WOG
Threaded: BSPT/BSPP/NPT



Y Type Strainer
Size:1/2"-4"
Material:SS304/SS316/WCB
Pressure:800WOG
Threaded: BSPT/BSPP/NPT



Needle Valve
Size:1/4"-1"
Material:SS304/SS316
Pressure:6000PSI
Threaded:BSPT/BSPP/NPT



Single Plate Check Valve
Size:1 1/2"-8"
Material:SS304/SS316
Pressure:PN16

BALL VALVE SERIES

SGON®



Wafer Type Flanged Ball Valve
With ISO5211 Mounting Pad
Size:1/2"-4"
Material:SS304/SS316
Pressure:PN40
DIN Flanged End



2PC Flanged Ball Valve
With ISO5211 Mounting Pad
Size:1/2"-8"
Material:SS304/SS316
Pressure:PN40
Dimension Standard:DIN3202-F4
DIN Flanged End



3PC Flanged Ball Valve
Size:1/2"-4"
Material:SS304/SS316
Pressure:PN40
Dimension Standard:DIN3202-F1
DIN Flanged End



3PC Flanged Ball Valve
With ISO5211 Mounting Pad
Size:1/2"-4"
Material:SS304/SS316
Pressure:PN40
Dimension Standard:DIN3202-F1
DIN Flanged End



3 Way Flanged Ball Valve
With ISO5211 Mounting Pad
Size:1/2"-4"
Material:SS304/SS316
Pressure:PN16



2PC Flanged Ball Valve
Size:15A-300A
Material:SCS13/SCS14
Pressure:10k/20k
JIS Flanged End



2PC Flanged Ball Valve
With ISO5211 Mounting Pad
Size:15A-300A
Material:SCS13/SCS14
Pressure:10k/20k
JIS Flanged End



2PC Flanged Ball Valve
Size:1/2"-12"
Material:CF8/CF8M/WCB
Pressure:150LB/300LB
ANSI Flanged End



2PC Flanged Ball Valve
With ISO5211 Mounting Pad
Size:1/2"-12"
Material:CF8/CF8M/WCB
Pressure:150LB/300LB
ANSI Flanged End

GATE/GLOBE/CHECK VALVE SERIES

SGON®




Flanged Gate Valve
Size:2"-36"
Material:SS304/SS316/WCB
Pressure:150LB/300LB/600LB



Flanged Globe Valve
Size:2"-36"
Material:SS304/SS316/WCB
Pressure:150LB/300LB/600LB



Flanged Swing Check Valve
Size:2"-36"
Material:SS304/SS316/WCB
Pressure:150LB/300LB/600LB



Flanged Y Type Strainer
Size:1/2"-12"
Material:SS304/SS316/WCB
Pressure:150LB/300LB



Flanged Y Type Strainer
Size:1/2"-12"
Material:SS304/SS316/WCB
Pressure:PN16/PN40

FORGED STEEL VALVE SERIES

SGON®



Forged Steel Gate Valve
Size:1/2"-2"
Material:F304/F316
Pressure:800LB
Connection:Threaded/Welded



Forged Steel Globe Valve
Size:1/2"-2"
Material:F304/F316
Pressure:800LB
Connection:Threaded/Welded



Forged Steel Y Type Globe Valve
Size:1/2"-2"
Material:F304/F316
Pressure:800LB
Connection:Threaded/Welded



Forged Steel Check Valve
Size:1/2"-2"
Material:F304/F316
Pressure:800LB
Connection:Threaded/Welded



Forged Steel Flanged Check Valve
Size:1/2"-2"
Material:A105/F304/F316
Pressure:150LB/300LB
Connection:FLanged



Forged Steel Y-Type Strainer
Size:1/2"-2"
Material:F304/F316
Pressure:800LB
Connection:Threaded/Welded



Flanged Forged Gate Valve
Size:1/2"-2"
Material:A105/F304/F316
Pressure:150LB/300LB/600LB
Connection:Flanged



Flanged Forged Globe Valve
Size:1/2"-2"
Material:A105/F304/F316
Pressure:150LB/300LB/600LB/800LB
Connection:Flanged



Forged Globe Valve
Size:1/2"-2"
Material:A105
Pressure:800LB
Connection:Threaded/Welded



Forged Gate Valve
Size:1/4"-2"
Material:A105
Pressure:800LB
Connection:Threaded/Welded



Forged Steel Check Valve
Size:1/2"-2"
Material:A105
Pressure:800LB
Connection:Threaded/Welded



Forged Steel Y Type Strainer
Size:1/2"-2"
Material:A105
Pressure:800LB
Connection:Threaded/Welded

PIPE FITTINGS SERIES

SGON®



Pipe Fittings
Size:1/4"-4"
Material:SS304/SS316
Threaded Standard:BSPT/BSPP/NPT



Sanitary Valves And Fittings
Size:1/4"-4"
Material:SS304L/SS316L
Pressure:1.6Mpa
Connection:Threaded/Flanged/Welded/Clamp



Pipe Fittings
Size:1/4"-12"
Material:SS304/SS316
Connection:Butt Welded



Flange
Size:DN15-DN600
Material:SS304/SS316/SS304L/SS316L
Pressure:150LB-300LB/PN16-40/10K-20K
Standard:ANSI/DIN/JIS