



Bag Emptying Machines Catalogue

Contents 3

Characteristics 4

SVR DEPA 6

SVR COMPACT 8

SVR COMPACT XL 10

SVR NT 12

SVR NT Short 14

SVR NT LT 16

SVR EL 18

Accessories 20


BAG EMPTYING MACHINES

SVR CAPACITY

| Model | PALLETS / HOUR | | BAGS / HOUR | |
|--|----------------|--------|-------------|--------|
| | GRANULES | POWDER | GRANULES | POWDER |
| SVR 150 NT | | | 150 | N.D. |
| SVR 300 NT | | | 300 | 150 |
| SVR 300 NT SHORT | | | 300 | 75 |
| SVR 600 NT | | | 600 | 400 |
| SVR 1000 NT | | | 1000 | 800 |
| | | | | |
| SVR 300 EL | | | 300 | 150 |
| SVR 600 EL | | | 600 | 400 |
| SVR 1000 EL | | | 1000 | 800 |
| | | | | |
| SVR 600 DEPA | | | 600 | 400 |
| SVR 600 DEPA ELITE | | | 600 | 400 |
| SVR 600 DEPA DELUXE | 10 | 6 | - | - |
| SVR 1000 DEPA | | | 1100 | 800 |
| SVR 1000 DEPA ELITE | | | 1100 | 800 |
| SVR 1000 DEPA DELUXE | 18 | 9 | - | - |
| SVR 1300 DEPA * | | | 1100 | 800 |
| SVR 1300 DEPA ELITE * | | | 1100 | 800 |
| SVR 1300 DEPA DELUXE * | 27 | 14 | - | - |
| | | | | |
| SVR COMPACT - SVR COMPACT XL | | | 750 | N.D. |
| SVR COMPACT ELITE - SVR COMPACT XL ELITE | | | 660 | N.D. |
| SVR COMPACT DELUXE - SVR COMPACT XL DELUXE | 10,5 | N.D. | - | - |

BAGS/PALLETS

■ PALLET TYPES




■ BAG TYPES

SIZE: from 5 to 75 Kg
STANDARD SIZE: 25,50 Kg

■ NOTES

With the empty pallet magazine model 1.0, the type of pallet must be confirmed. Thanks to a new technology for empty pallet stacking, model 2.0 handles all types of pallets, up to 1300 X1100 mm size limit.


Plastic



Coated Plastic



Paper



Jute



Raffia



■ PLASTIC / RUBBER

- PP
- PE
- LDPE
- HDPE
- EVA
- PVC
- Talc
- Calcium Carbonate
- Graphite
- Caustic Soda
- ABS
- HPS

■ CHEMICAL PRODUCTS

- Titanium Dioxide
- Ammonium Sulphate
- Rosin
- Caprolactam
- Pesticides
- Pigments
- Silicones
- Phosphates
- Granules
- Soda Products

■ FOOD



Coffee beans



Sugar



Corn



Tea



Coffee powder



Powdered milk



Cloves



Sunflower



Cocoa beans



Cocoa powder



Pet Food



Flour


SVRDEPA

SVR DEPA is the historical bag-emptying machine which has been manufactured by COMAV since 1980 and has obtained considerable appreciation on the market for its extreme reliability and versatility.

This model, capable of handling any type of bag and material with the same efficiency, ensures a safe response to the most varied market demands..

SVR DEPA can be supplied in version with depalletiser only, where full pallet load is carried out with forklift truck or pallet truck, with manual removal of the empty pallet, or can be supplied in more automated versions with empty pallet magazine (stacking of up to 8 empty pallets) and/or full pallet magazine. The most automated version, with full pallet magazine, reduces manual work and ensures high productivity. PLC-management allows to integrate the whole storage process, possibly by interfacing with a local network.

1300, 1300 Elite and 1300 Deluxe versions are mainly offered for coffee or cocoa bags with oversize pallets, for example 1800x1500 mm



■ APPLICATION

BAGS: any
SIZE: various
PRODUCTS: any

■ PROJECT

EMPTYING FACTOR: 99.99% for granular materials, 99.97% for powder materials
WORK CYCLE: Automatic
MANAGEMENT: PLC

■ MODELS

SVR DEPA
SVR DEPA ELITE
SVR DEPA DELUXE

■ CHARACTERISTICS

PARTS IN CONTACT WITH THE MATERIAL: Carbon Steel or 304/316L Steel
SUPPORT: Painted iron


■ ACCESSORIES

| | |
|----------------------|----------------------|
| Press for empty bags | Winnower |
| Hydraulic Press | Sieve |
| Pneumatic Conveyor | Profnet Module |
| Rotary Valve | Profibus Module |
| Filter | High Temperature Kit |

■ COMPLIANCE






ATEX II 1/3D Ex h IIB T135°C Da/Dc (optional)



■ DIMENSIONS AND WEIGHT**

Referred to SVR DEPA model with CP, for other versions please contact COMAV
** the values are to be considered indicative and subject to changes depending on the type of project




SVR COMPACT

The automatic bag-emptying machine SVR Compact, patented by COMAV, meets the needs of plastic industry with a compact and clean solution for granular product emptying.

The special needle gripper allows a slight lifting of the bag, without forcing the bag surface and damaging it.

It is inverter managed and allows setting the cutting blades and the beaters, according to the type of bag, improving emptying.

The high level of safety of SVR Compact model makes it the ideal partner for companies looking for a highly automated bag-emptying machine, with interface levels among the most sophisticated currently available on the market.



■ APPLICATION

BAGS: plastic, coated paper
SIZE: 25 Kg
PRODUCTS: plastic granules

■ PROJECT

EMPTYING FACTOR: 99.99% for plastic granules
WORK CYCLE: Automatic
MANAGEMENT: PLC

■ MODELS

SVR COMPACT
SVR COMPACT ELITE
SVR COMPACT DELUXE

■ CHARACTERISTICS

PARTS IN CONTACT WITH THE MATERIAL: Carbon Steel or SS304
SUPPORT: Painted iron



■ ACCESSORIES

| | |
|----------------------|----------------------|
| Press for empty bags | Winnower |
| Hydraulic Press | High Temperature Kit |
| Pneumatic Conveyor | Profnet Module |
| Rotary Valve | Profibus Module |

■ COMPLIANCE






SVR COMPACT ELITE



SVR COMPACT DELUXE

■ DIMENSIONS AND WEIGHT**

Referred to SVR COMPACT model with CP, for other versions please contact COMAV
** the values are to be considered indicative and subject to changes depending on the type of project




SVR COMPACT XL

The SVR Compact XL has been specifically designed for the transfer of plastic granules from 25 kg bags to Big Bags.

This model still maintains the highly automated granules management system, compact dimensions and energy-saving power supply of the original SVR Compact but incorporates a variety of additional features, such as: a service ladder for the operator to hook and unhook the Big Bag's sleeves, a special software for counting the bags and defining the filling amount of each Big Bag, a knife gate valve, designed to shut off the flow of product from the hopper discharge point. This model features a self-cleaning blade that prevents accumulation of the product during opening and closing. Lastly, a special connection for filling the Big Bag.

This machine is also suitable for the transfer of plastic granules from 25 kg bags to other containers, for example Octabins.



■ APPLICATION

BAGS: plastic, coated paper

SIZE: 25 Kg

PRODUCTS: plastic granules

■ PROJECT

EMPTYING FACTOR: 99.99% for plastic granules

WORK CYCLE: Automatic

MANAGEMENT: PLC

■ MODELS

SVR COMPACT XL

SVR COMPACT XL ELITE

SVR COMPACT XL DELUXE

■ CHARACTERISTICS

PARTS IN CONTACT WITH THE MATERIAL: Carbon Steel or SS304

SUPPORT: Painted iron

■ ACCESSORIES

Press for empty bags

Hydraulic Press

Save Money

High Temperature Kit



Profinet Module

Profibus Module

■ COMPLIANCE






SVR COMPACT XL ELITE



SVR COMPACT XL DELUXE

■ DIMENSIONS AND WEIGHT**

Referred to SVR COMPACT model with CP, for other versions please contact COMAV
** the values are to be considered indicative and subject to changes depending on the type of project




SVR_{NT}

SVR NT is a bag-emptying machine with belt feeding and manual and/or automatic load, suitable to empty bags with powder and granular products.

With a cutting section configured by the bag/product factor and a rotary drum, the separation is carried out with the product conveyed in the collection hopper, which then is pneumatically or mechanically conveyed.

The empty bag is compacted with a screw feeder or hydraulic press.

The NT model is available in ATEX and EC1935/2004 versions, as well as special versions according to the type of project.



■ APPLICATION

BAGS: any
SIZE: 25,50 Kg
PRODUCTS: any

■ PROJECT

EMPTYING FACTOR: 99.99% for granular materials, 99.97% for powder materials
WORK CYCLE: Semi-Automatic
MANAGEMENT: Electromechanical Panel

■ MODELS

SVR150
 SVR300
 SVR600
 SVR1000

■ CHARACTERISTICS

PARTS IN CONTACT WITH THE MATERIAL: Carbon Steel or 304/316L Steel
SUPPORT: Painted iron

■ ACCESSORIES


| | |
|----------------------|---------------------|
| Press for empty bags | Bag Cleaner |
| Hydraulic Press | PLC |
| Pneumatic Conveyor | Winnower |
| Rotary Valve | Sieve |
| Filter | Profinet / Profibus |

■ COMPLIANCE




EC1935/2004
 (optional)

ATEX II 1/3D Ex h IIB T135°C Da/Dc
 (optional)



■ DIMENSIONS AND WEIGHT**

Referred to SVR NT model with CP, for other versions please contact COMAV
** the values are to be considered indicative and subject to changes depending on the type of project




SVRNT SHORT

SVR NT Short has been designed for applications in environments with little height available, still ensuring high emptying performance.

A screw feeder integrated in the hopper conveys the material to the discharge, significantly reducing the machine height.

The possible total opening of the hopper ensures a thorough cleaning in case of product changeover.

Also in this version, as in the other SVR NT versions, the feeding belt is designed depending on the available space and the product type.



■ APPLICATION

BAGS: any
SIZE: 25,50 Kg
PRODUCTS: any

■ PROJECT

EMPTYING FACTOR: 99.99% for granular materials, 99.97% for powder materials
WORK CYCLE: Semi-Automatic
MANAGEMENT: Electromechanical Panel

■ MODELS

SVR₁₅₀
SVR₃₀₀

■ CHARACTERISTICS

PARTS IN CONTACT WITH THE MATERIAL: Carbon Steel or 304/316L Steel
SUPPORT: Painted iron

■ ACCESSORIES



| | |
|----------------------|----------------------|
| Press for empty bags | High Temperature Kit |
| Pneumatic Conveyor | PLC |
| Rotary Valve | Winnower |
| Filter | Profnet / Profibus |

■ COMPLIANCE





EC1935/2004
(optional)

ATEX II 1/3D Ex h IIB T135°C Da/Dc
(optional)



DIMENSIONS AND WEIGHT**

Referred to SVR NT SHORT model with CP, for other versions please contact COMAV
** the values are to be considered indicative and subject to changes depending on the type of project




SVR_{NT} LT

COMAV has developed a bag emptying machine with a hybrid pallet loading concept, particularly appreciated in the agricultural-food industry, which seeks a compromise between automatic loading and the possibility to handle many types of bags.

With the aid of a service platform, the operator places and aligns the bags on the conveyor belt, which automatically conveys them to the cutting area.

The pallet is lifted and tilted using a push-button panel fixed in the platform.

The rotary drum, as in SVR DEPA and SVR NT models, separates the product from the bag so that the bag can be subsequently compacted.



■ APPLICATION

BAGS: any

SIZE: 5,10,15,20,25,50 Kg

PRODUCTS: any

■ PROJECT

EMPTYING FACTOR: 99.99% for granular materials, 99.97% for powder materials

WORK CYCLE: Semi-Automatic

MANAGEMENT: Electromechanical Panel

■ MODELS

SVR300

SVR600

■ CHARACTERISTICS

PARTS IN CONTACT WITH THE MATERIAL: Carbon Steel or 304/316L Steel

SUPPORT: Painted iron

■ ACCESSORIES

Press for empty bags

Hydraulic Press

Pneumatic Conveyor

Rotary Valve

Filter

High Temperature Kit

PLC

Winnower

Sieve

Profinet / Profibus

■ COMPLIANCE





EC1935/2004
(optional)

ATEX II 1/3D Ex h IIB T135°C Da/Dc
(optional)



■ **DIMENSIONS AND WEIGHT****

Referred to SVR NT LT model with CP, for other versions please contact COMAV
** the values are to be considered indicative and subject to changes depending on the type of project




SVR_{EL}

The bag emptying concept of SVR EL model remains unchanged compared to SVR DEPA and SVR NT models, with the exception of a lifter feeding the cutting section.

Thanks to this innovative solution, it is possible to position the machine body on a different level from the loading level.

A typical application is the direct discharge to a mixer or tank, avoiding, among other things, contamination resulting from the installation of several mechanical components.

When manual loading is required but the space to install a conveyor belt is insufficient, the technology with elevator reduces the overall dimensions.



■ APPLICATION

BAGS: any
SIZE: 25,50 Kg
PRODUCTS: any

■ PROJECT

EMPTYING FACTOR: 99.99% for granular materials, 99.97% for powder materials
WORK CYCLE: Semi-Automatic
MANAGEMENT: Electromechanical Panel

■ MODELS

SVR150
SVR300
SVR600
SVR1000

■ CHARACTERISTICS

PARTS IN CONTACT WITH THE MATERIAL: Carbon Steel or 304/316L Steel
SUPPORT: Painted iron

■ ACCESSORIES


| | |
|----------------------|-----------------|
| Press for empty bags | PLC |
| Hydraulic Press | Winnower |
| Pneumatic Conveyor | Sieve |
| Rotary Valve | Profinet Module |
| Filter | Profibus Module |

■ COMPLIANCE



EC1935/2004
(optional)

ATEX II 1/3D Ex h IIB T135°C Da/Dc
(optional)



■ DIMENSIONS AND WEIGHT**


Dimensions are not available, as this is a fully customised machine depending on the project.

For more information, please contact COMAV


ACCESSORIES

Empty pallet magazine

Used to halve the loading time of the SVR: it handles up to 8 empty pallets to comply with the safety directives. Using a forklift truck, it is possible to remove the empty pallet stack.




Model 1.0




Model 2.0

Full pallet magazine

Used to increase the loading automation of the SVR. The number of full pallets automatically handled varies according to the needs.




Model SVR
COMPACT



Model SVR DEPA




Motor

The bag-emptying machine can be supplied with motors for temperatures up to 45°C






CP Press

Suitable to collect the emptied bags in a plastic tube. Up to 60 empty bags per metre can be collected.



Hydraulic Press

It forms bales whose dimensions are preset by the user according to a compression factor of 800 / 1000 empty bags per metre.




ACCESSORIES

Lifting Table




Bag Cleaner



Aero Mechanical
Conveyor



Eurosack




Pneumatic conveyor
and load to Silos
integrated handling



Compressor




Hopper screw feeder



Diverter valve
DTS/DTP



Rotary valve
VSD



Quick cleaning
rotary valve



NOTES



Your Partner in Bulk Material since 1980

COMAV Srl Unipersonale

Via Statale, 337
Frazione Sant'Agostino
44047 -Terre del Reno (FE) - Italy

phone: +39 0532 848348
email: info@comav-srl.com
web: www.comav-srl.com

COMAV

www.comav-srl.com