



ATEX-Wall Mounted Cabinet

Series TREVA-ATEX

TECHNICAL FEATURES

• OPERATING TEMPERATURE	-25°C ... +60°C
• MATERIAL	- Cold rolled steel (optional: stainless steel) - Key in Chrome-plated zamak
• PROTECTION DEGREE	IP 66
• IMPACT RESISTANCE	IK 10
• COLOUR	RAL 7035
• COATING	Hardened epoxy-polyester lacquer coating

- STANDARD ACCESSORY
 - Mounting plate
 - Mounting screws
 - Key
- APPROVAL



COMPLIANT WITH THE 2014/34/UE
DIRECTIVE


Certified by LOM: Cabinets with polyurethane sealing gasket.
UNE-EN 60079-0, UNE-EN 60079-7 and UNE-EN 60079-31 standards.

Certified by DEKRA: Cabinets with silicone rubber gasket.
Standards: CEI 60079-0, CEI 60079-31 and CEI 60079-7 standards.

II 2G - Ex eb IIC Gb.
II 2D - Ex tb IIIC Db.

DIMENSIONS

MODEL	L x W x H (mm)	MOUNTING PLATE	WEIGHT (kg)
BXPIEX302015-T01	300 x 200 x 150	1	3,90
BXPIEX302515-T01	300 x 250 x 150	1	4,59
BXPIEX303015-T01	300 x 300 x 150	1	5,40
BXPIEX303020-T01	300 x 300 x 200	1	6,10
BXPIEX403020-T01	400 x 300 x 200	1	8,00
BXPIEX404020-T01	400 x 400 x 200	1	9,60
BXPIEX406020-T01	400 x 600 x 200	1	14,85
BXPIEX504020-T01	500 x 400 x 200	2	11,80
BXPIEX604020-T01	600 x 400 x 200	2	13,68
BXPIEX604025-T01	600 x 400 x 250	2	10,00
BXPIEX605025-T01	600 x 500 x 250	2	18,00
BXPIEX606025-T01	600 x 600 x 250	2	24,70
BXPIEX705025-T01	700 x 500 x 250	2	22,44
BXPIEX806030-T01	800 x 600 x 300	2	32,20
BXPIEX808030-T01	800 x 800 x 300	2	39,70
BXPIEX1008030-T01	1000 x 800 x 300	3	51,35



ACCESSORIES (optional, order separately)

- Inner door



- Security lock



- Door interlock




- Modular frame




- Wall mounting brackets



- Rain cover



- Mounting base



- Mounting plate galvanized





Breuell Ingenieurbüro GmbH

📍 Grützmühlenweg 46 - 22339 Hamburg

☎ (+49) 040-538092-255

📠 (+49) 040-538092-85

✉ info@boxexpert.de

🌐 www.boxexpert.de

