



STAINLESS STEEL
Enclosures
Solutions
Overview

Release
2024

eta

OUR HISTORY

Family & Passion



THE ORIGINS

The first
successful cabinet.
AR9000

The new product
is born
ARETA

The new product
is born
E NUX

1978

1980

1992

1999

2011

Antonio Turati's
Heirs found ETA
in Castelmarte (CO)


The first
CNC machine
is installed.
AR9000 is conceived,
a very successful
cabinet.

The new
headquarters are
built in Canzo.

Production
of ARETA begins.
The revolutionary
concept of the modular
cabinet.

E NUX
is born

4 Business Units
4 Materials
For a story that is always evolving



Mild steel or stainless
steel enclosures

E COR

The IT
solutions
ABACUS

The solution for
industrial air conditioning

**AIR
CONDITIONING**

2013

2017

2019

2020

2023

2024

ADI Award
The ETA handle
wins
honourable
mention for
the Compasso
d'Oro by ADI.

The R&D
laboratory
of ideas and
solutions is
founded,
ETANext

The new systems
designed by ETA to
build the
E COR
enclosures,
with the concept of
industry 4.0, come
into
operation.

The new
ETA handle
is designed

The new ETA
air conditioner
is born


ETA
USA was born

BUSINESS SECTORS


Our products can be used in different sector as:

- 1.AUTOMOTIVE
- 2.PACKAGING
- 3.OIL & GAS
- 4.HANDLING & LOGISTIC
- 5.HVAC
- 6.MARINE & OFFSHORE

1




2




3




4



5



6



FREE STANDING CABINETS



enux
STAINLESS STEEL

CHARACTERISTICS

- Designed and manufactured according to the new concepts typical of E NUX
- Available with: single, double blank door and transparent door
- Front inserted mounting plate EUPA and side panels EUFX to be ordered separately
- Protection rating: IP55, Nema 12, IK10
- Silicone gasket as standard.

AVAILABLE ON REQUEST:

AISI 316L
NEMA 4X
STAINLESS STEEL FAN COVER



Certified welding process
UNI EN15614 WPAR
(Welding Procedure Approval
Record) and WPS
(Welding Procedure Specification).
Certification of the quality
management system according to ATEX standard.
highly qualified & well
trained staff. Customisation with holes, cut-outs,
special dimension & professional assistance
for special projects.



****To order the plinth H=200, add the suffix D to the code ex. EUZX-T0400D**
Order 2 packages of front cross-pieces

FREE STANDING CABINETS



DIMENSIONS WxHxD	ORDERING CODE DOOR/REAR COVER	DOOR	SIDE PANELS	MOUNTING PLATE**	LIFTING EYES	PLINTH CORNER H=100 MM	PLINTH CORNER H=200 MM
600X1800X400	ENUX-061804PRX	1	EUFX-040180	EUPA-060180	WTGS-001X	EUZX-A100	EUZX-A200
600X1800X500	ENUX-061805PRX	1	EUFX-050180	EUPA-060180	WTGS-001X	EUZX-A100	EUZX-A200
600X2000X500	ENUX-062005PRX	1	EUFX-050200	EUPA-060200	WTGS-001X	EUZX-A100	EUZX-A200
600X2000X600	ENUX-062006PRX	1	EUFX-060200	EUPA-060200	WTGS-001X	EUZX-A100	EUZX-A200
800X1800X400	ENUX-081804PRX	1	EUFX-040180	EUPA-080180	WTGS-001X	EUZX-A100	EUZX-A200
800X1800X500	ENUX-081805PRX	1	EUFX-050180	EUPA-080180	WTGS-001X	EUZX-A100	EUZX-A200
800X2000X500	ENUX-082005PRX	1	EUFX-050200	EUPA-080200	WTGS-001X	EUZX-A100	EUZX-A200
800X2000X600	ENUX-082006PRX	1	EUFX-060200	EUPA-080200	WTGS-001X	EUZX-A100	EUZX-A200
1000X1800X500	ENUX-101805PRX	1	EUFX-050180	EUPA-100180	WTGS-001X	EUZX-A100	EUZX-A200
1000X1800X600	ENUX-101806PRX	1	EUFX-060180	EUPA-100180	WTGS-001X	EUZX-A100	EUZX-A200
1000X2000X500	ENUX-102005PRX	1	EUFX-050200	EUPA-100200	WTGS-001X	EUZX-A100	EUZX-A200
1000X2000X600	ENUX-102006PRX	1	EUFX-060200	EUPA-100200	WTGS-001X	EUZX-A100	EUZX-A200
1200X1800X400	ENUX-121804PRX	2	EUFX-040180	EUPA-120180	WTGS-001X	EUZX-A100	EUZX-A200
1200X1800X500	ENUX-121805PRX	2	EUFX-050180	EUPA-120180	WTGS-001X	EUZX-A100	EUZX-A200
1200X2000X500	ENUX-122005PRX	2	EUFX-050200	EUPA-120200	WTGS-001X	EUZX-A100	EUZX-A200
1200X2000X600	ENUX-122006PRX	2	EUFX-060200	EUPA-120200	WTGS-001X	EUZX-A100	EUZX-A200
DIMENSIONS WxHxD	UNIVERSAL FRONT/SIDE CROSSPIECES		SIDE CROSSPIECES WITH INTEGRATED CORNERS H=100 MM		CABINET JOINING KIT	LIFTING BRACKET	INTERNAL JOINING KIT
600X1800X400	EUZX-T0600		EUZX-P0400		EUKU-002X	WTSS-001	EUKU-003
600X1800X500	EUZX-T0600		EUZX-P0500		EUKU-002X	WTSS-001	EUKU-003
600X2000X500	EUZX-T0600		EUZX-P0500		EUKU-002X	WTSS-001	EUKU-003
600X2000X600	EUZX-T0600		EUZX-P0600		EUKU-002X	WTSS-001	EUKU-003
800X1800X400	EUZX-T0800		EUZX-P0400		EUKU-002X	WTSS-001	EUKU-003
800X1800X500	EUZX-T0800		EUZX-P0500		EUKU-002X	WTSS-001	EUKU-003
800X2000X500	EUZX-T0800		EUZX-P0500		EUKU-002X	WTSS-001	EUKU-003
800X2000X600	EUZX-T0800		EUZX-P0600		EUKU-002X	WTSS-001	EUKU-003
1000X1800X500	EUZX-T1000		EUZX-P0500		EUKU-002X	WTSS-001	EUKU-003
1000X1800X600	EUZX-T1000		EUZX-P0600		EUKU-002X	WTSS-001	EUKU-003
1000X2000X500	EUZX-T1000		EUZX-P0500		EUKU-002X	WTSS-001	EUKU-003
1000X2000X600	EUZX-T1000		EUZX-P0600		EUKU-002X	WTSS-001	EUKU-003
1200X1800X400	EUZX-T1200		EUZX-P0400		EUKU-002X	WTSS-001	EUKU-003
1200X1800X500	EUZX-T1200		EUZX-P0500		EUKU-002X	WTSS-001	EUKU-003
1200X2000X500	EUZX-T1200		EUZX-P0500		EUKU-002X	WTSS-001	EUKU-003
1200X2000X600	EUZX-T1200		EUZX-P0600		EUKU-002X	WTSS-001	EUKU-003

FREE STANDING CABINETS



e mox
STAINLESS STEEL

CHARACTERISTICS

- Completely welded structure with removable screwed rear panel
- Available with: single or double blank door
- Supply includes mounting plate
- Protection rating: IP56 (single door), IP55 (double door), Nema 12, IK10.

CERTIFIED WELDING PROCESS
UNI EN15614 WPAR (WELDING PROCEDURE APPROVAL RECORD) AND WPS (WELDING PROCEDURE SPECIFICATION).
CERTIFICATION OF QUALITY
MANAGEMENT SYSTEM ACCORDING TO ATEX STANDARD.
HIGHLY QUALIFIED & WELL TRAINED STAFF.
CUSTOMIZATION WITH HOLES, CUT-OUTS, SPECIAL
DIMENSION & PROFESSIONAL ASSISTANCE FOR SPECIAL
PROJECTS.



EMOX stainless steel cabinets from ETA are offered in two variations both providing a high level of protection and flexibility.
EMOX is a range of free standing cabinets having IP66 protection for single doors and IP55 for double doors. Available in standard grade 304L stainless steel with high grade 316L.
High protection is achieved by using silicone gaskets on all external doors and covers.





DIMENSIONS WxHxD	ORDERING CODE DOOR/REAR COVER	DOOR	LIFTING EYES	SIDE CROSSPIECES WITH CORNERS H=100 MM	SIDE CROSSPIECES WITH CORNERS H=200 MM	FRONT CROSSPIECES
600X1600X400	EMOX-061604PRX	1	WTGS-003	EUZX-P0400M	EUZX-P0400MD	EUZX-L0600M
600X1800X400	EMOX-061804PRX	1	WTGS-003	EUZX-P0400M	EUZX-P0400MD	EUZX-L0600M
600X1800X500	EMOX-061805PRX	1	WTGS-003	EUZX-P0500M	EUZX-P0500MD	EUZX-L0600M
600X2000X400	EMOX-062004PRX	1	WTGS-003	EUZX-P0400M	EUZX-P0400MD	EUZX-L0600M
600X2000X500	EMOX-062005PRX	1	WTGS-003	EUZX-P0500M	EUZX-P0500MD	EUZX-L0600M
800X1600X400	EMOX-081604PRX	1	WTGS-003	EUZX-P0400M	EUZX-P0400MD	EUZX-L0800M
800X1800X400	EMOX-081804PRX	1	WTGS-003	EUZX-P0400M	EUZX-P0400MD	EUZX-L0800M
800X1800X500	EMOX-081805PRX	1	WTGS-003	EUZX-P0500M	EUZX-P0500MD	EUZX-L0800M
800X2000X400	EMOX-082004PRX	1	WTGS-003	EUZX-P0400M	EUZX-P0400MD	EUZX-L0800M
800X2000X500	EMOX-082005PRX	1	WTGS-003	EUZX-P0500M	EUZX-P0500MD	EUZX-L0800M
1000X1800X400	EMOX-101804PRX	1	WTGS-003	EUZX-P0400M	EUZX-P0400MD	EUZX-L1000M
1000X2000X400	EMOX-102004PRX	1	WTGS-003	EUZX-P0400M	EUZX-P0400MD	EUZX-L1000M
1200X1800X400	EMOX-121804PRX	2	WTGS-003	EUZX-P0400M	EUZX-P0400MD	EUZX-L1200M
1200X1800X500	EMOX-121805PRX	2	WTGS-003	EUZX-P0500M	EUZX-P0500MD	EUZX-L1200M
1200X2000X400	EMOX-122004PRX	2	WTGS-003	EUZX-P0400M	EUZX-P0400MD	EUZX-L1200M

Glazed door versions on request.*

For 200 mm high plinth, order 2 sets of side/front rear trims.

For high grade 316 material, add "H" to cabinet part reference.

FREE STANDING CABINETS



e comp
STAINLESS STEEL

CHARACTERISTICS

- Completely welded structure with removable screwed rear panel
- Available with: single or double blank door
- Supply includes mounting plate
- Protection rating: IP56 (single door) IP55 (double door), Nema 12, IK10.

**CERTIFIED WELDING PROCESS
UNI EN15614 WPAR (WELDING
PROCEDURE APPROVAL RECORD)
AND WPS (WELDING
PROCEDURE SPECIFICATION).
CERTIFICATION OF THE QUALITY MANAGEMENT SYSTEM
ACCORDING TO ATEX STANDARD. HIGHLY QUALIFIED &
WELL TRAINED STAFF.
CUSTOMISATION WITH HOLES,
CUT-OUTS, SPECIAL DIMENSION &
PROFESSIONAL ASSISTANCE FOR
SPECIAL PROJECTS.**



ECOMP stainless steel cabinets provide an ideal solution between a small cabinet and a large wall-mounting box. Available in standard grade 304L stainless steel with high grade 316L. High protection is achieved by using silicone gaskets on all external doors and covers.





DIMENSIONS WxHxD	ORDERING CODE DOOR/ REAR COVER	DOOR	LIFTING EYES	FRONT CROSSPIECES	SIDE CROSSPIECES WITH CORNERS H=100 MM	SIDE CROSSPIECES WITH CORNERS H=200 MM	WALL BRACKETS STAINLESS
600X1200X400	ECOMP-61240X	1	WTGS-003	EUZX-L0600M	EUZX-P0400P	EUZX-P0400PD	SDWCX-010
600X1400X300	ECOMP-61430X	1	WTGS-003	EUZX-L0600M	EUZX-P0300P	EUZX-P0300PD	SDWCX-010
600X1400X400	ECOMP-61440X	1	WTGS-003	EUZX-L0600M	EUZX-P0400P	EUZX-P0400PD	SDWCX-010
800X1200X400	ECOMP-81240X	1	WTGS-003	EUZX-L0800M	EUZX-P0400P	EUZX-P0400PD	SDWCX-010
800X1400X300	ECOMP-81430X	1	WTGS-003	EUZX-L0800M	EUZX-P0300P	EUZX-P0300PD	SDWCX-010
800X1400X400	ECOMP-81440X	1	WTGS-003	EUZX-L0800M	EUZX-P0400P	EUZX-P0400PD	SDWCX-010
1000X1200X400	ECOMP-101240X	2	WTGS-003	EUZX-L1000M	EUZX-P0400P	EUZX-P0400PD	SDWCX-010
1000X1400X300	ECOMP-101430X	2	WTGS-003	EUZX-L1000M	EUZX-P0300P	EUZX-P0300PD	SDWCX-010
1000X1400X400	ECOMP-101440X	2	WTGS-003	EUZX-L1000M	EUZX-P0400P	EUZX-P0400PD	SDWCX-010
1200X1200X400	ECOMP-121240X	2	WTGS-003	EUZX-L1000M	EUZX-P0400P	EUZX-P0400PD	SDWCX-010
1200X1400X300	ECOMP-121430X	2	WTGS-003	EUZX-L1200M	EUZX-P0300P	EUZX-P0300PD	SDWCX-010
1200X1400X400	ECOMP-121440X	2	WTGS-003	EUZX-L1200M	EUZX-P0400P	EUZX-P0400PD	SDWCX-010

For high grade 316 material, add "H" to cabinet part reference.

WALL-MOUNT ENCLOSURES



e cor
STAINLESS STEEL

CHARACTERISTICS

- Available with blank, screwed panel or transparent door
- Supply includes mounting plate
- Protection rating: IP66,
Nema 4X (single door)
Nema 12 (double or transparent door)
IK10
- Silicone gasket as standard.



WALL-MOUNT ENCLOSURES



ecor-eex
STAINLESS STEEL

CHARACTERISTICS

- Available with blank door
- Supply includes mounting plate
- Protection rating: IP66, Nema 4X (single door), IK10
- Silicone gasket as standard.



ECOR-EEX WALL-MOUNTING BOXES COMPLYING WITH ATEX

- To be used in the atmospheres that are potentially explosive (ATEX) due to inflammable substances such as gas, steam, fume or dust
- Protection rating: IP66, Nema 4X, IK10
- Classification: II 2G Ex eb IIC Gb II 2D Ex tb IIIC Db



ENCLOSURE WITH SINGLE BLANK DOOR

ORDERING CODE	BOX DIMENSIONS WxHxD	LOCK / TYPE	MOUNT. PLATE DIMENSIONS
EC020315X	200X300X150	1 BOX	150X250
EC030315X	300X300X150	1 BOX	250X250
EC030320X	300X300X200	1 BOX	250X250
EC030415X	300X400X150	1 BOX	250X350
EC030420X	300X400X150	1 BOX	250X350
EC040315X	400X300X200	1 BOX	350X250
EC040320X	400X300X200	1 BOX	350X250
EC040420X	400X400X250	1 BOX	350X350
EC040425X	400X400X200	1 BOX	350X350
EC040520X	400X500X250	1 BOX	350X450
EC040620X	400X600X200	2 BOX	350X550
EC040625X	400X600X250	2 BOX	350X550
EC050520X	500X500X300	1 BOX	450X450
EC050525X	500X500X200	1 BOX	450X450
EC050530X	500X600X200	1 BOX	450X450
EC050620X	500X700X200	2 BOX	450X550
EC050720X	500X700X250	2 BOX	450X650
EC050725X	500X400X200	2 BOX	450X650
EC060420X	600X500X200	1 BOX	550X350
EC060520X	600X600X200	1 BOX	550X450
EC060620X	600X600X250	2 BOX	550X550
EC060625X	600X800X300	2 BOX	550X550
EC060630X	600X800X200	2 BOX	550X550
EC060820X	600X800X250	2 BOX	550X750
EC060825X	600X1000X300	2 BOX	550X750
EC060830X	600X1200X300	2 BOX	550X750
EC061030X	600X600X300	2 BOX	550X950
EC061230X	600X800X300	ROD SYSTEM	550X1150
EC080630X	800X600X300	2 BOX	750X550
EC080830X	800X800X300	2 BOX	750X750
EC081030X	800X1000X300	2 BOX	750X950
EC081230X	800X1200X300	ROD SYSTEM	750X1150
EC081430X	800X1400X300	ROD SYSTEM	750X1350


ENCLOSURE WITH DOUBLE BLANK DOOR

ORDERING CODE	BOX DIMENSIONS WxHxD	LOCK / TYPE	MOUNT. PLATE DIMENSIONS
EC100830X	1000X800X1300	2 BOX	950X750
EC101030X	1000X1000X300	ROD SYSTEM	950X950
EC101230X	1000X1200X300	ROD SYSTEM	950X1150
EC120830X	1200X800X300	2 BOX	1150X750
EC121230X	1200X1200X300	ROD SYSTEM	1150X1150

ENCLOSURE WITH TRASPARENT DOOR

ORDERING CODE	BOX DIMENSIONS WxHxD	LOCK / TYPE	MOUNT. PLATE DIMENSIONS
EC030420X.P	300X400X200	1 BOX	250X350
EC040520X.P	400X500X200	1 BOX	350X450
EC040620X.P	400X600X200	2 BOX	350X550
EC050725X.P	500X700X250	2 BOX	450X650
EC060820X.P	600X800X200	2 BOX	550X750
EC060825X.P	600X800X250	2 BOX	550X750
EC081030X.P	800X1000X300	2 BOX	750X950

*To order the stainless steel version AISI 316L replace the suffix X with H in the code



ENCLOSURE WITH SLOPED ROOF

ORDERING CODE	BOX DIMENSIONS WxHxD	LOCK / TYPE	MOUNT. PLATE DIMENSIONS
EC040515X.T	400X503X150	1	350X450
EC040620X.T	400X603X200	2	350X550
EC050730X.T	500X703X300	2	450X650
EC060825X.T	600X803X250	2	550X750
EC081025X.T	800X1003X250	2	750X950
EC081030X.T	800X1003X300	2	750X950
EC081230X.T	800X1203X300	ROD SYSTEM	750X1150

E COR STAINLESS STEEL ENCLOSURES ATEX COMPLIANT

ORDERING CODE	BOX DIMENSIONS WxHxD	LOCK / TYPE	MOUNT. PLATE DIMENSIONS
EC020315EEX	200X300X150	1	150X250
EC030315EEX	300X300X150	1	250X250
EC030415EEX	300X400X150	1	250X350
EC030420EEX	300X400X150	1	250X350
EC040315EEX	400X300X150	1	350X250
EC040420EEX	400X400X200	1	350X350
EC040520EEX	400X500X200	1	350X450
EC040620EEX	400X600X200	2	350X550
EC040625EEX	400X600X250	2	350X550
EC050520EEX	500X500X200	2	450X450
EC050525EEX	500X500X250	2	450X450
EC050720EEX	500X700X200	2	450X650
EC050725EEX	500X700X250	2	450X650
EC060420EEX	600X400X200	3	550X350
EC060620EEX	600X600X200	3	550X550
EC060625EEX	600X600X250	3	550X550
EC060630EEX	600X600X300	3	550X550
EC060820EEX	600X800X200	4	550X750
EC060825EEX	600X800X250	4	550X750
EC060830EEX	600X800X300	4	550X750
EC061230EEX	600X1200X300	5	550X1150
EC080830EEX	800X800X300	4	750X750
EC081030EEX	800X1000X300	4	750X950
EC081040EEX	800X1000X400	4	750X950
EC081230EEX	800X1200X300	5	750X1150

*To order the stainless steel version AISI 316L add the suffix H in the code (es. EC020315EEXH)
Other dimensions available on request

WALL-MOUNT ENCLOSURES



e GRAN
STAINLESS STEEL

CHARACTERISTICS E GRAN TERMINAL BOXES

- Mounting plate to be ordered separately
- Protection rating: IP66 - IP69K, Nema 4X, IK10.
- 304L Stainless steel
- 316L Stainless steel available on request



DIMENSIONS WxHxD	ORDERING CODE	MOUNTING PLATE	WALL BRACKETS
150x150x80	EGRAN1-108X	SDPA-11	SHWCX-010
200x200x80	EGRAN2-208X	SDPA-22	SHWCX-010
300x200x80	EGRAN3-208X	SDPA-32	SHWCX-010
150x150x120	EGRAN1-112X	SDPA-11	SHWCX-010
200x200x120	EGRAN2-212X	SDPA-22	SHWCX-010
300x200x120	EGRAN3-212X	SDPA-32	SHWCX-010
400x200x120	EGRAN4-212X	SDPA-42	SHWCX-010
300x300x120	EGRAN3-312X	SDPA-33	SHWCX-010

*To order the stainless steel version AISI 316L replace the suffix X with H in the code





shx
STAINLESS STEEL

CHARACTERISTICS SHX PUSHBUTTON BOXES

- Supplied with blank cover or punched cover with holes for buttons diam. 2,5mm
- mounting plate to be ordered separately
- Protection rating: IP66 - IP69K, Nema 4X, IK10.



DIMENSIONS WxHxD	ORDERING CODE PUNCHED LID	NO OF HOLES	ORDERING CODE PLAIN LID	MOUNTING PLATE	WALL BRACKETS
100x100x90	SHX1-109F	1	SHX1-109C		SHWCX-010
100x160x90	SHX1-169F	2	SHX1-169C	SHPA-16	SHWCX-010
100x220x90	SHX1-229F	3	SHX1-229C	SHPA-22	SHWCX-010
100x280x90	SHX1-289F	4	SHX1-289C	SHPA-28	SHWCX-010



CONTROL DESKS



zbx
STAINLESS STEEL

ZBX MONO BLOC DESK STAINLESS STEEL AISI 304L CHARACTERISTICS

- 4 standard dimensions
- Complete with mounting plate
- Machining options available
- IP55 - Nema 12 protection
- Grade 316L available on request.

A range of free-standing desks with solid rear back or with hinged rear doors are available in 4 standard dimensions and offering a robust solution for plant floor applications. Top sloping lid is hinged and locked open with a mechanical door stay. The front doors are hinged and lockable. Standard supply comes with internal mounting plate. Available in both painted steel and stainless steel grade 304L with high grade 316L. These desks offer an ideal solution for operator use in the most demanding of applications.





STAINLESS STEEL - SOLID BACK VERSION

DIMENSIONS WxHxD	ORDERING CODE	PLINTH CORNER H=100 MM	PLINTH CORNER H=200 MM	PLINTH SIDE TRIMS H=100 MM**	PLINTH FRONT/ REAR TRIMS H=100 MM**	CASTORS
600x1000x400	ZBX6-01	EUZX-A100	EUZX-A200	EUZX-T0400C	EUZX-T0600	WTRU-001
800x1000x400	ZBX8-01	EUZX-A100	EUZX-A200	EUZX-T0400C	EUZX-T0800	WTRU-001
1000x1000x400*	ZBX0-01	EUZX-A100	EUZX-A200	EUZX-T0400C	EUZX-T1000	WTRU-001
1200x1000x400*	ZBX2-01	EUZX-A100	EUZX-A200	EUZX-T0400C	EUZX-T1200	WTRU-001

* Double Door.

**For 200mm high plinth, order 2 sets of side/front rear trims.

SUSPENSION ARM SYSTEM



I VERSION SECTION STAINLESS STEEL

DIMENSIONS

ORDERING CODE

L=500	ERI-0500X
L=750	ERI-0750X
L=1000	ERI-100X

L VERSION SECTION STAINLESS STEEL

DIMENSIONS A1-L-A

ORDERING CODE

300X500	ERL-0305X
500X500	ERL-0505X
750X500	ERL-0705X

OPERATOR ENCLOSURE HOUSING AISI 304L STAINLESS STEEL

DIMENSIONS WxHxD

ORDERING CODE

300x300x150	ERAM3-315X
400x300x150	ERAM4-315X
400x400x150	ERAM4-415X
600x400x150	ERAM6-415X

J VERSION SECTION STAINLESS STEEL

DIMENSIONS WxHxD

ORDERING CODE

300X500X380	ERJ-030503X
500X500X380	ERJ-050503X
750X750X380	ERJ-070703X

S VERSION SECTION STAINLESS STEEL

DIMENSIONS A1-L-A

ORDERING CODE

380-1000	ON REQUEST
380-1000	ON REQUEST
380-1000	ON REQUEST

OPTIONAL ACCESSORIES

DESCRIPTION

ORDERING CODE

HANDLES [2]	ERM-02

FIXED 10° ANGLE FOR HOUSING ERCF-010X

Made from AISI303 stainless steel.
Complete with fastening screws

**SWIVEL WALL-MOUNTING BASE ERPG-001XP**

Made from AISI303 stainless steel.
Complete with fastening screws and swivel locking system.
Front fastening

**FIXED ATTACHMENT FOR HOUSING ERCF-001X**

Made from AISI303 stainless steel.
Complete with fastening screws

**WALL MOUNTING BRACKET ERPS-001XA**

Made from AIS304L stainless steel.
Allows for the wall-mounting of the base attachments. Front fastening. To be combined with: ERPF-001X or ERPG-001XP.

**SWIVEL ATTACHMENT FOR HOUSING ERPG-001X**

Made from AISI303 stainless steel.
Complete with fastening screws and swivel locking system

**WALL MOUNTING BRACKET ERPS-001XP**

made from AIS304L stainless steel.
Allows for the wall-mounting of the base attachments. Rear fastening. To be combined with: ERPF-001X or ERPG-001XP.

**FIXED WALL-MOUNTING BASE ATTACHMENT ERPF-001X**

Made from AISI303 stainless steel.
Complete with fastening screws

***FIXED DIRECT BASE ATTACHMENT ERDF-001X**


made from AIS303 stainless steel.
Complete with fastening screws.

**SWIVEL WALL-MOUNTING BASE ATTACHMENT ERPG-001XA**

Made from AISI303 stainless steel.
Complete with fastening screws and swivel locking system.
Front fastening

***SWIVEL DIRECT BASE ATTACHMENT**

Made from AIS303 stainless steel. Complete with fastening screws and swivel locking system. Front fastening.

ERDG-001XA**ERDG-001XP**

*For the enclosure drilling template, please refer to the ERCF-001X

STAINLESS STEEL



THE SAFE CHOICE TO PROTECT YOUR REPUTATION

Stainless Steel Enclosures offer the very best in protection and value. Produced from standard grade AISI 304L material with the option of high grade AISI 316L. From small terminal boxes to large modular cabinets, ETA has a complete solution to fit with your requirements. Need machining? Stainless Steel enclosures can be quickly machined using the latest in laser technology and offering the best lead times in the market.

WHY CHOOSE ETA

Product available from stock in grade AISI 304L material
Fast delivery for AISI 316L and machined enclosures.
Complete range of stainless steel enclosures
Competitive pricing
Superior protection with Silicone door seals



*Check out our website eta.it to keep updated!
Design and printed by E.T.A. S.p.A.
September 2024

**E.T.A. S.P.A.
HEADQUARTERS
VIA MONTE BARZAGHINO 6
22035 CANZO (CO)
ITALY
+39 031.673611
+39 031.670554
INFO@ETA.IT
WWW.ETA.IT**

**ETA ENCLOSURES [UK] LTD
Unit 2, Ignite Magna Way
Rotherham. S601FD
+44 1709 386630
+44 1709 369524
info@eta-enclosures.co.uk**

**SASU E.T.A. France
Rue du Pré aux Boeufs
76806 St Etienne du Rouvray
France
+33 02 35643470
info@etafrance.fr**

**ETA ENCLOSURES Sp. z o.o.
Sikorskiego 44
60-451 Września
Poland
+48 660 515 887
biuro@eta-enclosures.it**

**ETA Enclosures USA
431 Vision Drive
Suite F201
Cumming, GA
+937 800-4211**