



# Content

Your one-stop partner

Foreword Michel Kempinski	5
SULO worldwide	6-7
Circular Eco	8-9
SULO 4.0	10-11
Bin details	
Lid systems	12-13
Safety systems	14-15
Locks	16-19
Wheel systems	20-23
Labelling	24-33
Citybac®	
Citybac® 2Wheel	38-47
Citybac® 4Wheel	48-59
Citybac® Classic	
Citybac® Classic 2Wheel	64-89
Citybac® Classic 4Wheel	90-107
Citybac® Specials	
Citybac® Medical	112-113
Citybac® Confido	114-115
Citybac® Vario	116-117
Citybac® Diamond	118-119

120-121

# No.1 for your Waste Management

# **SULO**













- 1 Citybac® 2- and 4-Wheeled Bin Systems
- 2 Iceberg® Undergroundsystems and Halfundergroundsystems
- 3 Cityspot®- Recycling Banks
- 4 Litter Bins
- 5 Service Solutions
- 6 Digital Hardware- and Softwaresolutions

We are delighted to present our new generation of CITYBAC® bins to you. As a pioneer in waste management with a 130-year history, it is our aim to offer you innovative solutions to turn today's waste into tomorrow's resource.

The new CITYBAC® generation combines economy, quality and sustainability in a unique way. The typical ECO design and the use of 100% recycled material are milestones in the modern closed-loop circular economy. Many ecologically-minded municipalities and companies have already successfully adopted this path.

Our stated aim is to inspire you with intelligent circular-economy-based solutions. Solutions that reduce the environmental and climate burden to a minimum and contribute substantially to creating a clean world that is worth living in for us and future generations.

We look forward to supporting you, aided by the energy and experience of our 2,500 SULO employees.

### Michel Kempinski

President of the SULO Group



# Close by for our customers everywhere **SULO WORLDWIDE**

Because our environment doesn't stop at any border, it is also our objective to realise our goal of a sustainable circular economistic institutions, companies and citizens the most innovative solutions of our age, including customised services that can be released to you:



## onomy across different countries and in line with needs throughout the world. For this purpose, we offer municipalities, lied on in any time and place. You will find us and our proven network of production companies, sales enterprises and

#### **EUROPE**

SULO France SAS Immeuble Perspective Défense 1 rue du Débarcadère 92700 Colombes FRANCE

tel +33 1 40 87 64 00

SULO Belgium N.V. Ring-Oost 14 9400 Ninove BELGIUM

tel +32 54 31 31 31

SULO Schweiz AG Bruggfeldweg 1 4147 Aesch/BL SWITZERLAND tel +41 61 560 36 36

### **NORTH & CENTRAL AMERICA**

SULO Mexico SA de CV Acceso III 16-B, Int.6, Plaza Quadrum, Parque Industrial Benito Juárez, Querétaro, Qro. C.P. 76120

**MEXICO** 

tel +52 442 225 27 01

### **ASIA & SOUTH PACIFIC**

SULO Environmental Systems Pte. Ltd. 18, Boon Lay Way Trade Hub 21, #09-117 Singapore 609966 **SINGAPORE** 

tel +65 6515 98-48

SULO Deutschland GmbH Bünder Straße 85 32051 Herford **GERMANY** tel +49 5221 598-05

SULO Nederland B.V. Beneluxstraat 4 6014 CC Itterfoort **NETHERLANDS** tel +31 475 56700-0

SULO Deutschland GmbH Regionalbüro Österreich Raiffeisengasse 2 8541 Schwanberg AUSTRIA tel +43 676 9504130

### **CARIBBEAN**

SULO Caraibe Im Palmiers Phoenix ZA de Bois Quarré 97232 Le Lamentin **MARTINIQUE** tel +596 63 91 55

### **AFRICA & MIDDLE EAST**

SULO Middle East Dubai Science Park DUBAI **UNITED ARAB EMIRATES** tel +971 50 853 9716

#### SULO Iberica SA

Calle Gobelas, 47-49 (La florida) 28023 MADRID SPAIN

tel +34 91 708-2970

**SULO Nordics** Vannhögsgatan 11 23166 Trelleborg **SWEDEN** 

tel +46 410 12460

ProShop Kosmonavta Volkova Str. 10/1 127299 Moscow RUSSIA

tel +7 495 846-80-86

### **SOUTH AMERICA**

SULO Chile SA Calle Lincoyan 9930 Quilicura (sector Cañaveral) Santiago de Chile CHILE

tel + 56 2 2 834 35 00

#### **INDIAN OCEAN**

SULO La Réunion 24 bis rue de la Martinique ZAC Fourcherolles 97480 Sainte-Clotilde **REUNION ISLAND** tel +33 262711412


# We close the loop

## **CIRCULAR ECO®**

CITYBAC® bins are used to collect plastic waste, among other things. This means that CITYBAC® bins are an indispensable component of the modern circular economy as a tool for collection. In addition, the recycled material from every CITYBAC® bin is itself used in its entirety in the production of new bins at the end of its lifecycle. As a result, CITYBAC® bins are the essential basis for the sustainable shaping of the future in several respects.

CITYBAC® bins remain in the loop – all CITYBAC® bins are 100 % recyclable. Nothing is wasted; the circle is closed completely. This enables us to reduce the consumption of fossil fuels to a minimum. This is a documentable bonus for the ecological development of cities and municipalities with respect to the reduction of their carbon footprint.

At least 60 % post-consumer recyclate – in addition to the recycled bins, post-consumer recyclate, meaning used bottles and packaging, are used in the production of our RAL-certified bins. The share of this is at least 60 %.





# Pioneers of quality

## **SULO 4.0**

SULO bins are famous throughout the world for their particular longevity and robustness. The same is true for our CITYBAC® bins. Indeed, we ensure our quality leadership through a strict quality management system that goes far beyond the required standards:

- certified according to EN 840 and RAL GZ 951/1
- certified management system according to DIN EN ISO 9001, ISO 14001, ISO 45001 and ISO 50001

### **MANUFACTURED IN LINE WITH THE LATEST INDUSTRY 4.0 CONDITIONS**

**Our plant in Langres** is the first company in France to have been audited and certified according to the AFAQ standard for the circular economy.

Our production site in Herford, Germany, has been audited and certified with the Blue Angel environmental seal, which confirms SULO's status as a pioneer in sustainability and innovative material quality.














# Always absolutely top

## **LID SYSTEMS**

The appearance of CITYBAC® bins is defined to a high degree by their lids. In addition to their design, the different variants stand out thanks to their specific uses and substantial benefits. For the 2-wheeled bins in the sizes 60 to 360 litres, SULO offers four different lid variants. The 4-wheeled bins in the sizes 660, 770 and 1100 litres are fitted with a flat lid. The 1100-litre bin can also be configured with a convenient domed lid. Owing to their compatibility, all lid variants are available for CITYBAC® and CITYBAC® CLASSIC bins.

### **STANDARD LID**

The CITYBAC® standard lid has two easy reach-through handles, which enable the easy opening of the lid. The level surface offers different options for marking and personalisation. Hot foil stamping, embossing or stickers support communication with the user.



### **CLIP LID**

The clip lid supports the all-round sustainability of your bin. With the coloured clip for waste category identification, no coloured lid is required, meaning that the entire bin can be produced from environmentally friendly recyclate. Another benefit: a subsequent change in waste category is easily possible without a lid switch – a perfect win-win situation for the environment and your budget.

## **DESIGN LID**

The design lid impresses thanks to its simplicity. With a grip rail that runs around all three sides, the lid can be easily and comfortably opened. Large level surfaces enable different options for marking and personalisation.





### **SILENT LID**

The name says it all. Besides its modern look, this lid offers efficient noise reduction with a simple trick. Thanks to a larger plastic lip on the underside of the lid, the lid shuts more slowly, similarly to a parachute. This patented function reduces the noise produced upon closing by 20%

## **FLAT LID (FL)**

Three ergonomically placed easy reach-through handles enable the particularly easy opening of CITYBAC® 4-wheeled bins. The large level surface offers different options for the marking and personalisation of the lid. Hot foil stamping, embossing or stickers support communication with the user.





## LID-IN-LID FOR FLAT LID (LIL)

The latest lid in the 4-wheeled bin family offers a clear increase in ergonomic comfort thanks to the two-part lid design. The front lid can be opened from almost any position without any notable effort using two integrated easy reach-through handles as well as handles on the side. Thanks to the large slot size of 290 mm in depth, even a 50-litre bag of rubbish can be disposed of without any problems. This makes barrier-free use easy even for the elderly or those with limited mobility. The lid's well thought-out design allows a large number of different marking and personalisation options.

## **DOME LID (DL)**

For the CITYBAC® 1100, a dome lid is also available, which can be pushed open with ease and thus offers a clear advantage in terms of comfort. A child safety device is built in as standard and prevents automatic closure. One benefit during the emptying process is that the round lid is pushed backwards by the lid opening trunnions and so doesn't hamper the compaction process during emptying.







### **LID-IN-LID FOR DOME LID (LIL)**

In the lid-in-lid solution for the dome lid of the 1100-litre bin, the small lid at the front is extremely large, relatively speaking. Even large bags of waste can be comfortably disposed of with this variant. The integrated handle on the front lid means it can be opened effortlessly. As well as all ergonomic benefits, this lid variant also features a child safety device.



# Safety first

## **SAFETY DEVICES**

4-wheeled CITYBAC® from SULO perform an important function in the public and private sphere. That is why it is particularly important to us that our bins leave nothing to be desired in terms of convenience and safety for garbage collectors, users and children.

### SAFE WASTE DISPOSAL - SULO SAFETY FEATURES


Safety starts with the design. Our decades of experience as a leading supplier provide everything we need to equip each of our 4-wheeled CITYBAC® with ground-breaking security features:

- Stable design thanks to the patented honeycomb structure
- Rot-proof, high-performance material HDPE
- Perfect, smooth surfaces without shear waves
- No sharp corners and edges
- Rounded profiles to avoid breaking points
- Two-step reinforced DIN comb according to EN 840 for maximum safe emptying
- Lifting trunnions reinforced by means of a steel insert
- Smooth, robust castors for easy and safe manoeuvring
- Proven SULO double-stop system for effortless brake locking
- Ergonomically designed, sturdy handles
- Only child-resistant bins in accordance with statutory regulations



# Child safety device made by SULO

## BASIC SYSTEM COPTION






Additional attachments on both sides of the bin prevent the domed lid from closing automatically due to its own weight. For this purpose, the flexible leg spring snaps into a holding plate. The lid closes only up to the opening position, leaving a gap of at least 181 mm open. The lid only closes completely when the lid is shut manually.

1 When emptying the container, it is NOT placed down again with the lid closed; 2 instead, the lid needs to be pulled shut by hand.

## LIGHT SYSTEM COPTION





The lid closes only up to the opening position, leaving a gap of at least 181 mm open. To completely close the lid it is necessary to operate the push-buttons with two hands while pulling the lid forward. These are attached to the front lid rim and can be conveniently operated by thumb, while at the same time holding the handles. The push-buttons cause the shaft to pivot upwards, leaving no obstacle, thus allowing the lid to be completely closed.

1 When emptying the container, it is NOT placed down again with the lid closed; instead, 2 the lid needs to be pulled shut by hand.

### **COMFORT SYSTEM** (standard)



The domed lid consists of two key functional elements that make it childproof. Hooks attached to the side of the exterior of the body, prevent the lid from closing completely. The corresponding counterpiece is the childproofing shaft made of metal attached to the side of the lid underside outside the bin interior. If the lid moves forward from the completely open position, the shaft stops in front of the hook.

1 The container is placed down again after emptying with the lid closed.

# Inherently conclusive CYLINDER LOCK

A cylinder lock is a unit consisting of various attachment parts. It encompasses the lock, with its components being fitted on both the body and the lid. If the container is locked, both of the lock components are interlocked. The lock cover is visibly fitted onto the exterior of the container lid. Inside the cover is the locking cylinder.





# With or without gravity system

# **CYLINDER LOCK**



### **LOCKS WITHOUT AUTOMATIC FUNCTION**

- recognisable by the green signal colour
- the difference to locks with gravity function is that they must be opened by the disposal personnel before the emptying process



### **FUNCTIONALITY**





### **LOCKS WITH AUTOMATIC FUNCTION**

- recognisable by the red signal colour
- the bin opens automatically when tipped over 90°, i.e. in bulk, and releases the contents of the bin for emptying
- the gravity function is an additional attachment inside the body that supplements the assembly of the lock



### **FUNCTIONALITY**

Cylinder lock with automatic function



# Smooth and easy manoeuvrability

## WHEEL SYSTEMS

The 2-wheeled CITYBAC® bins are equipped with 200-millimetre wheels. The 2-wheeled CITYBAC® Classic bin can also be ordered optionally with the wheel sizes 250 (60-240 litre) and 300 (360 litre) millimetres. The wheels with a diameter of 250 and 300 millimetres can be manoeuvred through snow very well and are therefore recommended in regions where a lot of snow falls during the winter months. The 2-wheeled CITYBAC® bins are fitted with recyclable tubular axles made of steel, while full axles are also available as an option.



For the CITYBAC® 4-wheeled bins, SULO offers various wheel variants, which both guarantee easy steering and also prevent bins from rolling away. The wheels on 4-wheeled bins consists of self-aligning castors and functional castors.



The bins are always equipped with two self-aligning castors as standard, which are mounted on the back of the 4-wheeled bins on the left and right sides. Castors are characterised by their ability to turn an angle of  $360^{\circ}$ .

Functional castors are attached at the front of the underside of the bin. They act as a brake on the wheels of CITYBAC® 4-wheeled bins. These include the double stop (DS) and central locking device (ZF) brake systems. Both brake systems can be combined with the steering lock.


# **Combination Options**

CHASSIS SYSTEMS	DOUBLE STOP	CENTRAL LOCKING DEVICE	DOUBLE STOP + STEERING LOCK	DEVICE + STEERING LOCK	CASTORS
Standard	00	+			55
Combination 1		<b>55</b>			00
Combination 2			55	+	55
Combination 3				* 66	55

# Keep what they promise

# **WHEEL SYSTEMS**

## **FUNCTIONALITY DOUBLE STOP (DS)**



## **FUNCTIONALITY CENTRAL LOCKING DEVICE (ZF)**



triangular key, which is located in the lifting handle. Bins that are equipped with a central locking device are therefore difficult for unauthorised persons to move or take away. With the ZF equipment option, these 4-wheeled bins are a part of the product range of bins with braking systems.

# Communication arrives

# **LABELLING**

In addition to the SULO sticker, there are of course additional options for marking and/or personalisation on the body and lid of CITYBAC® bins. Whether multicoloured stickers or monochrome hot foil stamping, there is nothing to stand in the way of your communication with the user. To make bin management easier and to ensure the durable marking of bins, we offer the imprinting of consecutive numbers in black, white or colourless for the lid and/or body.

## PERSONALIZATION ON THE BODY



SULO sticker



Customer sticker



Hot foil stamping



Running number body (colourless/ black/white)

### PERSONALIZATION ON THE LID



Sticker



Hot foil stamping



Screen printing only with Citybac® 1100 RD



Running number lid (colourless/black/ white)





Embossing insert





### **HOT FOIL STAMPING - ONE COLOUR**







CITYBAC® 1100 FL 1100 RL Classic 1100 FL 1100 RL A Width ~ **B** Height ~ 


 $The \ logo \ or \ lettering \ to \ be \ embossed \ must \ always \ be \ aligned \ over \ the \ centre \ axis \ of \ the \ embossing \ field!$ 

## **STICKER - PLANE AREAS**



see the example of CITYBAC® 120






see the example of CITYBAC® CLASSIC 1100 FL

	CITYBAC® 120	CITYBAC® 240	CITYBAC® 1100 FL	CITYBAC® 1100 RL	CITYBAC® Classic 60	CITYBAC® Classic 80	CITYBAC® Classic 120	CITYBAC® Classic 140	CITYBAC® Classic 240	CITYBAC® Classic 360	CITYBAC® Classic 660	CITYBAC® Classic 770	CITYBAC® Classic 1100 FL	CITYBAC® Classic 1100 RL
<b>1</b> Width ~	240	240	450	450	240	240	270	200	350	275	700	700	580	580
<b>2</b> Width ~	250	250	-	-	260	270	300	200	370	275	-	-	-	-
<b>3</b> Height ~	250	250	450	450	400	550	570	200	660	310	540	540	280	280
4 Width ~	240	240	-	-	240	240	270	-	370	-	350	350	350	500
<b>5</b> Width ~	250	250	-	-	260	270	300	-	440	-	-	-	-	-
<b>6</b> Height ~	250	250	-	-	450	620	620	-	660	-	540	540	300	300




### **RUNNING NUMBERS**

For CITYBAC® 120 and 240, for CITYBAC® Classic 60, 80, 120 and 240 with Standard and Clip Lid



For CITYBAC® 240 with Silent Lid, for CITYBAC® Classic 140 und 360



CITYBAC® CITYBAC® CITYBAC® CITYBAC® CITYBAC®

### For CITYBAC® 1100 FD/RD, for CITYBAC® Classic 1100 FL/RL



For CITYBAC® Classic 660 and 770



see the example of CITYBAC® CLASSIC 660 FL

# Citybac® LABELLING

## **MARKING AREAS**



Standard Lid
see the example of
CITYBAC® 120



Clip Lid
see the example of
CITYBAC® 120



Silent Lid

see the example of
CITYBAC® CLASSIC 360

1	"NO HOT ASHES"* ~
2	Individual property marking* ~
3	Marking area: Hot stamping or Sticker
4	SULO logo or other company logo ~
(5)	Dummy insert ~
6	Sound power level (EG directive)~
7	Qualitymark~
8	Year ~
9	Nominal volume ~

1	Hot foil stamping ~
2	Hot foil stamping ~
3	Marking area: Sticker ~
4	Embossing insert ~
(5)	Embossing insert ~
6	SULO logo or other company logo

	Standard Lid 60 / 80	Standard Lid 120	Standard Lid 240	Clip Lid 60 / 80	Clip Lid 120	Clip Lid 240	
Γ		I	ı		I	I	٦
	230 x 18	300 x 18	230 x 18	230 x 18	230 x 18	230 x 18	
	220 x 40	220 x 40	220 x 40	220 x 40	220 x 40	220 x 40	
	200 x 110	200 x 130	200 x 130	200 x 170	200 x 170	200 x 170	
	135 x 30	135 x 30	135 x 30	135 x 30	135 x 30	135 x 30	
	40 x 40	40 x 45	40 x 45	-	-	-	
	40 x 40	40 x 45	40 x 45	35 x 40	35 x 40	35 x 40	
	40 x 40	40 x 45	40 x 45	Ø 40	Ø 40	Ø 40	
	40 x 40	40 x 45	40 x 45	55 x 30	55 x 30	55 x 30	
	-	-	-	55 x 30	55 x 30	55 x 30	


Design Lid 140	Silent Lid 240	Silent Lid 360	
	ı	ı	٦
160 x 90	160 x 90	160 x 90	
Ø 57	Ø 57	Ø 57	
195 x 310	180 x 290	275 x 310	
168 x 88	168 x 88	168 x 88	
65 x 65	70 x 70	80 x 80	
65 x 65	70 x70	80 x 80	

Usage of other fonts is possible

Please leave 5 mm free space all around for layouts. All corner radius are 5 mm.

<sup>\*</sup>Standard font is Swis721BT. Sample text in Swis721BT AaBbCc123






Flat Lid
see the example of
CITYBAC® 1100 FL

Dome Lid
see the example of
CITYBAC® 1100 RL

		Flat Lid 1100	Dome Lid 1100
1	"NO HOT ASHES"* ~	229 x 60	688 x 41
2	Individual property marking* ~	389 x 57	389 x 57
3	Marking area: Hot stamping or Sticker ~	300 x 200	-
4	SULO logo or other company logo ~	225 x 56	226 x 57
(5)	Dummy insert ~	225 x 56	226 x 57
6	Year ~	summarized	159 x 57
7	Nominal volume	dimension	159 x 57
8	Sound power level (EG directive) ~	228 x 60	159 x 57
9	Qualitymark~ (text readable from behind)	119 x 41	159 x 57
10	Dummy insert ~ (text readable from behind)	119 x 41	-
111	Screen printing (one colour)	-	400 x 100
12	Screen printing (one colour)	-	215 x 265




1	Hot foil stamping ~	160 x 90
2	Hot foil stamping ~	Ø 57
3	Hot foil stamping ~	Ø 57
4	Marking area: Sticker ~	275 x 310
(5)	Embossing insert ~	40 x 45
6	Embossing insert ~	168 x 88
7	SULO logo or other company logo ~	275 x 75

Flat Lid 660/770

# Citybac® LABELLING

### **RUNNING NUMBERS**

For CITYBAC® 120 and 240, for CITYBAC® Classic 60, 80, 120 and 240 with Standard and Clip Lid



For CITYBAC® 240 with Silent Lid, for CITYBAC® Classic 140 und 360




see the example of CITYBAC® CLASSIC 360

### For CITYBAC® 1100 FL/RL, for CITYBAC® Classic 1100 FL/DL



Flat Lid
see the example of CITYBAC® 1100 FD






Dome Lid
see the example of
CITYBAC® 1100 RD

### For CITYBAC® Classic 660 and 770



Flat Lid

see the example of
CITYBAC® CLASSIC 660







# A new approach to MGB

# **CITYBAC®**

CITYBAC® continues the long tradition of quality SULO bins. The new generation has been specially designed for the requirements of the modern circular economy. Maximum eco-friendliness, ergonomic characteristics and longevity – the ideal situation for ecologically minded municipalities and companies. Enjoy proven SULO quality in its most sustainable form.

### **INNOVATION IN ALL RESPECTS**

**ECO design** – the innovative CITYBAC® design with a weight-reduced body lowers material consumption and is the answer to the growing demand for resource-conserving solutions.

**Transport** – thanks to their optimised geometry, CITYBAC® bins can be stacked in a more space-saving manner and up to 20 % more bins can be transported in one vehicle.

**Ergonomics** – the controlled weight reduction lowers maintenance work and considerably reduces the strain placed on collection personnel.

# **CITYBAC®**



Citybac® 120

38-41



Citybac® 240

42-45



Citybac® 1100 FL

48-53



Citybac®1100 DL

54-57



## **NEW**

CITYBAC® 1100 with ergonomic lid in lid (p.52)

# Citybac® 120L PRODUCT DETAILS







- 1 Standard Lid
- 2 Handles 2x
- 3 Lid rivet 2x
- 4 Marking areas
- A Body reinforced with beads
- **B** Continuous handle bar
- ${f C}~~{\sf DIN}~{\sf comb}~{\sf lifting}~{\sf system},~{\sf double}~{\sf stage}$
- **D** SULO sticker / Marking areas
- **E** External wheels
- F Chip nest as standard
- ${\bf G}\;\; {\rm Lateral}\; {\rm grip}\; {\rm surfaces}\; {\rm with}\; {\rm wave}\; {\rm profile}\;\;$





















#### STANDARD LID

## Dimensions (mm)

A He	ight total ~	944
<b>B</b> Co	mb height ~	889
<b>C</b> Bir	n depth ~	558
D Wid	dth total ~	480
E Wh	neel diameter ~	200

#### Dimensions (mm)

**CLIP LID** 

	· ·	
A	Height total ~	954
В	Comb height ~	889
C	Bin depth ~	558
D	Width total ~	480
E	Wheel diameter ~	200

### Weights

Tubular axle		Tubular
Nominal volume (L)	120	Nominal
Empty weight (kg) ~	7,2	Empty w
Max. filling weight(kg) ~	48	Max. filli
Max. total weight (kg) ~	60	Max. tota

#### Weights

Tubular axle	
Nominal volume (L)	120
Empty weight (kg) ~	7,2
Max. filling weight(kg) ~	48
Max. total weight (kg) ~	60

# Citybac® 120L

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



#### **FRACTION MARKING**



Clip available in the colours

Label for Clip Lid, individual printing possible

#### **LID SLOT SYSTEMS**

#### Glass



Round slot with rubber rosette Ø 150 mm

#### Paper



Opening Slots 250 x 30 mm

#### **NOISE REDUCTION SYSTEMS**



Lid Opening Noise Reduction



Lid closing damper

#### **WHEELS**



Ø 200 mm Wheel

#### **LOCKING SYSTEMS**



Triangular Locks



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® 240L PRODUCT DETAILS



- 1 Standard Lid
- 2 Handles 2x
- 3 Lid rivet 2x
- 4 Marking areas
- A Body reinforced with beads
- **B** Continuous handle bar (split handle option production specific)
- C DIN comb lifting system, double stage
- **D** SULO sticker / Marking areas
- E External wheels
- F Chip nest as standard
- **G** Lateral grip surfaces with wave profile























STANDARD LID	

### Dimensions (mm)

- B Upper comb edge ~
- C Bin depth ~
- D Width total ~
- E Wheel diameter ~

#### **CLIP LID**

## Dimensions (mm)

#### A Height total ~

- 1068
- 998 B Upper comb edge ~
- 734 C Bin depth ~
- 583 D Width total ~ 200

#### E Wheel diameter ~

1077

240

10,2

96

110

Dimensions (mm)

**SILENT LID** 

- A Height total ~ 1050 B Upper comb edge ~ 998
- 998 734 C Bin depth ~ 734 583 D Width total ~ 583
- 200 E Wheel diameter ~ 200

#### Weights

#### Tubular axle Nominal volume (L) 240 Empty weight (kg) ~ 10,2

Max. filling weight (kg) ~ Max. total weight (kg) ~

#### Weights

96

110

•	
Tubular axle	
Nominal volume (L)	
Empty weight (kg) ~	
Max. filling weight (kg) ~	
Max. total weight (kg) ~	

#### Weights

Weights	
Tubular axle	
Nominal volume (L)	240
Empty weight (kg) ~	10,2
Max. filling weight (kg) ~	96
Max. total weight (kg) ~	110

## Citybac® 240L

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



#### **FRACTION MARKING**



Clip available in the colours

Label for Clip Lid, individual printing possible

#### LID SLOT SYSTEMS

#### Glass



Round slot with rubber rosette Ø 150 mm

#### Paper



Opening Slots above 300 x 60 mm



Paper Inlet Hood BLUE

#### **NOISE REDUCTION SYSTEMS**



Lid Opening Noise Reduction



Lid closing damper

#### **WHEELS**



Ø 200 mm Wheel

#### **LOCKING SYSTEMS**



Triangular Locks



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® 2-Wheel TECHNICAL INFORMATION

	120 LITRE	240 LITRE
MATERIAL OPTIONS		
Extra UV protection		•
COLOURS		
Standard colours		•
Other colours		•
LID SYSTEMS		
Standard Lid		•
Clip Lid (EURO2)	•	•
Silent Lid	-	•
Label for Clip Lid, individual printing possible	•	•
LIFTING SYSTEMS		
EN 840 / DIN Comb		•
LID SLOT SYSTEMS		
Glass		
Round slot with rubber rosette Ø 150 mm		
Paper		
Opening Slots 250 x 30 mm		
Opening Slots 300 x 30 mm		
Opening Slots 300 x 60 mm		
Paper Inlet Hood Blue		•
NOISE REDUCTION SYSTEMS		
Lid opening noise reduction		
Lid closing damper	•	•
CHASSIS		
Tubular axle	<b>=</b>	<b>I</b>
Full axle	•	
WHEELS		
Ø 200 mm	•	•

	120 LITRE	240 LITRE
LOCKING SYSTEMS		
Padlock device 1x		
Triangular Locks		
with open position		
without open position		
Cylinder lock without automatic function		
same key locking	•	•
group key locking	•	_
different key locking	•	_
Cylinder lock with automatic function	.=	
same key locking		_
group key locking	•	_
different key locking	•	<b>-</b>
CHIP INSTALLATION		
RFID chip, installation without barcode sticker		•
RFID chip, installation with barcode sticker	•	•
RFID CHIP		
Transponder 134kHz HDX + HID Inlay casted		•
Transponder 134kHz FDX casted	•	•
Transponder 134kHz FDX riveted	•	•
Transponder 134kHz HDX + glass	•	•
Transponder 125kHz FDX casted		•
Transponder 125kHz FDX riveted	•	•
Transponder 13,56 MHz	•	•
LABELLING		
Body		
SULO sticker	-	
Customer sticker		
Hot foil stamping		
Running numbers (colourless / black / white)		
Lid		
SULO sticker	_	<b></b>
Hot foil stamping		•
Running numbers (colourless / black / white)		
Embossing insert		
Print on Clip (Clip Lid)		•

StandardOption

# Citybac® 1100L Flat Lid **PRODUCT DETAILS**







- 1 Flat Lid
- 2 Handle / recessed grip
- 3 Lid handles lateral 2x
- 4 Handles with handle bar, rear 2x
- **5** Marking areas
- A Body reinforced with beads
- **B** DIN comb lifting system, double stage
- **C** Stacking ribs
- **D** SULO sticker / Marking areas
- E Ergonomic handles lateral 4x
- F Chip nest as standard
- **G** Lifting trunnion
- **H** Functional castors 2x
- I Double stop break 2x
- J Castors 2x





















#### **FLAT LID**

#### Dimensions (mm)

A	Height total ~	1330
В	Upper comb edge ~	1205
C	Bin depth ~	1075
D	Width total ~	1370

### Weights

Nominal volume (L)	1100
Empty weight (kg) ~	46
Max. filling weight(kg) ~	440
Max. total weight (kg) ~	510

#### FLAT LID WITH LID-IN-LID

#### Dimensions (mm)

A	Height total ~	1330
В	Upper comb edge ~	1205
C	Bin depth ~	1075
D	Width total ~	1370

### Weights

Nominal volume (L)	1100
Empty weight (kg) ~	46
Max. filling weight(kg) ~	440
Max. total weight (kg) ~	510

## Citybac® 1100L Flat Lid

## **PRODUCT DETAILS**

#### **COLOURING**


Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



 ${\it Colours\ may\ vary\ due\ to\ production.}\ The\ colour\ values\ given\ according\ to\ RAL\ are\ guide\ colours.}$ 

## **+** OPTIONS

#### **LID-IN-LID**



front lid available in the colours

Lid-in-Lid

#### **LID SLOT SYSTEMS**

#### Glass



Round slot with rubber rosette Ø 150 mm

Paper



Opening Slots Pa 530 x 95 mm BL



Paper Inlet Hood BLUE

#### **LIFTING SYSTEMS**



Fork lift device



Lifting trunnions

**HANDLES** 



Lateral handles 2x

#### **TRANSPORT**

**LID OPENING** 

#### **NOISE REDUCTION SYSTEMS**



Towing system



Lid opening device, foot execution



Lid Opening Noise Reduction



Lid closing damper

#### **CHASSIS**



Plastic rim, Rubber wheel Ø 200 mm



Plastic rim, Rubber wheel Ø 200 mm, non-marking



Steel rim, ball bearing, Rubber wheel Ø 200 mm



Double stop (DS)



Central locking device (ZF)



Steering lock

#### **LOCKING SYSTEMS**



Triangular Locks



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

The new ease of opening

**LID IN LID** 





The 1100-litre lid-in-lid version enables substantially more comfortable opening and hence barrier-free use for people of any age group.

- A unique level of comfort and ergonomics
- Barrier-free opening from any position thanks to two handles on the front lid and side handles on the front and rear lid
- Unique slot size with a depth of 290 mm
- 50-litre bags of waste can be thrown in without any problems
- Greater safety for children playing
- No additional child safety device required





#### **MARKING AREAS**



Additional identification areas on the front and rear lid:

- Hot foil stamping
- Customer sticker
- Running numbers
- Embossing

# Citybac® 1100L Dome Lid **PRODUCT DETAILS**







- 1 Dome Lid
- 2 Handle / recessed grip
- 3 Lid handles lateral 2x
- 4 Finger guard
- 5 Marking areas
- **6** Lid opening pegs 2x
- 7 Lid hinge 2x
- 8 Push-buttons to close the domed lid
- A Body reinforced with beads
- **B** DIN comb lifting system, double stage
- **C** Stacking ribs
- **D** SULO sticker / Marking areas
- E Ergonomic handles lateral 4x
- F Chip nest as standard
- **G** Lifting trunnion
- **H** Functional castors 2x
- I Double stop break 2x
- J Castors 2x























#### **DOME LID**

#### Dimensions (mm)

A	Height total ~	1460
В	Upper comb edge ~	1205
C	Bin depth ~	1060
D	Width total ~	1370

### Weights

Nominal volume (L)	1100
Empty weight (kg) ~	54
Max. filling weight(kg) ~	440
Max. total weight (kg) ~	510

#### DOME LID WITH LID-IN-LID

#### Dimensions (mm)

A Height total ~	1460
B Upper comb edge ~	1205
C Bin depth ~	1060
D Width total ~	1370

### Weights

Nominal volume (L)	1100
Empty weight (kg) ~	54
Max. filling weight(kg) ~	440
Max. total weight (kg) ~	510

## Citybac® 1100L Dome Lid

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured lids for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



 ${\it Colours\ may\ vary\ due\ to\ production.}\ The\ colour\ values\ given\ according\ to\ RAL\ are\ guide\ colours.}$ 

## **+** OPTIONS

#### **LID-IN-LID**



front lid available in the colours

Lid-in-Lid

#### **LID SLOT SYSTEMS**

#### Glass



2x Round slot with rubber rosette Ø 150 mm

Paper



Opening slot 530 x 95 mm



Paper Inlet Hood BLUE

#### **LIFTING SYSTEMS**



Fork lift device



Lifting trunnions



**HANDLES** 

Lateral handles 2x



Rear handles 2x

**NOISE REDUCTIONS SYSTEMS** 

#### **TRANSPORT**

**LID OPENING** 



Lid opening device, foot execution



Lid Opening Noise Reduction



Lid closing damper

#### **CHASSIS**

Towing system



Plastic rim, Rubber wheel Ø 200 mm



Plastic rim, Rubber wheel Ø 200 mm, non-marking



Steel rim, ball bearing, Rubber wheel Ø 200 mm



Double stop (DS)



Central locking device (ZF)



Steering lock

#### **LOCKING SYSTEMS**



Triangular Locks



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® 4-Wheel TECHNICAL INFORMATION

MATERIAL OPTIONS		·
MATERIAL UPTIONS		
Extra UV protection		
COLOURS		
Standard colours		
Other colours	•	
LID SYSTEMS		
Flat lid		
Flat lid with Lid-in-Lid (LiL)	•	
Dome lid		-
Dome lid with Lid-in-Lid (LiL)		•
LIFTING SYSTEMS		
EN 840 / DIN Comb		
Lifting trunnions	■	•
Lifting handles 2x	•	•
Rear handles		•
Fork lift device		•
WATER DRAIN		
Water drain	•	•
Without water drain	•	•
TRANSPORT		
Towing system with or without bar		
LID SLOT SYSTEMS		
Glass		
2 x Round slot with rubber rosette Ø 150 mm	•	•
Paper		
Opening slot: 530 x 95 mm	•	•
Paper Inlet Hood Blue	•	•
LID OPENING		
Lid opening device, foot execution	•	•
NOISE REDUCTIONS SYSTEMS		
Lid opening noise reduction	•	•
Lid closing damper	•	•
CHILD SAFETY		
Comfort		•
Basic		•
Light		•

	1.100 LITRE FL	1.100 LITRE DL
CHASSIS		
Plastic rim, Rubber wheel Ø 200 mm		
Plastic rim, Rubber wheel Ø 200 mm, non-marking	<b>_</b>	•
Steel rim, ball bearing		•
Castor	<b>.</b>	
Double stop (DS)	<b>I</b>	•
Central locking device (ZF)	<b></b>	•
Steering lock	•	•
LOCKING SYSTEMS		
Padlock device 1x		
Padlock device 2x	•	•
Triangular Lock		
with open position		•
without open position		•
Cylinder lock without automatic function		
same key locking	<b>_</b>	•
group key locking		•
different key locking		•
Cylinder lock with automatic function		
same key locking		•
group key locking	• • • • • • • • • • • • • • • • • • •	•
different key locking		•
CHIP INSTALLATION		
RFID chip, installation without barcode sticker		
RFID chip, installation with barcode sticker	•	•
RFID CHIP		
Transponder 134kHz HDX + HID Inlay casted		
Transponder 134kHz FDX casted	•	•
Transponder 134kHz FDX riveted	•	•
Transponder 134kHz HDX + glass	•	
Transponder 125kHz FDX casted	•	•
Transponder 125kHz FDX riveted	•	
Transponder 13,56 MHz	•	•
LABELLING		
Body		
SULO sticker	•	•
Customer sticker	•	•
Hot foil stamping	•	•
Running numbers (colourless / black / white)	•	•
Lid		
SULO sticker	•	•
Screen printing		•
Hot foil stamping	•	•
Running numbers (colourless / black / white)	•	•
		-

StandardOption

Embossing insert





## The entire range of proven SULO quality

## CITYBAC® CLASSIC

SULO bins are famous throughout the world for their particular longevity and robustness. In many countries, the name SULO is synonymous with refuse bins. To ensure that the entire bandwidth of SULO bin volumes worldwide is available without limitations, we have created the optimal prerequisite through our CITBAC® Classic series: resource-conserving thanks to production from high-quality recyclate and proven a million times over due to its classic design.

### Welcome home

- Bins in a proven, classic design
- Broad range of colours and unlimited combinations
- Precision production from high-quality HDPE recyclate
- Rot-proof, resistant to moisture, cold, heat, chemicals
- Fully recyclable

## CITYBAC® CLASSIC

64-67

68-71

72-75

76-79

80-83

84-87

90-93

94-97

98-101

103-105



# Citybac® Classic 60L **PRODUCT DETAILS**







- 1 Standard Lid
- 2 Handles 2x
- 3 Lid rivet 2x
- 4 Marking areas
- A Body
- **B** Continuous handle bar
- C DIN comb lifting system, double stage
- **D** SULO sticker / Marking areas
- **E** External wheels
- F Chip nest as standard
- ${\bf G}\;\; {\rm Lateral}\; {\rm grip}\; {\rm surfaces}\; {\rm with}\; {\rm wave}\; {\rm profile}\;\;$





















#### STANDARD LID

# **CLIP LID**

#### Dimensions (mm)

A	Height total ~	925	A
В	Comb height ~	871	В
C	Bin depth ~	516	C
D	Width total ~	445	D
E	Wheel diameter ~	200	Ε

### Dimensions (mm)

A	Height total ~	932
В	Comb height ~	871
C	Bin depth ~	518
D	Width total ~	445
E	Wheel diameter ~	200

#### Weights

Weights		Weights
Tubular axle		Tubular axle
Nominal volume (L)	60	Nominal volume (L)
Empty weight (kg) ~	8,5	Empty weight (kg) ~
Max. filling weight(kg) ~	24	Max. filling weight(kg
Max. total weight (kg) ~	50	Max. total weight (kg

#### Weights

## Citybac® Classic 60L

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured lids for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



Colours may vary due to production. The colour values given according to RAL are guide colours.

#### **FRACTION MARKING**



Clip available in the colours

Label for Clip Lid, individual printing possible

#### **BIO-FILTER LID**




the colours

Lid available in

Bio-filter lid with active bio-filter material

#### **NOISE REDUCTION SYSTEMS**







Lid closing damper

#### **WHEELS**



Ø 200 mm Wheel



 $\emptyset$  250 mm Wheel

#### **LOCKING SYTSEMS**



Triangular Locks



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® Classic 80L **PRODUCT DETAILS**







- 1 Standard Lid
- 2 Handles 2x
- 3 Lid rivet 2x
- 4 Marking areas
- A Body
- **B** Continuous handle bar
- C DIN comb lifting system, double stage
- **D** SULO sticker / Marking areas
- **E** External wheels
- F Chip nest as standard
- ${\bf G}\;\; {\rm Lateral}\; {\rm grip}\; {\rm surfaces}\; {\rm with}\; {\rm wave}\; {\rm profile}\;\;$





















#### STANDARD LID

**CLIP LID** 

#### Dimensions (mm)

A Height total ~	925	A H
B Comb height ~	871	B C
C Bin depth ~	516	C B
D Width total ~	445	D V
E Wheel diameter ~	200	E V

#### Weights

~		
Tubular axle		
Nominal volume (L)	80	
Empty weight (kg) ~	8,3	
Max. filling weight (kg) ~	24	
Max. total weight (kg) ~	50	

### Dimensions (mm)

A	Height total ~	935
В	Comb height ~	871
C	Bin depth ~	518
D	Width total ~	445
E	Wheel diameter ~	200

#### Weights

Weights	
Tubular axle	
Nominal volume (L)	80
Empty weight (kg) ~	8,3
Max. filling weight (kg) ~	32
Max. total weight (kg) ~	50

## Citybac® Classic 80L

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



 ${\it Colours\ may\ vary\ due\ to\ production.}\ The\ colour\ values\ given\ according\ to\ RAL\ are\ guide\ colours.}$ 

#### **FRACTION MARKING**



Clip available in the colours

Label for Clip Lid, individual printing possible

#### **BIO-FILTER LID**



Lid available in the colours

Bio-filter lid with active bio-filter material

#### **NOISE REDUCTION SYSTEMS**





Lid Opening Noise Reduction

Lid closing damper

#### **WHEELS**



Ø 200 mm Wheel



 $\emptyset$  250 mm Wheel

#### **LOCKING SYTSEMS**



Triangular Locks



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® Classic 120L **PRODUCT DETAILS**







- 1 Standard Lid
- 2 Handles 2x
- 3 Lid rivet 2x
- 4 Marking areas
- A Body
- **B** Continuous handle bar
- C DIN comb lifting system, double stage
- **D** SULO sticker / Marking areas
- **E** External wheels
- F Chip nest as standard
- ${\bf G}\;\; {\rm Lateral}\; {\rm grip}\; {\rm surfaces}\; {\rm with}\; {\rm wave}\; {\rm profile}\;\;$





















#### STANDARD LID

### Dimensions (mm)

A	Height total ~	933
В	Comb height ~	871
C	Bin depth ~	550
D	Width total ~	500

E Wheel diameter ~

#### **CLIP LID**

### Dimensions (mm)

A	Height total ~	934
В	Comb height ~	871
C	Bin depth ~	550
D	Width total ~	500
Ε	Wheel diameter ~	200

### Weights

Tubular axle	
Nominal volume (L)	120
Empty weight (kg) ~	8,9
Max. filling weight (kg) ~	48
Max. total weight (kg) ~	60

#### Weights

200

Tubular axle	
Nominal volume (L)	120
Empty weight (kg) ~	8,9
Max. filling weight (kg) ~	48
Max. total weight (kg) ~	60

## Citybac® Classic 120L

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



 ${\it Colours\ may\ vary\ due\ to\ production.}\ The\ colour\ values\ given\ according\ to\ RAL\ are\ guide\ colours.}$ 

#### **FRACTION MARKING**



Clip available in the colours

Label for Clip Lid, individual printing possible

#### **BIO-FILTER LID**



Lid available in the colours

Bio-filter lid with active bio-filter material

#### **LID SLOT SYSTEMS**

Glasss



Round slot with rubber rosette Ø 150 mm

Paper



Opening Slot 250 x 30 mm

#### **PEDAL**



Opening by pushing the foot pedal

#### **NOISE REDUCTION SYSTEMS**



Lid Opening Noise Reduction



Lid closing damper

#### **WHEELS**



Ø 200 mm Wheel



Ø 250 mm Wheel

Triangular Locks



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® Classic 140L **PRODUCT DETAILS**







- 1 Design Lid
- 2 3-sided all-round handle strip
- 3 Marking areas
- A Body
- **B** Handle bar
- C DIN comb lifting system, double stage
- **D** SULO sticker / Marking areas
- **E** External wheels
- F Chip nest as standard
- **G** Lateral grip surfaces



















#### **DESIGN LID**

### Dimensions (mm)

A	Height total ~	1070
В	Comb height ~	1010
C	Bin depth ~	554
D	Width total ~	508
E	Wheel diameter ~	200

### Weights

Tubular axle	
Nominal volume (L)	140
Empty weight (kg) ~	9,4
Max. filling weight (kg) ~	56
Max. total weight (kg) ~	70

## Citybac® Classic 140L

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



Colours may vary due to production. The colour values given according to RAL are guide colours.

#### **LID SLOT SYSTEMS**

#### Packaging



Lin in Lid

#### Glass



Round slot with rubber rosette Ø 150 mm

#### Paper



Paper Inlet Hood

#### **WHEELS**



Ø 200 mm Wheel



Ø 250 mm Wheel



Triangular Locks



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® Classic 240L **PRODUCT DETAILS**



- 1 Standard Lid
- 2 Handles 2x
- 3 Lid rivet 2x
- 4 Marking areas
- A Body
- **B** Continuous handle bar
- C DIN comb lifting system, double stage
- **D** SULO sticker / Marking areas
- **E** External wheels
- F Chip nest as standard
- **G** Lateral grip surfaces





















#### STANDARD LID

#### CLIP LID

#### Dimensions (mm)

A Height total ~	1075
B Comb height ~	991
C Bin depth ~	728
D Width total ~	582

E Wheel diameter ~

#### Dimensions (mm)

A Height total ~	1075
B Comb height ~	991
C Bin depth ~	728
D Width total ~	582
E Wheel diameter ~	200

#### Weights

#### Weights

Tubular axle		Tubular axle	
Nominal volume (L)	240	Nominal volume (L)	240
Empty weight (kg) ~	12,3	Empty weight (kg) ~	12,3
Max. filling weight(kg) ~	96	Max. filling weight(kg) ~	96
Max. total weight (kg) ~	110	Max. total weight (kg) ~	110

200

## Citybac® Classic 240L

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



Colours may vary due to production. The colour values given according to RAL are guide colours.

#### **FRACTION MARKING**



Label for Clip Lid, individual printing possible

## Clip available in



Butterfly lid -Lid opening from both

#### **BUTTERFLY LID**



available in

the colours

sides

#### **BIO-FILTERDECKEL**



Bio-filter lid with active bio-filter material

#### Lid available in the colours



#### **LID SLOT SYSTEMS**

Glass



Round slot with rubber rosette Ø 150 mm

#### Paper

the colours



Opening slot 300 x 60 mm



Paper Inlet Hood BLUE

#### **PEDAL**



Opening by pushing the foot pedal

#### **NOISE REDUCTION SYSTEMS**



Lid Opening Noise Reduction



Lid closing damper

#### **WHEELS**



Ø 200 mm Wheel



Ø 250 mm Wheel

Triangular Locks



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® Classic 360L **PRODUCT DETAILS**




- 1 Design Lid
- 2 3-sided all-round handle strip
- 3 Marking areas
- A Body
- **B** Split handle bar
- C DIN comb lifting system, double stage
- **D** SULO sticker / Marking areas
- **E** External wheels
- F Chip nest as standard
- **G** Lateral grip surfaces
















#### **SILENT LID**

#### Dimensions (mm)

A	Height total ~	1090
В	Comb height ~	1010
C	Bin depth ~	860
D	Width total ~	620
E	Wheel diameter ~	200

#### Weights

Max. total weight (kg) ~

Tubular axle	
Nominal volume (L)	360
Empty weight (kg) ~	17,1
Max. filling weight (kg) ~	144

160

## Citybac® Classic 360L

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



Colours may vary due to production. The colour values given according to RAL are guide colours.

#### **LID SLOT SYSTEMS**

Packaging



Lid in Lid

Glass



Round slot with rubber rosette Ø 150 mm

Paper



Paper Inlet Hood

#### **WHEELS**



Ø 200 mm Wheel



Ø 300 mm Wheel



Triangular Locks



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® Classic 2Wheel TECHNICAL INFORMATION

	60 LITRE	80 LITRE	120 LITRE	140 LITRE	240 LITRE	360 LITRE
MATERIAL OPTIONS	,			'		'
Extra UV protection		-	_	•	•	
COLOURS						
Standard colours						
Other colours						
LID SYSTEMS						
Standard Lid		•	•		•	
Clip Lid (EURO2)			_	-	_	-
Design Lid		-		-		
Silent Lid			-		_	-
Butterfly Lid						
Bio-Filter Lid		_	_	_	_	-
Label for Clip Lid, individual printing possible			_			
LIFTING SYSTEMS						
EN 840 / DIN Comb		-	•	•	•	•
LID SLOT SYSTEMS						
Glass						
Round slot with rubber rosette Ø 150 mm						
Paper	-			•		•
Opening Slot 250 x 30 mm	-		_	_		
Opening Slot 300 x 30 mm	-					
Opening Slot 300 x 60 mm	-			•		
PaperPaper Inlet Hood blue	_			in lid colour	_	in lid colour
Packaging						
Lid-in-Lid						-
LID OPENING SYSTEM						
Lid opening system by foot pedal			•	•	•	
NOISE REDUCTION SYSTEMS						
Lid opening noise reduction		•	•		•	
Lid closing damper	•	_	•		_	
VARIO SYSTEM						
VARIO Bin-in-Bin Insert 40L			-			
VARIO Bin-in-Bin Insert 60L			•		-	-
VARIO Bin-in-Bin Insert 80L	-	•	_	-		•
CHASSIS						
Tubular axle	•	•	-	-	-	•
Full axle	_		_	_		_

WHEELS	'	-	'		1	'
Ø 200 mm	•	•	•	•	•	•
Ø 250 mm				<u> </u>		•
Ø 300 mm	·····					<u> </u>
LOCKING SYSTEMS						
Padlock device 1x	•	•	•	-	•	•
Triangular Locks					•	
with open position	_	_	_	_	_	•
without open position	•	•	•	_	_	•
Cylinder lock without automatic function			-		-	
same key locking	_	_	_	_	_	
group key locking	•	•	•	•	_	_
different key locking	_	_		_	_	_
Cylinder lock with automatic function	-					
same key locking	•	•	•	•	_	_
group key locking						
different key locking	•	•	•	_	_	_
CHIP INSTALLATION						
RFID chip, installation without barcode sticker	•	•	•	•	-	•
RFID chip, installation with barcode sticker	•	•	•	•	-	•
RFID CHIP						
Transponder 134kHz HDX + HID Inlay casted	_	•		•		•
Transponder 134kHz FDX casted	•	•	-	•	-	•
Transponder 134kHz FDX riveted	<b>.</b>	•	_	•	-	•
Transponder 134kHz HDX + glass	•	•	•	•		•
Transponder 125kHz FDX casted	•	•	•	•	-	•
Transponder 125kHz FDX riveted	_	•	_	•		•
Transponder 13,56 MHz	•	•	•	•	•	•
LABELLING	_				_	
Body						
SULO sticker	<b>=</b>	•				
Customer sticker	_	•	_	•	-	•
Hot foil stamping	•	•	•	•	•	•
Running numbers (colourless / black / white)	_	•	_	•	•	•
Lid	<u>-</u>					
SULO sticker	•	•	•	•	•	•
Hot foil stamping	_	•	_			
Running numbers (colourless / black / white)	•	•	•			•
Embossing insert	_	•	_			•
Print on Clip (Clip Lid)	•	•	•		•	•

60 LITRE 80 LITRE 120 LITRE 140 LITRE 240 LITRE 360 LITRE

StandardOption

# Citybac® Classic 660L **PRODUCT DETAILS**




- 1 Flat Lid
- 2 Handle / handle recess
- 3 Handles with handle bar, rear 2x
- 4 Marking areas
- A Body
- **B** DIN comb lifting system, double stage
- **C** Stacking ribs
- **D** SULO sticker / Marking areas
- **E** Ergonomic handles lateral 4x
- F Chip nest as standard
- **G** Functional castors 2x
- **H** Castors 2x
















#### **FLAT LID**

#### Dimensions (mm)

A	Height total ~	1165
В	Upper comb edge ~	1070
C	Bin depth ~	775
D	Width total ~	1265

## Weights

Nominal volume (L)	660
Empty weight (kg) ~	37,3
Max. filling weight (kg) ~	264

## Citybac® Classic 660L

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



 ${\it Colours\ may\ vary\ due\ to\ production.}\ The\ colour\ values\ given\ according\ to\ RAL\ are\ guide\ colours.}$ 

## **+** OPTIONS

#### **LID-IN-LID**


Packaging



Lid-in-lid 2x, small Lid only available in

#### **LID SLOT SYSTEMS**

Glass




Round slot with rubber rosette Ø 150 mm /Lock required

Paper



Paper Inlet Hood

#### **LIFTING SYSTEMS**



Fork lift device



Lifting trunnions

#### **TRANSPORT**

#### **LID OPENING**

#### **NOISE REDUCTION SYSTEMS**



Towing system



Lid opening device, foot execution



Lid closing damper

#### **CHASSIS**



Plastic rim, Rubber wheel Ø 200 mm



Plastic rim, Rubber wheel Ø 200 mm, non-marking



Steel rim, ball bearing, Rubber wheel Ø 200 mm




Double stop (DS)



Steering lock



Triangular Locks with / without open position



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® Classic 770L **PRODUCT DETAILS**








- 1 Flat Lid
- 2 Handle / handle recess
- 3 Handles with handle bar, rear 2x
- 4 Marking areas
- A Body
- **B** DIN comb lifting system, double stage
- **C** Stacking ribs
- **D** SULO sticker / Marking areas
- **E** Ergonomic handles lateral 4x
- F Chip nest as standard
- **G** Functional castors 2x
- **H** Castors 2x
















#### **FLAT LID**

#### Dimensions (mm)

A	Height total ~	1320
В	Upper comb edge ~	1215
C	Bin depth ~	775
D	Width total ~	1265

## Weights

Nominal volume (L)	770
Empty weight (kg) ~	39,6
Max. filling weight (kg) ~	308

# Citybac® Classic 770L

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**




 ${\it Colours\ may\ vary\ due\ to\ production.}\ The\ colour\ values\ given\ according\ to\ RAL\ are\ guide\ colours.}$ 

## **+** OPTIONS

#### LID-IN-LID


Packaging



Lid-in-lid 2x, small Lid only available in

#### LID SLOT SYSTEMS

Glass



Round slot with rubber rosette Ø 150 mm /Lock required

Paper



Paper Inlet Hood

#### **LIFTING SYSTEMS**



Fork lift device



Lifting trunnions

#### **TRANSPORT**

#### **LID OPENING**

#### **NOISE REDUCTION SYSTEMS**



Towing system



Lid opening device, foot execution



Lid closing damper

#### **CHASSIS**



Plastic rim, Rubber wheel Ø 200 mm



Plastic rim, Rubber wheel Ø 200 mm, non-marking



Steel rim, ball bearing, Rubber wheel Ø 200 mm



Double stop (DS)



Steering lock



Triangular Locks with / without open position



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® Classic 1100L Flat Lid **PRODUCT DETAILS**







- 1 Flat Lid
- 2 Handle / recessed grip
- 3 Lid handles lateral 2x
- 4 Handles with handle bar, rear 2x
- **5** Marking areas
- A Body
- **B** DIN comb lifting system, double stage
- **C** Stacking ribs
- **D** SULO sticker / Marking areas
- E Ergonomic handles lateral 4x
- F Chip nest as standard
- **G** Lifting trunnion
- **H** Functional castors 2x
- I Double stop break 2x
- J Castors 2x





















#### **FLAT LID**

#### Dimensions (mm)

A	Height total ~	1330
В	Upper comb edge ~	1205
C	Bin depth ~	1128
D	Width total ~	1370

### Weights

Nominal volume (L)	1100
Empty weight (kg) ~	50
Max. filling weight (kg) ~	440
Max. total weight (kg) ~	510

#### FLAT LID - LID-IN-LID

#### Dimensions (mm)

A	Height total ~	1330
В	Upper comb edge ~	1205
C	Bin depth ~	1075
D	Width total ~	1370

### Weights

Nominal volume (L)	1100
Empty weight (kg) ~	50
Max. filling weight (kg) ~	440
Max. total weight (kg) ~	510

# Citybac® Classic 1100L Flat Lid

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



Colours may vary due to production. The colour values given according to RAL are guide colours.

## **+** OPTIONS

#### **LID-IN-LID**

#### Packaging



front lid available in the colours

Lid-in-Lid

#### **LID SLOT SYSTEMS**

#### Glass



Round slot with rubber rosette Ø 150 mm

Paper



Opening Slot 530 x 95 mm



Paper Inlet Hood

#### **LIFTING SYSTEMS**



Fork lift device



Lifting trunnions

#### **HANDLES**



Lateral handles 2x

#### **TRANSPORT**

#### **LID OPENING**

#### **NOISE REDUCTION SYSTEMS**



Towing system



Lid opening device, foot execution



Lid Opening Noise Reduction



Lid closing damper

#### **CHASSIS**



Plastic rim, Rubber wheel Ø 200 mm



Plastic rim, Rubber wheel Ø 200 mm, non-marking



Steel rim, ball bearing, Rubber wheel Ø 200 mm



Double stop (DS)



Central locking device (ZF)



Steering lock




Triangular Locks with / without open position



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® Classic 1100L Dome Lid

## **PRODUCT DETAILS**







- 1 Dome Lid
- 2 Handle / recessed grip
- 3 Lid handles lateral 2x
- 4 Finger guard
- 5 Marking areas
- **6** Lid opening pegs 2x
- 7 Lid hinge 2x
- 8 Push-buttons to close the domed lid
- A Body
- **B** DIN comb lifting system, double stage
- **C** Stacking ribs
- **D** SULO sticker / Marking areas
- E Ergonomic handles lateral 4x
- F Chip nest as standard
- **G** Lifting trunnion
- **H** Functional castors 2x
- I Double stop break 2x
- J Castors 2x























#### **DOME LID**

### Dimensions (mm)

A Height total ~	1460
<b>B</b> Upper comb edge ~	1205
C Bin depth ~	1210
D Width total ~	1370

### Weights

Nominal volume (L)	1100
Empty weight (kg) ~	60
Max. filling weight (kg) ~	440
Max. total weight (kg) ~	51

#### DOME LID WITH LID-IN-LID

#### Dimensions (mm)

A	Height total ~	1460
В	Upper comb edge ~	1205
C	Bin depth ~	1210
D	Width total ~	1370

### Weights

Nominal volume (L)	1100
Empty weight (kg) ~	60
Max. filling weight (kg) ~	440
Max. total weight (kg) ~	51

# Citybac® Classic 1100L Dome Lid

## **PRODUCT DETAILS**

#### **COLOURING**

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



Perfectly set in scene with coloured **lids** for fraction identification



#### **ALTERNATIVE COLOURS FOR THE BIN BODY**



Colours may vary due to production. The colour values given according to RAL are guide colours.

## **+** OPTIONS

#### LID-IN-LID



front lid available in the colours

Lid-in-Lid

#### **LID SLOT SYSTEMS**

#### Glass




2x Round slot with rubber rosette Ø 150 mm

Paper



Opening Slot 530 x 95 mm



Paper Inlet Hood BLUE

#### **LIFTING SYSTEMS**



Fork lift device



Lifting trunnions



**HANDLES** 

Lateral handles 2x



Rear handles 2x

#### **TRANSPORT**

**LID OPENING** 

#### **NOISE REDUCTION SYSTEMS**



Lid opening device, foot execution



Lid Opening Noise Reduction



Lid closing damper

#### **CHASSIS**

Towing system



Plastic rim, Rubber wheel Ø 200 mm



Plastic rim, Rubber wheel Ø 200 mm, non-marking



Steel rim, ball bearing, Rubber wheel Ø 200 mm



Double stop (DS)



Central locking device (ZF)



Steering lock



Triangular Locks with / without open position



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

# Citybac® Classic 4Wheel TECHNICAL INFORMATION

	660 LITRE	770 LITRE	1.100 LITRE FD	1.100 LITRE RD
MATERIAL OPTIONS				l
Extra UV protection				
COLOURS				
Standard colours				
Other colours				<u> </u>
LID SYSTEMS				
Flat lid	•		•	
Flat lid with Lid-in-Lid (LiL)		•		•
Dome lid		-		•
Dome lid with Lid-in-Lid (LiL)				
LIFTING SYSTEMS				
EN 840 / DIN DIN Comb			•	
Lifting trunnions	•	•	■	•
Lifting handles 2x	•	•	•	•
Rear handles				<u> </u>
Fork lift device	•		•	•
WATER DRAIN				
Water drain		•		•
Without water drain	•	•	•	•
TRANSPORT				
Towing system with or without bar	•	•	•	•
LID SLOT SYSTEMS				
Packaging				
Lid-in_lid 2x, small Lid only available in Yellow RAL 1018	•	•		
Glass		-		
2 x Round slot with rubber rosette Ø 150 mm	•	•	•	•
Paper		-		
Paper slot: 530 x 95 mm		•	•	•
Paper Inlet Hood Blue	in lid colour	in lid colour	•	•
LID OPENING				
Lid opening device, foot execution		•		•
NOISE REDUCTION SYSTEMS				
Lid opening noise reduction				•
Lid closing damper	•	•	•	•
CHILD SAFETY				
Comfort				•
Basic		-	-	•
Light				•

	660 LITRE	770 LITRE	1.100 LITRE FD	1.100 LITRE RD
CHASSIS			1	
Plastic rim, Rubber wheel Ø 200 mm				
Plastic rim, Rubber wheel Ø 200 mm, non-marking	<b>_</b>			
Steel rim, ball bearing		•	•	•
Castor	<b>_</b>		<b></b>	
Double stop (DS)	•	-	•	
Central locking device (ZF)			•	
Steering lock			•	•
LOCKING SYSTEMS				
Padlock device 1x				
Padlock device 2x			•	<u> </u>
Triangular Lock		•		•
with open position	•		•	<u> </u>
without open position	•	<u> </u>	-	<u> </u>
Cylinder lock without automatic function		•		•
same key locking		<b>.</b>	•	<u> </u>
group key locking	•	<u> </u>	-	<u> </u>
different key locking	•		-	<u> </u>
Cylinder lock with automatic function		•		•
same key locking		•		
group key locking		•	-	•
different key locking				
CHIP INSTALLATION				
RFID chip, installation without barcode sticker				•
RFID chip, installation with barcode sticker	•		•	•
RFID CHIP				
Transponder 134kHz HDX + HID Inlay casted			•	•
Transponder 134kHz FDX casted	•	•	•	•
Transponder 134kHz FDX riveted	•		•	<u> </u>
Transponder 134kHz HDX + glass	•		•	<u> </u>
Transponder 125kHz FDX casted	•	•	•	•
Transponder 125kHz FDX riveted	•	•	•	•
Transponder 13,56 MHz	•	•	-	•
LABELLING				
Body				
SULO sticker		-	•	•
Customer sticker	•	•	-	•
Hot foil stamping	•	•	•	•
Running numbers (colourless / black / white)	•	•	•	•
Lid				
SULO sticker	•	•	•	•
Screen printing				•
Hot foil stamping	•	•	•	•
Running numbers (colourless / black / white)	•	•	•	•
Embossing insert	•	•	-	•

StandardOption





### The specialists for special tasks

## CITYBAC® SPECIALS

The CITYBAC® series reliably covers all common collection and disposal tasks and also offers fully developed special solutions for particular requirements. Medical bins have proven themselves in numerous practices and clinics throughout the world, Confido is the number one for the secure disposal of confidential documents, Vario enables the uncomplicated adjustment of the collection volume and Diamond, offering many handling benefits, is the preferred lifting variant for many municipalities. Despite their differences, all CITYBAC® special bins have one fundamental thing in common: robust SULO quality and maximum environmental friendliness thanks to the use of recyclable materials.

# CITYBAC® SPECIALS



Hygienic disposal for clinics and practices

Medical

110-111



The highest level of security for confidential documents

Confido

112-113



Master of adaptation for your desired volume

**Vario** 

114-115



The benchmark for secure and fast handling

**Diamond** 

116-117

## Hygienic disposal for clinics and practices

# CITYBAC® MEDICAL

In the medical field, hygiene is the most important. Special safety standards defined by the UN apply wherever septic waste is to be disposed of. CITYBAC® medical bins of all sizes meet these standards with ease. Every bin possesses a unique serial number so consignments can be tracked seamlessly. Thanks to their striking yellow colouring, CITYBAC® medical bins are recognisable at first glance in any environment and can be locked after use to prevent unauthorised access using a lever closure or a triangular lock.





		660 L		1100 L
		-		I
Lifting trunnions		•	•	•
Lever closure (on both sides of the bin)		•	•	
Non-marking wheels		•	•	•
Reinforced wheels for speeds of up to 12 km/h		•	•	
RFID-Chip	•	•	•	•
Removable lifting trunnions		•	•	
Reinforced tow shaft		•	•	
Bumper made of metal		•	•	
COLOURS				
Lid yellow RAL 1018	•	•	•	•
Body yellow RAL 1018	•	•	•	•
Body grey RAL 7021	•	•	•	

_	360 L	660 L	770 L	1100 L
D:				
Dimensions (mm)				
Height total ~	1095	1170	1320	1330
Upper comb edge ~	1010	1070	1215	1205
Width total ~	620	1265	1265	1370
Bin depth ~	850	855	855	1075
Diameter wheel ~	200	160	160	200



Removable lifting trunnions



Bumper made of metal



Reinforced tow shaft

## The highest level of security for confidential documents

# CITYBAC® CONFIDO

It is not only for data protection reasons that the vast majority of companies rely on the secure collection and disposal of sensitive documents. The CITYBAC® Confido series has been developed specifically for this task. The slot made of galvanised steel offers one-hundred-per-cent protection against curious glances and hands. Once the document has been disposed of in the bin, only authorised individuals with the key to the cylinder lock are able to access them again. Thanks to its high-quality silver-metallic design, your Confido bin fits seamlessly into high-level office furnishings.

### Trust is good, Confido is better

- Security slot made of galvanised steel
- Perfectly secured against viewing and access, including through the metal reinforcement in the lid
- Good manoeuvrability even when heavy
- Lockable with cylinder lock
- High-quality silver-metallic design





# Master of adaptation for your desired volume CITYBAC® VARIO

Modern waste separation requires the greatest possible flexibility in terms of bin design. With respect to volumes used, Vario inserts solve this challenge in next to no time. They allow the volume of the mobile bins to be adapted as required, without having to replace the entire bin.

### Large becomes small

- Simple configuration of the desired bin volume
- Secure locking of the insert

116

Retrofitting of mobile bins to volumes of 40, 60 and 80 litres



① Slots for the VARIO insert.





## The benchmark for secure and fast handling

# CITYBAC® DIAMOND

Many municipalities have discovered the benefits of the CITYBAC® Diamond lifting system for themselves and switched their waste disposal to it. Instead of the comb, the Diamond panel is lifted and locked by the waste disposal vehicle, meaning that the bin sits absolutely firmly and the entire emptying process can be carried out up to 20 % more quickly and in an extremely accident-proof manner. In this way, one-person operation offers an efficient alternative to conventional waste collection.

### Optimal lifting conditions

- Self-centring lifting system with firm bin hold
- Increased speed and safety in handling
- Allows safe one-person operation
- Use of time- and cost-saving potential



- 1 Diamond lifting device
- 2 Design lid



1	20	
	<i>7</i> U	

	120 L	140 L	180 L	240 L
Dimensions (mm)				
Height total ~	942	1079	1075	1081
Upper edge diamond device ~	887	1010	1010	1012
Bin depth ~	563	575	572	771
Width total ~	499	508	501	580
Diameter wheel ~	200	200	200	200

# Your one-stop partner **SULO.**

Offering comprehensive services spanning the entire life cycle of a CITYBAC® bin, SULO is your reliable partner for economically optimised and sustainable processes. Data collection, marking, installation, maintenance, return and recycling of used bins – we take care of every aspect, making your waste and recycling logistics even more transparent and efficient.

# SULO'S COMPREHENSIVE BIN SERVICE - THE ALL-ROUND CAREFREE PACKAGE

To ensure that your waste disposal logistics run smoothly at all times, we have developed a service offering that guarantees seamless processes. This makes the compatibility of business optimisation and a high degree of sustainability a realistic goal.

- Installation of new bins with direct distribution from the factory to the end user
- Marking and identification of bins (if required with an RFID chip)
- Maintenance, repair and replacement of defective bins
- Return and recycling of old bins



### **WASTE MANAGEMENT MADE BY SULO**

With its digital solutions, SULO is embracing the future and offers all the components and advantages of modern waste management from a single source:

- Bin identification
- Weighing by waste producer (weighing of individual bins)
- Route optimisation

