


REMACHES ESTRUCTURALES

- Trebulb Plus
- Tudibulb
- Tudinox
- Cup-Lock
- Cup-Bolt
- H-Lock
- B-Rivet
- Twin-Lock
- Floorply
- Superbulb





FABRICACION PROPIA!!

2000 ARTICULOS PALETIZADOS

Servicio de entrega en 24 horas!!

REMACHES TUDELA


TREBULB PLUS



REMACHES TUDELA

ALUMINIO/ALUMINIO CABEZA ALOMADA
ALUMINIUM/ALUMINIUM DOME HEAD

R075




Ø	L	GRIP RANGE	CODICE / CODE
4,0	20,3	1,5 - 6,4	BR07540203
	25,1	6,4 - 12,7	BR07540251
5,2	17,5	1,2 - 4,8	BR07552175
	19,1	1,5 - 6,4	BR07552191
	22,2	4,7 - 9,5	BR07552222
	25,4	7,9 - 12,7	BR07552254
	28,6	11,1 - 15,9	BR07552286
	31,8	14,3 - 19,1	BR07552318
6,3	20,2	1,6 - 6,4	BR07563202
	23,4	3,2 - 9,5	BR07563234
	26,5	6,4 - 12,7	BR07563265
	29,7	9,5 - 15,9	BR07563297
7,7	27,7	1,0 - 9,5	BR07577277
	37,7	9,5 - 19	BR07577377



ALLUMINIO/ALLUMINIO CABEZA
AVELLANADA
ALU/ALU COUNTERSUNK HEAD

R074




Ø	L	GRIP RANGE	CODICE / CODE
5,2	19,6	2,7 - 6,4	BR07452195
	22,7	4,7 - 9,5	BR07452227
	25,9	7,9 - 12,7	BR07452259
	29,1	11,1 - 15,9	BR07452291
	32,3	14,3 - 19,1	BR07452323
6,3	20,7	3,8 - 6,4	BR07463207
	23,9	4,7 - 9,5	BR07463239
	27,1	6,4 - 12,7	BR07463271



ACERO/ ACERO CABEZA ALOMADA
STEEL/STEEL DOME HEAD


R077



Ø	L	GRIP RANGE	CODICE / CODE
5,2	19,1	1,6 - 6,3	BR07752191
	22,3	4,8 - 9,5	BR07752223
	25,4	7,9 - 12,7	BR07752254
	28,6	11,1 - 15,8	BR07752286
	31,8	14,3 - 19,0	BR07752318
6,3	20,7	1,0 - 6,4	BR07763207
	23,9	3,2 - 9,5	BR07763239
	27,1	6,4 - 12,7	BR07763271
	30,2	9,5 - 15,9	BR07763302

ACERO/ ACERO CABEZA AVELLANADA
STEEL/STEEL COUNTERSUNK HEAD


R078



Ø	L	GRIP RANGE	CODICE / CODE
6,3	23,2	3,8 - 6,4	BR07863232
	29,6	6,4 - 12,7	BR07863296

MONEL/INOX TESTA TONDA
MONEL/ST.STEEL DOME HEAD

R079



Ø	L	GRIP RANGE	CODICE / CODE
6,3	20,7	1,0 - 6,4	BR07963207
	23,9	3,2 - 9,5	BR07963239

REMACHADORA RECOMENDADA
recommended RIVETING TOOL

IERO T.0 a Bateria

Ø 5,2 mm – 7,8 mm
Carrera 25mm
Fuerza de tracción 12000N
Peso 2,15kgs

IERO T.0 Battery powered

Ø 5,2 mm – 7,8 mm
Stroke 25mm
Traction Power 12000N
Weight 2,15kgs






TUDIBULB - TUDINOX

TUDIBULB

ACERO/ ACERO CABEZA ALOMADA
STEEL/STEEL DOME HEAD

R047



Ø	L	GRIP RANGE	CODICE / CODE
3,2	8,7	1,0 - 3,0	BR0473287
	11,3	3,0 - 5,0	BR04732113
	13,6	5,0 - 7,0	BR04732136
4,0	10,1	1,0 - 3,0	BR04740101
	12,1	3,0 - 5,0	BR04740121
	15,1	5,0 - 7,0	BR04740151
	17,0	7,0 - 9,0	BR04740170
4,8	12,1	1,0 - 3,0	BR04748121
	14,6	3,0 - 5,0	BR04748146
	17,6	5,0 - 7,0	BR04748176
6,0	14,2	1,0 - 3,0	BR04760142
	17,2	3,0 - 5,0	BR04760172
	20,2	5,0 - 7,0	BR04760202
	23,2	7,0 - 9,0	BR04760232

TUDIBULB EXTRA


Ø	L	GRIP RANGE	CODICE / CODE
6,4	17,3	1,5 - 5,5	BR04764173
	21,3	5,0 - 9,0	BR04764213



TUDINOX

INOX A2/INOX A2 CABEZA ALOMADA
STAINLESS STEEL A2/A2 DOME HEAD

R046



Ø	L	GRIP RANGE	CODICE / CODE
3,2	8,9	1,0-3,0	BR0463289
	11,4	3,0-5,0	BR04632114
	13,6	5,0-7,0	BR04632136
4,0	10,1	1,0-3,0	BR04640101
	12,5	3,0-5,0	BR04640125
	15,1	5,0-7,0	BR04640151
4,8	12,9	1,5-3,5	BR04648129
	15,5	3,5-6,0	BR04648155
	18,5	6,0-8,5	BR04648185

TUDINOX EXTRA

Ø	L	GRIP RANGE	CODICE / CODE
6,4	16,8	1,5 - 5,5	BR04664168
	20,8	5,0 - 9,0	BR04664208



REMACHADORA RECOMENDADA recommended RIVETING TOOL



IERO 5.0 a Bateria

Ø 2,4 mm – 5,0 mm
Carrera 21mm
Fuerza de tracción 12000N
Peso 2,15kgs

IERO 5.0 Battery powered

Ø 2,4 mm – 5,0 mm
Stroke 21mm
Traction Power 12000N
Weight 2,15kgs



IERO 6.0 a Bateria

Ø 4,8 mm – 6,4 mm
Carrera 25mm
Fuerza de tracción 20000N
Peso 2,15kgs

IERO 6.0 Battery powered

Ø 4,8 mm – 6,4 mm
Stroke 25mm
Traction Power 20000N
Weight 2,15kgs


CUP-LOCK



REMACHES TUDELA

ACERO/ACERO CABEZA ALOMADA
STEEL/STEEL DOME HEAD

R050




Ø	L	GRIP RANGE	CODICE / CODE
4,8	10,0	1,6-6,9	BR0504810
	14,0	1,6-11,0	BR0504814
6,4	14,0	2,0-9,5	BR0506414
	20,0	2,0-15,9	BR0506420
	26,0	14,7 - 22,2	BR0506426
	33,0	21,1 - 28,6	BR0506433
	39,0	27,4 - 35	BR0506439
9,8	21,0	3,0 - 15,9	BR0509821



ACERO/ACERO CABEZA AVELLANADA
STEEL/STEEL COUNTERSUNK HEAD


R051



Ø	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR0514813
	17,0	7,7-12,7	BR0514817
6,4	17,0	4,1-12,1	BR0516417
	23,5	10,5-18,4	BR05164235
9,8	25,0	6,1 - 19,1	BR0519825

INOX A2/INOX A2 CABEZA ALOMADA
STAINLESS STEEL A2/A2 DOME HEAD

R072




Ø	L	GRIP RANGE	CODICE / CODE
4,8	10,5	1,6-6,9	BR07248105
	14,5	1,6-11,0	BR07248145
6,4	14,5	2,0-9,5	BR07264145
	20,5	2,0-15,9	BR07264205
9,8	21,0	3,0 - 15,9	BR0729821



INOX A2/INOX A2 CABEZA AVELLANADA
STAINL.STEEL A2/A2 COUNTERS. HEAD


R073



Ø	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR0734813
	17,0	7,7-12,7	BR0734817
6,4	17,0	4,1-12,1	BR0736417
	23,5	10,5-18,4	BR07364235

ALUMINIO/ALUMINIO CABEZA ALOMADA
ALUMINIUM/ALUMINIUM DOME HEAD

R052




Ø	L	GRIP RANGE	CODICE / CODE
4,8	10,0	1,6-6,9	BR0524810
	14,0	1,6-11,0	BR0524814
6,4	14,0	2,0-9,5	BR0526414
	20,0	2,0-15,9	BR0526420
9,8	21,0	3,0-15,9	BR0529821



ALUMINIO/ALUMINIO CABEZA AVELLANADA
ALU/ALU COUNTERSUNK HEAD

R053




Ø	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR0534813
	17,0	7,7-12,7	BR0534817
6,4	17,0	4,1-12,1	BR0536417
	23,5	10,5-18,4	BR05364235



CUP-BOLT

ACERO/ACERO CABEZA ALOMADA
STEEL/STEEL DOME HEAD

R210




Ø	L	GRIP RANGE	CODICE / CODE
4,8	10,0	1,6-6,9	BR21048100
	14,0	1,6-11,0	BR21048140
6,4	14,0	2,0-9,5	BR21064140
	20,0	2,0-15,9	BR21064200
9,8	21,0	3,0-15,9	BR21098210



ACERO/ACERO CABEZA AVELLANADA
STEEL/STEEL COUNTERSUNK HEAD


R213



Ø	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR2134813
	17,0	7,7-12,7	BR2134817
6,4	17,0	4,1-12,1	BR2136417
	23,5	10,5-18,4	BR21364235

INOX A2/INOX A2 CABEZA ALOMADA
STAINLESS STEEL A2/A2 DOME HEAD

R211




Ø	L	GRIP RANGE	CODICE / CODE
4,8	10,5	1,6-6,9	BR2114810
	14,5	1,6-11,0	BR2114814
6,4	14,5	2,0-9,5	BR2116414
	20,5	2,0-15,9	BR2116420
9,8	22,0	3,0-15,9	BR2119822



INOX A2/INOX A2 CABEZA AVELLANADA
STAINL. STEEL A2/A2 COUNTERSUNK HEAD


R214



Ø	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR2144813
	17,0	7,7-12,7	BR2144817
6,4	17,0	4,1-12,1	BR2146417
	23,5	10,5-18,4	BR21464235

ALLUMINIO/ALLUMINIO CABEZA ALOMADA
ALUMINIUM/ALUMINIUM DOME HEAD

R212




Ø	L	GRIP RANGE	CODICE / CODE
4,8	10,0	1,6-6,9	BR2124810
	14,0	1,6-11,0	BR2124814
6,4	14,0	2,0-9,5	BR2126414
	20,0	2,0-15,9	BR2126420
9,8	21,0	3,0-15,9	BR2129821



ALUMINIO/ALUMINIO CABEZA AVELLANADA
ALUMINIUM/ALUMINIUM COUNTERS. HEAD

R215



Ø	L	GRIP RANGE	CODICE / CODE
4,8	13,0	3,2-8,4	BR2154813
	17,0	7,7-12,7	BR2154817
6,4	17,0	4,1-12,1	BR2156417
	23,5	10,5-18,4	BR21564235

BOQUILLA ESPECIAL requerida para su instalación
SPECIAL NOSEPIECE required for installation




H-LOCK



REMACHES TUDELA

ACERO/ACERO CABEZA ALOMADA
STEEL/STEEL DOME HEAD


R055



Ø	L	GRIP RANGE	CODICE / CODE
4,8	9,0	1,5-3,5	BR0554890
	11,5	3,5-6,0	BR05548115
	14,0	6,0-8,5	BR0554814
	16,5	8,5-11,0	BR05548165
	19,0	11,0-13,5	BR0554819
6,4	9,0	1,5-3,5	BR05564090
	10,5	2,8-4,8	BR05564105
	12,5	4,8-6,8	BR05564125
	14,5	6,8-8,8	BR05564145
	16,5	8,8-10,8	BR05564165
	18,5	10,8-12,8	BR05564185
	20,5	12,8-14,8	BR05564205
	22,5	14,8-16,8	BR05564225
	24,5	16,8-18,8	BR05564245
	26,5	18,8-20,8	BR05564265
	28,5	20,8-22,8	BR05564285
	30,5	22,8-24,8	BR05564305
7,8	13,0	4,0-7,0	BR05578130
	16,0	7,0-10,0	BR05578160
	19,0	10,0-13,0	BR05578190
	22,0	13,0-16,0	BR05578220
	25,0	16,0-19,0	BR05578250
	28,0	19,0-22,0	BR05578280
	31,0	22,0-25,0	BR05578310

ACERO/ACERO CABEZA AVELLANADA
STEEL/STEEL COUNTERSUNK HEAD

R061



Ø	L	GRIP RANGE	CODICE / CODE
4,8	11,5	3,5-6	BR06148115
	14,0	6,0-8,5	BR06148140
	16,5	8,5-11,0	BR06148165
	19,0	11,0-13,5	BR06148190
6,4	11,5	3,8-5,8	BR06164115
	13,5	5,8-7,8	BR06164135
	15,5	7,8-9,8	BR06164155
	17,5	9,8-11,8	BR06164175
	19,5	11,8-13,8	BR06164195
	21,5	13,8-15,8	BR06164215
	23,5	15,8-17,8	BR06164235



REMACHADORA RECOMENDADA
recommended RIVETING TOOL



IERO 6.0 a Batteria

Ø 4,8 mm – 6,4 mm
Carrera 25mm
Fuerza de tracción 20000N
Peso 2,15kgs


IERO 6.0 Battery powered

Ø 4,8 mm – 6,4 mm
Stroke 25mm
Traction Power 20000N
Weight 2,15kgs



INOX A2/INOX A2 CABEZA ALOMADA
STAINLESS STEEL A2/A2 DOME HEAD


R058



Ø	L	GRIP RANGE	CODICE / CODE
4,8	9,0	1,5-3,5	BR0584890
	11,5	3,5-6,0	BR05848115
	14,0	6,0-8,5	BR0584814
	16,5	8,5-11,0	BR05848165
	19,0	11,0-13,5	BR0584819
6,4	10,5	2,8-4,8	BR05864105
	12,5	4,8-6,8	BR05864125
	14,5	6,8-8,8	BR05864145
	16,5	8,8-10,8	BR05864165
	18,5	10,8-12,8	BR05864185
	20,5	12,8-14,8	BR05864205
	22,5	14,8-16,8	BR05864225
7,8	13,0	4,0-7,0	BR05878130
	16,0	7,0-10,0	BR05878160
	19,0	10,0-13,0	BR05878190
	22,0	13,0-16,0	BR05878220

INOX A2/INOX A2 CABEZA AVELLANADA
STAINLESS STEEL A2/A2 COUNTERSUNK HEAD

R064




Ø	L	GRIP RANGE	CODICE / CODE
6,4	13,5	5,8-7,8	BR06464135
	15,5	7,8-9,8	BR06464155
	17,5	9,8-11,8	BR06464175



ALUMINIO/ALUMINIO CABEZA ALOMADA
ALUMINIUM/ALUMINIUM DOME HEAD


R062



Ø	L	GRIP RANGE	CODICE / CODE
4,8	9,0	1,5-3,5	BR06248090
	11,5	3,5-6,0	BR06248115
	14,0	6,0-8,5	BR06248140
	16,5	8,5-11,0	BR06248165
	19,0	11,0-13,5	BR06248190
6,4	9,0	1,5-3,5	BR06264090
	10,5	2,8-4,8	BR06264105
	12,5	4,8-6,8	BR06264125
	14,5	6,8-8,8	BR06264145
	16,5	8,8-10,8	BR06264165
	18,5	10,8-12,8	BR06264185
	20,5	12,8-14,8	BR06264205

ALUMINIO/ALUMINIO CABEZA AVELLANADA
ALUMINIUM/ALUMINIUM COUNTERS. HEAD

R063



Ø	L	GRIP RANGE	CODICE / CODE
6,4	11,5	3,8-5,8	BR06364115
	13,5	5,8-7,8	BR06364135
	15,5	7,8-9,8	BR06364155
	17,5	9,8-11,8	BR06364175
	19,5	11,8-13,8	BR06364195
	21,5	13,8-15,8	BR06364215
	23,5	15,8-17,8	BR06364235




B-RIVET




ACERO/ACERO CABEZA ALOMADA
STEEL/STEEL DOME HEAD

R202




Ø	L	GRIP RANGE	CODICE / CODE
6,4	11,7	2,4 - 4	BR20264117
	13,3	4,0 - 5,6	BR20264133
	14,9	5,6 - 7,2	BR20264149
	16,5	7,2 - 8,8	BR20264165
	18,0	8,8 - 10,3	BR20264180
	19,6	10,3 - 11,9	BR20264196
	21,2	11,9 - 13,5	BR20264212
	22,8	13,5 - 15,1	BR20264228
	24,4	15,1 - 16,7	BR20264244
	26,0	16,7 - 18,3	BR20264260
	27,6	18,3 - 19,9	BR20264276
8,0	17,7	4,8 - 7,9	BR20279176
	20,8	7,9 - 11,1	BR20279208
	24,0	11,1 - 14,3	BR20279240
	27,2	14,3 - 17,5	BR20279272
	30,4	17,4 - 20,6	BR20279304
	33,5	20,6 - 23,8	BR20279335
	36,7	23,8 - 27	BR20279367
9,5	19,5	4,8 - 7,9	BR20295195
	22,6	7,9 - 11,1	BR20295226
	25,8	11,1 - 14,3	BR20295258
	29,0	14,3 - 17,5	BR20295290
	32,2	17,5 - 20,6	BR20295322
	35,3	20,6 - 23,8	BR20295353
	38,5	23,8 - 27	BR20295385
	41,7	27 - 30,1	BR20295417
	44,9	30,1 - 33,3	BR20295449



ACERO/ACERO CABEZA ALOMADA
STEEL/STEEL DOME HEAD

R201




Ø	L	GRIP RANGE	CODICE / CODE
6,4	14,2	2,0 - 9,5	BR20164142
	15,8	4,8 - 11,1	BR20164158
	20,6	9,5 - 15,9	BR20164206
	23,7	12,7 - 19,1	BR20164237
	26,9	15,9 - 22,2	BR20164269



ACERO/ACERO CABEZA AVELLANADA
STEEL/STEEL COUNTERSUNK HEAD

R206




Ø	L	GRIP RANGE	CODICE / CODE
6,4	14,2	2,0 - 9,5	BR20164142

SUPERBULB

ACERO/ACERO CABEZA ALOMADA
STEEL/STEEL DOME HEAD

R200




Ø	L	GRIP RANGE	CODICE / CODE
4,8	10,0	1,5 - 3,5	BR20048100
	13,0	3,5 - 6,0	BR20048130
	15,0	6,0 - 8,0	BR20048150
6,4	13,0	2,0 - 4,5	BR20064130
	17,0	4,5 - 7,0	BR20064170
	20,0	7,0 - 10,5	BR20064200
	23,0	10,5 - 13,0	BR20064230
	25,0	13,0 - 15,5	BR20064250



FLOORPLY

ACERO/ACERO CABEZA ALOMADA
STEEL/STEEL DOME HEAD

R205



Ø	L	GRIP RANGE	CODICE / CODE
8	54,0	19,0-35,0	BR20580540



REMACHES ESTRUCTURALES ***STRUCTURAL RIVETS***

Remaches Tudela S.L.

Polígono Industrial Las Labradas
Calle Cantabria, Naves 14.8 y 14.9

Apartado de Correos 31

31500 Tudela (Navarra)España

Tel:0034 948 82 71 21

Fax:0034 948 41 46 18

info@remachestudela.com

www.remachestudela.com