

clever – creative – sustainable – smart



utz RAKO

utzgroup.com



RAKO – the allrounder in Euro dimensions

One for all

The RAKO is a universal plastic container that can be used for all conceivable requirements. In spite of many base variants, which also enable use on automatic conveyor systems, the RAKO is often chosen when manual handling is required. This makes the RAKO a typical storage and transport container. If someone in Switzerland is looking for a plastic storage box, he or she will ask for a RAKO.

The name RAKO stands for the technical construction of the container: four corner columns, in connection with the upper U-shaped, circumferential rim and a base with circumferential rib give the container an extremely stable frame. RAKO therefore stands for frame construction, a name that symbolically describes the load-bearing capacity of the plastic box.

There are about 350 variants of the RAKO, a plastic container with greater flexibility is hardly imaginable. On the following pages you can search and find your special RAKO for storage or transport, in the company or on the way to your customers.

Versatile and flexible

The basic euro container RAKO enables a large number of variations by combining various sidewalls, bases and handles.


When selecting the perfect container, you can choose between solid, perforated and slotted sidewalls, a solid, grated or ribbed base, depending on its purpose and stress level insert an enclosed double base and decide between a profile handle, handle slots or shell handles.

These versatile selection options in combination with the euro container's high load capacity are what make the RAKO an extremely adjustable universal container.


RAKO suitable for Euro pallets and ISO pallets

RAKO containers can be stacked onto pallets for storage or transport. This is why the base size of the containers must be aligned to the base size of the pallets. The RAKO containers can be stacked both on Euro pallets and on ISO pallets. The illustrations show how this works.

ISO pallet 1200 x 1000 mm



RAKO
600 x 400 mm



RAKO
400 x 300 mm




Euro pallet 1200 x 800 mm




RAKO
800 x 600 mm




RAKO
600 x 400 mm




RAKO
600 x 200 mm




RAKO
400 x 400 mm



RAKO
400 x 300 mm



RAKO
300 x 200 mm




RAKO
200 x 150 mm




RAKO Versions: base variants


Bases for normal surface loading



Solid base




Enclosed double base



RAKO Versions: sidewalls



Solid sidewall




Perforated sidewall




Slotted sidewall


RAKO Versions: handles



Handle bar



Shell handle



Handle slot

Identification and customised extras



Identification

- Barcode(frames)
- Transponder/RFID-Chips
- Inmould label

Can be positioned individually

Label pockets

- With borders on 2 or 3 sides
- For welding on or gluing on

Adhesive label area

- On request

Individual marking

- Hot stamping
- Pad printing
- Thermotransfer printing
- Lasering
- Script inserts
- Inmould label
- Foil embossing

For individual models a template is required

Base dimension **200 x 150 mm**

Standard colour
light grey

Height **117 mm**

Internal dimensions base		162 x 112 x 114 mm	
Stacking height		103 mm	
Usable internal height in stack		100 mm	
Volume		2 litres	
Weight		0.22 kg	
Article code	Sidewalls	Base	Handles
3-237-0	solid	solid	handle bar

Base dimension **300 x 200 mm**

Standard colour
light grey

Height **65 mm**

Internal dimensions base		258 x 158 x 63 mm	
Stacking height		51 mm	
Usable internal height in stack		49 mm	
Volume		2 litres	
Weight		0.23 kg	
Article code	Sidewalls	Base	Handles
3-217Z-0	solid	solid	handle bar



Standard colours



light grey



dark blue



yellow

3-206Z-0 R



dark grey

Oeco-Line

Height **117 mm**

Internal dimensions base		258 x 158 x 114 mm	
Stacking height		103 mm	
Usable internal height in stack		97 mm	
Volume		4 litres	
Weight		0.35 kg	
Article code	Sidewalls	Base	Handles
3-206Z-0	solid	solid	handle bar
3-206Z-0 R	solid	solid	handle bar

Oeco-Line

Article code with **R** =
made of UIC® recycled material

Stock items (SKU), for all other items please
request the minimum order quantities.

Base dimension **300 x 200 mm**



Standard colour
light grey

Height **170 mm**

Internal dimensions base		259 x 159 x 167 mm	
Stacking height		156 mm	
Usable internal height in stack		152 mm	
Volume		5.5 litres	
Weight		0.50 kg	
Article code	Sidewalls	Base	Handles
3-218Z-0	solid	solid	handle bar



Standard colour
light grey

Height **220 mm**

Internal dimensions base		260 x 160 x 217 mm	
Stacking height		206 mm	
Usable internal height in stack		203 mm	
Volume		9 litres	
Weight		0.70 kg	
Article code	Sidewalls	Base	Handles
3-210Z-0	solid	solid	handle bar

Stock items (SKU), for all other items please request the minimum order quantities.

Base dimension **400 x 300 mm**



Standard colour
light grey



Standard colours



light grey



scarlet



dark blue



yellow



translucent

3-203Z-0 R



dark grey

Oeco-line



Standard colour
light grey

Height **65 mm**

Internal dimensions base	358 x 258 x 62 mm		
Stacking height	51 mm		
Usable internal height in stack	48 mm		
Volume	6 litres		
Weight	0.50 kg		
Article code	Sidewalls	Base	Handles
3-211Z-0	solid	solid	2 shell handles

Height **117 mm**

Internal dimensions base	359 x 259 x 114 mm		
Stacking height	103 mm		
Usable internal height in stack	97 mm		
Volume	10 litres		
Weight	0.78 kg		
Article code	Sidewalls	Base	Handles
3-203Z-0	solid	solid	2 shell handles
3-203Z-0 R	solid	solid	2 shell handles

Containers with reinforced base

Internal dimensions base	359 x 259 x 100 mm		
Usable internal height in stack	86 mm		
Weight	0.92 kg		
Article code	Sidewalls	Base	Handles
3-203Z-72	solid	with ribbing	2 shell handles
3-203Z-72-V	solid	enclosed double base	2 shell handles

Height **145 mm**

Internal dimensions base	364 x 264 x 130 mm		
Stacking height	133 mm		
Usable internal height in stack	118 mm		
Volume	12 litres		
Weight	0.85 kg		
Article code	Sidewalls	Base	Handles
3-4313N-0	solid	SGL base	2 shell handles
3-4313N-1	long sides perforated	SGL base	2 shell handles
3-4313N-29	perforated	SGL base	2 shell handles

Internal dimensions base	357 x 257 x 142 mm		
Usable internal height in stack	130 mm		
Volume	13 litres		
Weight	0.85 kg		
Article code	Sidewalls	Base	Handles
3-4313N-53	solid	solid	2 shell handles
3-4313N-194	long sides perforated	solid	2 shell handles
3-4313N-129	perforated	solid	2 shell handles

Oeco-line

Article code with R =
made of UIC® recycled material

Stock items (SKU), for all other items please
request the minimum order quantities.

Base dimension **400 x 300 mm**



Standard colours



light grey



dark blue

3-207Z-0 R



dark grey

Oeco-line



Standard colours



light grey



scarlet



dark blue



yellow



translucent

Height 170 mm

Internal dimensions base	358 x 258 x 165 mm		
Stacking height	154 mm		
Usable internal height in stack	151 mm		
Volume	15 litres		
Weight	0.90 kg		
Article code	Sidewalls	Base	Handles
3-207Z-0	solid	solid	2 shell handles
3-207Z-0 R	solid	solid	2 shell handles
3-307Z-0	solid	solid	2 handle slots

Containers with reinforced base

Internal dimensions base	358 x 258 x 151 mm		
Usable internal height in stack	137 mm		
Weight	1.00 kg		
Article code	Sidewalls	Base	Handles
3-207Z-72	solid	with ribbing	2 shell handles
3-207Z-72-V	solid	enclosed double base	2 shell handles
3-307Z-72	solid	with ribbing	2 handle slots
3-307Z-72-V	solid	enclosed double base	2 handle slots

Height 220 mm

Internal dimensions base	359 x 259 x 217 mm		
Stacking height	206 mm		
Usable internal height in stack	203 mm		
Volume	20 litres		
Weight	1.18 kg		
Article code	Sidewalls	Base	Handles
3-204Z-0	solid	solid	2 shell handles
3-304Z-0	solid	solid	2 handle slots
3-204Z-1	perforated	solid	2 shell handles
3-304Z-1	perforated	solid	2 handle slots
3-204Z-2	slotted	solid	2 shell handles
3-304Z-2	slotted	solid	2 handle slots
3-204Z-3	slotted	slotted	2 shell handles
3-304Z-3	slotted	slotted	2 handle slots
3-204Z-4	solid	slotted	2 shell handles
3-304Z-4	solid	slotted	2 handle slots
3-204Z-5	perforated	slotted	2 shell handles
3-304Z-5	perforated	slotted	2 handle slots

Containers with reinforced base

Internal dimensions base	359 x 259 x 203 mm		
Usable internal height in stack	189 mm		
Weight	1.30 kg		
Article code	Sidewalls	Base	Handles
3-204Z-72	solid	with ribbing	2 shell handles
3-204Z-72-V	solid	enclosed double base	2 shell handles
3-304Z-72	solid	with ribbing	2 handle slots
3-304Z-72-V	solid	enclosed double base	2 handle slots

Oeco-line

Article code with R =
made of UIC® recycled material

Stock items (SKU), for all other items please
request the minimum order quantities.

Base dimension **400 x 300 mm**



Standard colours
3-212Z-0



light grey

3-212Z-0 R



dark grey

Oeco-Line

Height **270 mm**

Internal dimensions base	358 x 258 x 268 mm
Stacking height	258 mm
Usable internal height in stack	255 mm
Volume	24 litres
Weight	1.32 kg

Article code	Sidewalls	Base	Handles
3-212Z-0	solid	solid	2 shell handles
3-212Z-0 R	solid	solid	2 shell handles
3-312Z-0	solid	solid	2 handle slots
3-212Z-1	perforated	solid	2 shell handles
3-312Z-1	perforated	solid	2 handle slots
3-212Z-2	slotted	solid	2 shell handles
3-312Z-2	slotted	solid	2 handle slots
3-212Z-3	slotted	slotted	2 shell handles
3-312Z-3	slotted	slotted	2 handle slots
3-212Z-4	solid	slotted	2 shell handles
3-312Z-4	solid	slotted	2 handle slots
3-212Z-5	perforated	slotted	2 shell handles
3-312Z-5	perforated	slotted	2 handle slots



Standard colour
light grey

Height **323 mm**

Internal dimensions base	358 x 258 x 320 mm
Stacking height	309 mm
Usable internal height in stack	306 mm
Volume	30 litres
Weight	1.44 kg

Article code	Sidewalls	Base	Handles
3-205Z-0	solid	solid	2 shell handles
3-305Z-0	solid	solid	2 handle slots
3-205Z-1	perforated	solid	2 shell handles
3-305Z-1	perforated	solid	2 handle slots
3-205Z-2	slotted	solid	2 shell handles
3-305Z-2	slotted	solid	2 handle slots
3-205Z-3	slotted	slotted	2 shell handles
3-305Z-3	slotted	slotted	2 handle slots
3-205Z-4	solid	slotted	2 shell handles
3-305Z-4	solid	slotted	2 handle slots
3-205Z-5	perforated	slotted	2 shell handles
3-305Z-5	perforated	slotted	2 handle slots

Containers with reinforced base

Internal dimensions base	358 x 258 x 306 mm
Usable internal height in stack	292 mm
Weight	1.53 kg

Article code	Sidewalls	Base	Handles
3-205Z-72	solid	with ribbing	2 shell handles
3-205Z-72-V	solid	enclosed double base	2 shell handles
3-305Z-72	solid	with ribbing	2 handle slots
3-305Z-72-V	solid	enclosed double base	2 handle slots

Oeco-Line

Article code with R =
made of UIC® recycled material

Stock items (SKU), for all other items please
request the minimum order quantities.

Base dimension **400 x 400 mm**



Height 70 mm

Internal dimensions base	370 x 370 x 52 mm		
Stacking height	56 mm		
Usable internal height in stack	37 mm		
Volume	7 litres		
Weight	1.20 kg		
Article code	Sidewalls	Base	Handles
38-1927-0	solid	narrow ribbed	handle bar



Standard colour
light grey

Height 120 mm

Internal dimensions base	370 x 370 x 102 mm		
Stacking height	106 mm		
Usable internal height in stack	87 mm		
Volume	15 litres		
Weight	1.30 kg		
Article code	Sidewalls	Base	Handles
38-1928-0	solid	narrow ribbed	handle bar



Standard colour
light grey

Height 220 mm

Internal dimensions base	370 x 370 x 202 mm		
Stacking height	206 mm		
Usable internal height in stack	187 mm		
Volume	28 litres		
Weight	1.80 kg		
Article code	Sidewalls	Base	Handles
38-1932-0	solid	narrow ribbed	handle bar



Standard colour
light grey

Height 270 mm

Internal dimensions base	370 x 370 x 258 mm		
Stacking height	256 mm		
Usable internal height in stack	239 mm		
Volume	35 litres		
Weight	1.70 kg		
Article code	Sidewalls	Base	Handles
38-1934-1	solid	with ribbing	2 handle slots
38-1934-10	solid	solid	4 handle slots
38-1934-5	perforated	grated	2 handle slots

Stock items (SKU), for all other items please request the minimum order quantities.

Base dimension **600 x 200 mm**



Height **220 mm**

Internal dimensions base		558 x 158 x 217 mm	
Stacking height		206 mm	
Usable internal height in stack		203 mm	
Volume		19 litres	
Weight		1.40 kg	
Article code	Sidewalls	Base	Handles
101-6222-1	solid	solid	handle bar

Base dimension **600 x 400 mm**



Standard colour
light grey

Height **75 mm**

Internal dimensions base		552 x 352 x 72 mm	
Stacking height		65 mm	
Usable internal height in stack		62 mm	
Volume		14 litres	
Weight		1.17 kg	
Article code	Sidewalls	Base	Handles
3-227D-0	solid	solid	2 shell handles

Containers with reinforced base

External dimensions		600 x 400 x 79 mm	
Internal dimensions base		552 x 352 x 65 mm	
Usable internal height in stack		51 mm	
Volume		12.5 litres	
Weight		1.33 kg	
Article code	Sidewalls	Base	Handles
3-227D-72	solid	with ribbing	2 shell handles
3-227D-72-V	solid	enclosed double base	2 shell handles

Height **78 mm**

Internal dimensions base		565 x 365 x 63 mm	
Stacking height		66 mm	
Usable internal height in stack		51 mm	
Volume		12 litres	
Weight		1.20 kg	
Article code	Sidewalls	Base	Handles
3-6406-0	solid	SGL base	2 shell handles
3-6406-1	Long sides perforated	SGL base	2 shell handles
3-6406-45	solid	slotted SGL base	2 shell handles

Stock items (SKU), for all other items please request the minimum order quantities.

Base dimension **600 x 400 mm**



Standard colours



light grey



scarlet



dark blue



yellow

3-200Z-0 R



dark grey

Oeco-line



Standard colour
light grey

Height 117 mm

Internal dimensions base	558 x 358 x 114 mm		
Stacking height	103 mm		
Usable internal height in stack	100 mm		
Volume	20 litres		
Weight	1.27 kg		
Article code	Sidewalls	Base	Handles
3-200Z-0	solid	solid	2 shell handles
3-200Z-0 R	solid	solid	2 shell handles
3-200Z-1	long sides perforated	solid	2 shell handles
3-200Z-2	long sides slotted	solid	2 shell handles
3-200Z-3	long sides slotted	slotted	2 shell handles
3-200Z-4	solid	slotted	2 shell handles
3-200Z-5	long sides perforated	slotted	2 shell handles
3-300Z-214	solid	solid	2 handle slots

Containers with reinforced base

Internal dimensions base	558 x 358 x 100 mm		
Usable internal height in stack	86 mm		
Weight	1.42 kg		
Article code	Sidewalls	Base	Handles
3-200Z-72	solid	with ribbing	2 shell handles
3-200Z-72-V	solid	enclosed double base	2 shell handles
3-200Z-91	long sides slotted	with ribbing	2 shell handles
3-200Z-91-V	long sides slotted	enclosed double base	2 shell handles
3-300Z-213	solid	with ribbing	2 handle slots
3-300Z-213-V	solid	enclosed double base	2 handle slots

Height 145 mm

Internal dimensions base	564 x 364 x 130 mm		
Stacking height	133 mm		
Usable internal height in stack	118 mm		
Volume	26 litres		
Weight	1.70 kg		
Article code	Sidewalls	Base	Handles
3-6413N-0	solid	SGL base	2 shell handles
3-6413-1	long sides perforated	SGL base	2 shell handles
3-6413-31	slotted	grated SGL base	2 shell handles
3-6413N-20	solid	SGL base	2 handle slots

Containers with reinforced base

External dimensions	600 x 400 x 147 mm		
Internal dimensions base	564 x 364 x 129 mm		
Usable internal height in stack	115 mm		
Weight	1.93 kg		
Article code	Sidewalls	Base	Handles
3-6413N-72	solid	with ribbing	2 shell handles
3-6413N-72-V	solid	enclosed double base	2 shell handles

Height 147 mm

Internal dimensions base	557 x 357 x 143 mm		
Usable internal height in stack	130 mm		
Volume	28 litres		
Weight	1.65 kg		
Article code	Sidewalls	Base	Handles
3-6413N-186	solid	solid	2 shell handles

Oeco-line

Article code with R =
made of UIC® recycled material

Base dimension **600 x 400 mm**



Standard colours
3-208Z-0



light grey



dark blue

3-308Z-32



light grey

Height **170 mm**

Internal dimensions base	558 x 358 x 165 mm
Stacking height	154 mm
Usable internal height in stack	149 mm
Volume	30 litres
Weight	1.49 kg

Article code	Sidewalls	Base	Handles
3-208Z-0	solid	solid	2 shell handles
3-308Z-0	solid	solid	2 handle slots
3-208Z-1	perforated	solid	2 shell handles
3-308Z-1	perforated	solid	2 handle slots
3-208Z-2	slotted	solid	2 shell handles
3-308Z-2	slotted	solid	2 handle slots
3-208Z-3	slotted	slotted	2 shell handles
3-308Z-3	slotted	slotted	2 handle slots
3-208Z-4	solid	slotted	2 shell handles
3-308Z-4	solid	slotted	2 handle slots
3-208Z-5	perforated	slotted	2 shell handles
3-308Z-5	perforated	slotted	2 handle slots
3-208Z-32	slotted	Grated	2 shell handles
3-308Z-32	slotted	Grated	2 handle slots

Containers with reinforced base

Internal dimensions base		558 x 358 x 152 mm	
Usable internal height in stack		138 mm	
Weight		1.71 kg	
Article code	Sidewalls	Base	Handles
3-208Z-72	solid	with ribbing	2 shell handles
3-208Z-72-V	solid	enclosed double base	2 shell handles
3-308Z-72	solid	with ribbing	2 handle slots
3-308Z-72-V	solid	enclosed double base	2 handle slots

Stock items (SKU), for all other items please request the minimum order quantities.

Base dimension **600 x 400 mm**



Standard colours
3-201Z-0



light grey

scarlet

dark blue



yellow

translucent

3-201Z-0 R



dark grey

Oeco-Line

3-301Z-0



light grey

Height **220 mm**

Internal dimensions base	558 x 358 x 217 mm
Stacking height	206 mm
Usable internal height in stack	201 mm
Volume	43 litres
Weight	1.90 kg

Article code	Sidewalls	Base	Handles
3-201Z-0	solid	solid	2 shell handles
3-201Z-0 R	solid	solid	2 shell handles
3-301Z-0	solid	solid	2 handle slots
3-201Z-1	perforated	solid	2 shell handles
3-301Z-1	perforated	solid	2 handle slots
3-201Z-2	slotted	solid	2 shell handles
3-301Z-2	slotted	solid	2 handle slots
3-201Z-3	slotted	slotted	2 shell handles
3-301Z-3	slotted	slotted	2 handle slots
3-201Z-4	solid	slotted	2 shell handles
3-301Z-4	solid	slotted	2 handle slots
3-201Z-5	perforated	slotted	2 shell handles
3-301Z-5	perforated	slotted	2 handle slots
3-201Z-32	slotted	Grated	2 shell handles
3-301Z-32	slotted	Grated	2 handle slots
3-201Z-141	solid, 1 small side with access aperture	solid	1 shell handle
3-101Z-0	solid	solid	4 handle slots

Containers with reinforced base


Internal dimensions base		559 x 359 x 203 mm	
Usable internal height in stack		189 mm	
Weight		2.37 kg	
Article code	Sidewalls	Base	Handles
3-201Z-72	solid	with ribbing	2 shell handles
3-201Z-72-V	solid	enclosed double base	2 shell handles
3-301Z-72	solid	with ribbing	2 handle slots
3-301Z-72-V	solid	enclosed double base	2 handle slots
3-201Z-177	solid, 1 small side with access aperture	with ribbing	1 shell handle

Oeco-Line

Article code with R =
made of UIC® recycled material

Stock items (SKU), for all other items please
request the minimum order quantities.

Base dimension **600 x 400 mm**



Standard colour
light grey

Height **278 mm**

Internal dimensions base	561 x 361 x 262 mm
Stacking height	266 mm
Usable internal height in stack	250 mm
Volume	53 litres
Weight	2.58 kg

Article code	Sidewalls	Base	Handles
3-6426N-0	solid	SGL base	2 shell handles
3-6426N-20	solid	SGL base	2 handle slots
3-6426-29	perforated	SGL base	2 shell handles
3-6426-21	perforated	SGL base	2 handle slots
3-6426-30	slotted	SGL base	2 shell handles
3-6426-22	slotted	SGL base	2 handle slots
3-6426-38	slotted	grated SGL base	4 handle slots

Internal dimensions base	557 x 357 x 276 mm
Usable internal height in stack	262 mm
Volume	56 litres
Weight	2.58 kg

Article code	Sidewalls	Base	Handles
3-6426N-1	solid	solid	2 shell handles
3-6426N-24	solid	solid	2 handle slots
3-6426-41	perforated	solid	2 shell handles
3-6426-25	perforated	solid	2 handle slots
3-6426-34	slotted	solid	2 shell handles
3-6426-27	slotted	solid	2 handle slots

Containers with reinforced base

External dimensions	600 x 400 x 281 mm
Internal dimensions base	561 x 361 x 262 mm
Usable internal height in stack	269 mm
Weight	2.92 kg

Article code	Sidewalls	Base	Handles
3-6426N-72	solid	with ribbing	2 shell handles
3-6426N-72-V	solid	enclosed double base	2 shell handles

Stock items (SKU), for all other items please request the minimum order quantities.

Base dimension **600 x 400 mm**



Standard colours
3-202Z-0



light grey



scarlet



dark blue



yellow

3-202Z-0 R



dark grey

3-302Z-0
and 3-302Z-32



light grey

Oeco-line



Standard colour
light grey

Height **323 mm**

Internal dimensions base	558 x 358 x 320 mm		
Stacking height	309 mm		
Usable internal height in stack	304 mm		
Volume	60 litres		
Weight	2.20 kg		
Article code	Sidewalls	Base	Handles
3-202Z-0	solid	solid	2 shell handles
3-202Z-0 R	solid	solid	2 shell handles
3-302Z-0	solid	solid	2 handle slots
3-202Z-1	perforated	solid	2 shell handles
3-302Z-1	perforated	solid	2 handle slots
3-202Z-2	slotted	solid	2 shell handles
3-302Z-2	slotted	solid	2 handle slots
3-202Z-3	slotted	slotted	2 shell handles
3-302Z-3	slotted	slotted	2 handle slots
3-202Z-4	solid	slotted	2 shell handles
3-302Z-4	solid	slotted	2 handle slots
3-202Z-5	perforated	slotted	2 shell handles
3-302Z-5	perforated	slotted	2 handle slots
3-202Z-32	slotted	grated	2 shell handles
3-302Z-32	slotted	grated	2 handle slots
3-102Z-0	solid	solid	4 handle slots

Containers with reinforced base

Internal dimensions base	558 x 358 x 305 mm		
Usable internal height in stack	292 mm		
Weight	2.90 kg		
Article code	Sidewalls	Base	Handles
3-202Z-72	solid	with ribbing	2 shell handles
3-202Z-72-V	solid	enclosed double base	2 shell handles
3-302Z-72	solid	with ribbing	2 handle slots
3-302Z-72-V	solid	enclosed double base	2 handle slots

Height **410 mm**

Internal dimensions base	561 x 361 x 396 mm		
Stacking height	399 mm		
Usable internal height in stack	387 mm		
Volume	81 litres		
Weight	3.45 kg		
Article code	Sidewalls	Base	Handles
3-6439N-13	solid	solid SGL base	4 Handle slots
3-6439N-20	solid	solid SGL base	2 handle slots
3-6439N-14	perforated	slotted SGL base	4 Handle slots
3-6439N-15	slotted	slotted SGL base	4 Handle slots
3-6439N-38	slotted	grated SGL base	4 Handle slots
38-6439-301	solid	with ribbing	2 handle slots
38-6439-301-V1	solid	enclosed double base	2 handle slots

Oeco-line

Article code with R =
made of UIC® recycled material

Stock items (SKU), for all other items please
request the minimum order quantities.

Base dimension **600 x 400 mm**



Standard colour
3-209Z-0



light grey

3-309Z-0 R



dark grey

Oeco-Line

3-309Z-0



light grey



dark blue



Standard colour
light grey

Height **426 mm**

Innenmasse Z unten	558 x 358 x 422 mm		
Innenmasse N unten	558 x 358 x 411 mm		
Stacking height	412 mm		
Usable internal height in stack	409 mm		
Volume	84 litres		
Weight	3.48 kg		
Article code	Sidewalls	Base	Handles
3-209Z-0	solid	solid	2 shell handles
3-309Z-0	solid	solid	4 Handle slots
3-309Z-0 R	solid	solid	4 Handle slots
3-109Z-0	solid	solid	2 handle slots
3-309N-32	slotted	grated	4 handle slots

Containers with reinforced base

Internal dimensions base		558 x 358 x 408 mm	
Usable internal height in stack		359 mm	
Weight		3.78 kg	
Article code	Sidewalls	Base	Handles
3-209Z-72	solid	with ribbing	2 shell handles
3-209Z-72-V	solid	enclosed double base	2 shell handles
3-309Z-72	solid	with ribbing	4 handle slots
3-309Z-72-V	solid	enclosed double base	4 handle slots

Height **544 mm**

Internal dimensions base		561 x 361 x 528 mm	
Stacking height		532 mm	
Usable internal height in stack		516 mm	
Volume		100 litres	
Weight		4.85 kg	
Article code	Sidewalls	Base	Handles
3-6453-13	solid	solid SGL base	4 handle slots
3-6453-38	slotted	grated SGL base	4 handle slots
3-6453-15	slotted	slotted SGL base	4 handle slots
3-6453-36	perforated	slotted SGL base	4 handle slots
3-6453-190-V	solid	enclosed double base	4 handle slots

Oeco-Line

Article code with R =
made of UIC® recycled material

Stock items (SKU), for all other items please
request the minimum order quantities.

Base dimension **800 x 600 mm**



Standard colour
light grey

Height **117 mm**

Internal dimensions base	748 x 548 x 113 mm		
Stacking height	103 mm		
Usable internal height in stack	96 mm		
Volume	45 litres		
Weight	3.02 kg		
Article code	Sidewalls	Base	Handles
3-222Z-0	solid	solid	2 shell handles

Containers with reinforced base

Internal dimensions base	750 x 550 x 99 mm		
Usable internal height in stack	85 mm		
Weight	3.30 kg		
Article code	Sidewalls	Base	Handles
3-222Z-72	solid	with ribbing	2 shell handles
3-222Z-72-V	solid	enclosed double base	2 shell handles



Standard colour
light grey

Height **220 mm**

Internal dimensions base	748 x 548 x 216 mm		
Stacking height	206 mm		
Usable internal height in stack	202 mm		
Volume	90 litres		
Weight	4.20 kg		
Article code	Sidewalls	Base	Handles
3-221Z-0	solid	solid	2 shell handles
3-321Z-0	solid	solid	2 handle slots

Containers with reinforced base

Internal dimensions base	749 x 549 x 202 mm		
Usable internal height in stack	188 mm		
Weight	4.28 kg		
Article code	Sidewalls	Base	Handles
3-221Z-72	solid	with ribbing	2 shell handles
3-321Z-72	solid	with ribbing	2 handle slots
3-221Z-72-V	solid	enclosed double base	2 shell handles
3-321Z-72-V	solid	enclosed double base	2 handle slots

Stock items (SKU), for all other items please request the minimum order quantities.

Base dimension **800 x 600 mm**



Height **300 mm**

Internal dimensions base		748 x 548 x 297 mm	
Stacking height		284 mm	
Usable internal height in stack		281 mm	
Volume		122 litres	
Weight		5.30 kg	
Article code	Sidewalls	Base	Handles
3-224U-0	solid	solid	2 shell handles
3-324U-0	solid	solid	2 handle slots
3-224U-1	perforated	solid	2 shell handles
3-324U-1	perforated	solid	2 handle slots

Containers with reinforced base

Internal dimensions base		750 x 550 x 287 mm	
Usable internal height in stack		285 mm	
Weight		5.50 kg	
Article code	Sidewalls	Base	Handles
3-224U-72	solid	with ribbing	2 shell handles
3-324U-72	solid	with ribbing	2 handle slots
3-224U-72-V	solid	enclosed double base	2 shell handles
3-324U-72-V	solid	enclosed double base	2 handle slots



Standard colour
light grey

Height **323 mm**

Internal dimensions base		748 x 548 x 319 mm	
Stacking height		309 mm	
Usable internal height in stack		303 mm	
Volume		128 litres	
Weight		5.20 kg	
Article code	Sidewalls	Base	Handles
3-220Z-0	solid	solid	2 shell handles
3-320Z-0	solid	solid	2 handle slots

Containers with reinforced base


Internal dimensions base		750 x 550 x 305 mm	
Usable internal height in stack		289 mm	
Weight		5.84 kg	
Article code	Sidewalls	Base	Handles
3-220Z-72	solid	with ribbing	2 shell handles
3-320Z-72	solid	with ribbing	2 handle slots
3-220Z-72-V	solid	enclosed double base	2 shell handles
3-320Z-72-V	solid	enclosed double base	2 handle slots

Stock items (SKU), for all other items please request the minimum order quantities.

Base dimension **800 x 600 mm**



Standard colour
light grey



Height 426 mm

Internal dimensions base		748 x 548 x 422 mm	
Stacking height		412 mm	
Usable internal height in stack		409 mm	
Volume		172 litres	
Weight		6.03 kg	
Article code	Sidewalls	Base	Handles
3-219Z-0	solid	solid	2 shell handles
3-319U-0	solid	solid	2 handle slots

Containers with reinforced base

Internal dimensions base		748 x 548 x 408 mm	
Usable internal height in stack		395 mm	
Weight		6.60 kg	
Article code	Sidewalls	Base	Handles
3-219Z-72	solid	with ribbing	2 shell handles
3-319U-72	solid	with ribbing	2 handle slots
3-219Z-72-V	solid	enclosed double base	2 shell handles
3-319U-72-V	solid	enclosed double base	2 handle slots

Height 426 mm

Internal dimensions base		748 x 548 x 422 mm	
Stacking height		412 mm	
Usable internal height in stack		409 mm	
Volume		175 litres	
Weight		6.70 kg	
Article code	Sidewalls	Base	Handles
3-319U-136	solid, 1 small side with access aperture	solid	2 handle slots

Containers with reinforced base

Internal dimensions base		748 x 548 x 408 mm	
Usable internal height in stack		395 mm	
Weight		6.70 kg	
Article code	Sidewalls	Base	Handles
3-319U-167	solid, 1 small side with access aperture	with ribbing	2 handle slots
3-319U-167-V	solid, 1 small side with access aperture	enclosed double base	2 handle slots

Stock items (SKU), for all other items please request the minimum order quantities.

Lids for RAKO

How tight is it supposed to be?

Should a lid be permanently mounted on the container? Should it be removable or only for laying on? - Depending on how tightly a lid is to be connected to the container, there is a suitable lid model available.



Hinged lid



Hook-in lid



Snap lock



Hinge reinforcement



3-944-0

3-944-1

3-944-2



3-215S-1-11

3-215Z-0

3-215Z-1-11

3-215N-2-11

20-2124

21-2930

54-3020-0

20-2065.1

Snap lock

Article code	Colour
89-4-865	plastic, white

Hinge reinforcement

Article code	Colour
89-4-867.2	plastic, dark grey
89-4-867	plastic, white
89-3-832	metal

Base dimension 200 x 150 mm

Article code	Model
3-944-0	loose lid
3-944-1	hinged lid
3-944-2	hook-in lid

Base dimension 300 x 200 mm

Article code	Model
3-215S-1-11	hinged lid with snap locks and transparent window
3-215Z-0	loose lid
3-215Z-1-11	hinged lid with snap locks
3-215Z-1-11 R	hinged lid with snap locks
3-215Z-2-11	hook-in lid with snap locks
20-2124	sliding lid
21-2930	slip lid, vacuum formed
54-3020-0	loose lid
20-2065.1	dust-cover, vacuum formed, wall thickness 0.5 mm

Standard colours


	dark grey
	black UIC® recycled material
	dark blue
	yellow

Oeco-line

Article code with R =
made of UIC® recycled material

Stock items (SKU), for all other items please
request the minimum order quantities.

Lids for RAKO



3-214S-1-11
3-214Z-0
3-214Z-1-11
3-214N-2-11
3-924-3-11
20-2144-4
20-2144.2
20-0509
21-2539-1
20-2064-Z
20-2130

Base dimension **400 x 300 mm**

Article code	Model
3-214S-1-11	hinged lid with snap locks and transparent window
3-214Z-0	loose lid
3-214Z-1-11	hinged lid with snap locks
3-214Z-1-11 R	hinged lid with snap locks
3-214Z-1-255-11	hinged lid with snap locks
3-214Z-2-11	hook-in lid with snap locks
3-924-3-11	slip lid with hooks and snap locks
20-2144-4	slip lid with gripping action
20-2144.2	slip lid with gripping action and holes for sealing
20-0509	slip lid
21-2539-1	sliding lid (not suitable for RAKO 3-211Z-0)
* 20-2064-Z	dust-cover, vacuum formed, wall thickness 0.8 mm (to fit RAKO with Z-article code)
* 20-2130	slip lid, vacuum formed, wall thickness 2 mm



38-1966-0
38-1966-1-11
38-1966-2

Base dimension **400 x 400 mm**

Article code	Model
38-1966-0	loose lid
38-1966-1-11	hinged lid with snap locks
38-1966-2	hook-in lid

Standard colours

	dark grey
	black UIC® recycled material
*	transparent
	dark blue
	scarlet
	translucent
	yellow
	light grey



Article code with R =
made of UIC® recycled material

Stock items (SKU), for all other items please
request the minimum order quantities.

Lids for RAKO



3-213Z-0

3-213Z-1-11

3-213Z-2-11

3-213A-9

20-2148-7
20-2148-5

3-925-5 R

20-0252

3-923-3

21-2811

53-6040-001-00

20-2007.1

21-2895-1

Base dimension 600 x 400 mm

Article code	Model
3-213Z-0	loose lid
3-213Z-1-11	hinged lid with snap locks
3-213Z-1-11 R	hinged lid with snap locks
3-213Z-1-255-11	hinged lid with snap locks
3-213Z-2-11	hook-in lid with snap locks
3-213A-9	loose lid, foldable
20-2148-7	slip lid with gripping action
20-2148-5	slip lid with gripping action and holes for sealing
3-925-5 R	slip lid
20-0252	slip lid with gripping action
3-923-3	slip lid
21-2811	sliding lid
53-6040-001-00	snap-on lid
* 20-2007.1	dust-cover, vacuum formed, wall thickness 1 mm (to fit RAKO with Z-article code)
21-2895-1	Loose lid, vacuum formed, wall thickness 2,5 mm

Standard colours


	dark grey
	black UIC® recycled material
*	transparent
	dark blue
	scarlet
	translucent
	light blue
	light grey
	yellow

Oeco-line

Article code with R =
made of UIC® recycled material

Stock items (SKU), for all other items please
request the minimum order quantities.

Lid for RAKO



40-8060-0

3-223-0

20-2103-2


21-0600

21-0600-5

40-86-1-11

Base dimension **800 x 600 mm**

Article code	Model
40-8060-0	slip lid
3-223-0	slip lid
3-223-1	slip lid with notches on both short sides for shell handles
20-2103-2	slip lid, vacuum formed
21-0600	slip lid with gripping action , with spaces for handles, vacuum formed
21-0600-2	slip lid without gripping action, with spaces for handles, vacuum formed
21-0600-4	slip lid with gripping action, without spaces for handles, vacuum formed
21-0600-5	slip lid without gripping action, without spaces for handles, vacuum formed
40-86-1-11	hinged lid with snap locks (only with metal hinge reinforcements article code 89-3-832), lid does not fit RAKO 3-324U



53-1208A-1 R


20-0751

40-1208-1

40-1208

Base dimension **1200 x 800 mm**

Article code	Model
53-1208A-1 R	cover
53-1208A-1	cover
20-0751	cover, vacuum formed
40-1208-1	cover
40-1208	cover



20-2127-2

40-1210-5

21-0780-1

Base dimension **1200 x 1000 mm**

Article code	Model
20-2127-2	cover, vacuum formed
40-1210-5	cover
21-0780-1	cover, vacuum formed

Standard colours

	dark grey
	black
	lichtblau
	light grey

Stock items (SKU), for all other items please request the minimum order quantities.

Lids for RAKO



Standard colour
dark grey

With reinforcement

Base dimension **300 x 200 mm**

Article code	Model
3-215Z-1-260-11	reinforced hinged lid with aluminium frame, riveted inside

Base dimension **400 x 300 mm**

Article code	Model
3-214Z-1-260-11	reinforced hinged lid with aluminium frame, riveted inside

Base dimension **600 x 400 mm**

Article code	Model
3-213Z-1-260-11	reinforced hinged lid with aluminium frame, riveted inside

Base dimension **800 x 600 mm**

Article code	Model
40-86-1-260-11	reinforced hinged lid with aluminium frame, riveted inside

RAKO with lid



Equipment:
1 RAKO container
1 hinged lid
2 snap locks
2 hinge reinforcements

Base dimension **300 x 200 mm**

Article code	External height	Volume	Weight
36-217-13	80 mm	2 litres	0.40 kg
36-206-13	132 mm	5 litres	0.52 kg
36-210-13	235 mm	9 litres	0.87 kg

Base dimension **400 x 300 mm**

Article code	External height	Volume	Weight
36-211-13	81 mm	5 litres	0.83 kg
36-203-13	132 mm	10 litres	1.11 kg
36-4313-13	160 mm	12 litres	1.18 kg
36-207-13	184 mm	15 litres	1.23 kg
36-204-13	235 mm	20 litres	1.51 kg
36-212-13	287 mm	24 litres	1.65 kg
36-205-13	338 mm	30 litres	1.77 kg

Base dimension **600 x 400 mm**

Article code	External height	Volume	Weight
36-227-13	90 mm	14 litres	1.79 kg
36-200-13	132 mm	20 litres	2.93 kg
36-208-13	184 mm	30 litres	2.16 kg
36-201-13	235 mm	43 litres	2.78 kg
36-6426-13	293 mm	53 litres	3.24 kg
36-202-13	338 mm	60 litres	3.32 kg
36-209-13	441 mm	90 litres	4.11 kg

Standard colours containers

	light grey
	scarlet
	dark blue
	yellow
	translucent

Standard colours lids 400 x 300 mm / 600 x 400 mm

	dark grey
	dark blue
	scarlet
	yellow
	translucent

Standard colours lids 300 x 200 mm

	dark grey
	dark blue

Stock items (SKU), for all other items please request the minimum order quantities.

Cases



Standard colour
light grey

Equipment:
1 RAKO container
1 hinged lid
2 snap locks
2 hinge reinforcements
1 carry handle

All RAKO containers from the basic dimensions 400 x 300 x 145 mm on can be provided with two 'B' handles fitted on the short side (only applies to containers from stock).



A



B



C



D

Base dimension 300 x 200 mm

Article code	External height	Volume	Weight	Carry handle
35-206	132 mm	5 litres	0.50 kg	A
35-210-0	235 mm	9 litres	0.90 kg	B

Base dimension 400 x 300 mm

Article code	External height	Volume	Weight	Carry handle
35-211	81 mm	5 litres	0.80 kg	A
35-203	132 mm	10 litres	1.20 kg	A
35-4313-0	160 mm	12 litres	1.25 kg	B
35-207	184 mm	15 litres	1.31 kg	A
35-204-0	235 mm	20 litres	1.60 kg	B
35-212-7	287 mm	24 litres	1.70 kg	B
35-205-7	338 mm	30 litres	1.80 kg	B

Base dimension 600 x 400 mm

Article code	External height	Volume	Weight	Carry handle
35-227-7	90 mm	14 litres	1.80 kg	B
35-200	132 mm	20 litres	2.00 kg	A
35-208	184 mm	30 litres	2.30 kg	A
35-201-7	235 mm	43 litres	2.90 kg	B
35-6426-7	293 mm	56 litres	3.30 kg	B

Carry handles

Article code	Model
89-2-1-1	A = carry handle with catch mechanism for containers with integrated handle sockets
89-2-1-2	B = rivetable carry handle
89-2-1-3	C = rivetable carry handle in leather effect
89-2-1-5	D = rivetable spring-loaded carry handle

Stock items (SKU), for all other items please request the minimum order quantities.

RAKO with safety lock



Base dimension 300 x 200 mm

Article code	External height	Volume	Weight	Carry handle
36-206-*	132 mm	5 litres	0.52 kg	without
36-210-*	235 mm	9 litres	0.87 kg	without


Base dimension 400 x 300 mm

Article code	External height	Volume	Weight	Carry handle
36-203-*	132 mm	10 litres	1.11 kg	without
36-4313-*	160 mm	12 litres	1.18 kg	without
36-207-*	184 mm	15 litres	1.23 kg	without
36-204-*	235 mm	20 litres	1.51 kg	without
36-212-*	287 mm	24 litres	1.65 kg	B
36-205-*	336 mm	30 litres	1.77 kg	B


Base dimension 600 x 400 mm

Article code	External height	Volume	Weight	Carry handle
36-200-*	132 mm	20 litres	1.93 kg	without
36-208-*	184 mm	30 litres	2.16 kg	B
36-201-*	235 mm	40 litres	2.78 kg	B
36-6426-*	293 mm	53 litres	3.24 kg	B
36-202-*	338 mm	60 litres	3.32 kg	B
36-209-*	441 mm	90 litres	4.11 kg	B

Locking systems



-A-VH



-SG



-HS



-GHS

* To order a RAKO or case with locking system, add the ending of the selected locking system to the article code, e.g. 35-204-0-SG.

Article code suffix	Model
-A-VH	padlock hole (padlock separate)
-SG	same-key lock for one or several containers
-HS	different cylinder locks for each container. Optionally, a master key can be ordered for all containers: Article code 89-13-2-2
-GHS	Different locking security locks; for each container, one or more group keys for specific container groups and one or more general master keys for all containers

Archive box



Standard colour
light grey


Base dimension 400 x 300 mm

External height	338 mm
Internal dimensions	352 x 252 x 320 mm
Width file rails	330 mm
Weight	2.40 kg
Article code	Number of hanging files
36-421	space for 30-35 files

Base dimension 600 x 400 mm

External height	338 mm
Internal dimensions	552 x 352 x 320 mm
Width file rails	330 mm
Weight	4.60 kg
Article code	Number of hanging files
36-420	space for 60-70 files

Partition panels to stick together



Standard colour
light grey

With higher containers, the partition pannels can be stacked on top of each other. Individual dividers are available on request.

For base dimension 300 x 200 mm

Distance of slots		15 mm	
Article code	External dimensions	Number of slots	Position
80-990-3	258 x 47 x 2 mm	15	lengthwise
80-991-3	158 x 45 x 2 mm	9	crosswise

For base dimension 400 x 300 mm

Distance of slots		15 mm	
Article code	External dimensions	Number of slots	Position
80-990-2	352 x 47 x 2 mm	21	lengthwise
80-991-2	252 x 45 x 2 mm	15	crosswise

For base dimension 600 x 400 mm

Distance of slots		15 mm	
Article code	External dimensions	Number of slots	Position
80-990-1	552 x 47 x 2 mm	32	lengthwise
80-991-1	352 x 45 x 2 mm	21	crosswise

Layer pads for dividers

Article code	External dimensions	To fit RAKO
80-992-3	258 x 158 x 2 mm	300 x 200 mm
80-992-2	352 x 252 x 2 mm	400 x 300 mm
80-992-1	552 x 352 x 2 mm	600 x 400 mm

Stock items (SKU), for all other items please request the minimum order quantities.

Removable boxes



Standard colour container
light grey lid
transparent



Standard colour container
light grey lid
transparent



Standard colour container
light grey lid
transparent



For base dimension 400 x 300 mm

suitable for 65 mm container height

Article code	Article	External dimensions	Size
3-291N-1	container	174 x 127 x 32 mm	 1/4
3-295N	lid	174 x 127 mm	

suitable for 65 mm container height

Article code	Article	External dimensions	Size
3-286N-0	container	127 x 87 x 50 mm	 1/8
3-290	lid	127 x 87 mm	
3-292N-0	container	174 x 127 x 50 mm	 1/4
3-295N	lid	174 x 127 mm	

suitable for 117 mm container height

Article code	Article	External dimensions	Size
21-0414	container	178 x 127 x 65 mm	 1/4
21-0413	container	257 x 178 x 65 mm	 1/2

suitable for 117 mm container height

Article code	Article	External dimensions	Size
3-655	container	262 x 121 x 98 mm	 1/3
3-655-2	lid	262 x 121 mm	

For base dimension 400 x 400 mm

suitable for 117 mm container height

Article code	Article	External dimensions	Size
21-0483	container	185 x 92 x 85 mm	 1/8
21-0482	container	183 x 183 x 85 mm	 1/4
21-0481	container	367 x 182 x 85 mm	 1/2

Stock items (SKU), for all other items please request the minimum order quantities.

Removable boxes



Standard colour
container
light grey
lid
transparent



Standard colour
light grey



For base dimension 600 x 400 mm

suitable from 117 mm container height

Article code	Article	External dimensions	Size
3-939N-42	container	139 x 89 x 99 mm	 1/16
20-2117	lid	138 x 88 mm	
3-903N-43	container	177 x 139 x 99 mm	 1/8
20-2116	lid	177 x 139 mm	
3-902N-43	container	277 x 177 x 99 mm	 1/4
20-2115	lid	277 x 177 mm	
3-901N-43	container	355 x 277 x 99 mm	 1/2
20-2114	lid	355 x 277 mm	

suitable from 278 mm container height

Article code	Article	External dimensions	Size
3-922-3	container	277 x 177 x 230 mm	 1/4

suitable from 117 mm container height

Article code	Article	External dimensions	Size
3-929-3	container	555 x 177 x 99 mm	 1/2
20-2118	lid	553 x 177 mm	

suitable from 75 mm container height

Article code	Article	External dimensions	Size
21-0503	container	180 x 140 x 49 mm	 1/8
21-0502	container	280 x 180 x 49 mm	 1/4
21-0501	container	557 x 180 x 49 mm	 1/2

suitable from 170 mm container height

Article code	Article	External dimensions	Size
21-0500	container	280 x 180 x 148 mm	 1/4

Stock items (SKU), for all other items please request the minimum order quantities.

Compartment trays



20-2001.1



20-2002.1



20-2005.1



20-2149-1

Standard colour
black



Standard colour
black

For base dimension **400 x 300 mm**

External dimensions	358 x 258 x 48 mm
To fit case	35-211 (400 x 300 mm)

Article code	Dimensions of compartments
20-2001.1	2 compartments at 52 x 243 mm 4 compartments at 57 x 109 mm 8 compartments at 55 x 51 mm
20-2002.1	10 compartments at 62 x 116 mm
20-2005.1	24 compartments at 52 x 56 mm
20-2149-1	5 compartments at 63 x 242 mm



Each set consists of:
1 compartment tray
1 rubber foam insert for the
inside of the lid
5 adhesive spots

For base dimension **400 x 300 mm**

External dimensions	358 x 258 x 101 mm
To fit case	3-203Z-0 (400 x 300 mm)

Article code	Dimensions of compartments
20-2151	3 compartments at 71 x 174 mm 2 compartments at 70 x 235 mm

Stock items (SKU), for all other items please
request the minimum order quantities.

Compartment trays




Standard colour
black

For base dimension **400 x 300 mm und 600 x 400 mm**

External dimensions	350 x 138 x 50 mm
To fit case	35-211 (400 x 300 mm) and 35-227 (600 x 400 mm) *

Article code	Dimensions of compartments
21-2496-U	5 compartments at 124 x 63 45 mm


* In combination with one compartment tray
21-2484-... for the case 35-211.
4 compartment trays to fit the case 35-227.



21-2484-1-U



21-2484-2-U



21-2484-4-U




21-2484-20-U

For base dimension **600 x 400 mm**

External dimensions	349 x 110 x 50 mm
To fit case	35-227 (600 x 400 mm) *

Article code	Dimensions of compartments
21-2484-1-U	1 compartment at 335 x 95 x 46 mm
21-2484-2-U	2 compartments at 335 x 44 x 46 mm
21-2484-4-U	4 compartments at 164 x 44 x 46 mm
21-2484-20-U	20 compartments at 27 x 44 x 26 mm



* 5 compartment trays in any desired arrangement fit the base size
600 x 400 mm.



Standard colour
black

Stock items (SKU), for all other items please
request the minimum order quantities.

Rubber foam inserts set



Standard colour
dark grey



Standard colour
dark grey

Material: soft, PU HL 2551

Article code	External dimensions	Set to fit / Set composed of
80-925-11.1	360 x 260 x 62 mm	case 35-211 / 1 perforated insert 10 mm thickness 2 perforated inserts 20 mm thickness 1 insert for lid 5 adhesive spots
80-925-12.1	360 x 260 x 117 mm	case 35-203 / 3 perforated inserts 20 mm thickness 1 perforated insert 45 mm thickness 1 insert for lid 5 adhesive spots
80-925-24.1	560 x 360 x 112 mm	case 35-200 / 3 perforated inserts 20 mm thickness 1 perforated insert 45 mm thickness 1 insert for lid 5 adhesive spots

Material: hard, PE Ethafoam 220

Article code	External dimensions	Set to fit container
89-6-0360	363.8 x 263.8 x 20 mm	400 x 300 mm
89-6-0349	563.8 x 363.8 x 20 mm	600 x 400 mm

Rubber foam inserts for lids



Standard colour
dark grey

Material: soft, PU HL 2551

Article code	External dimensions	Set to fit container
89-6-1540	255 x 155 x 12 mm	300 x 200 mm
89-6-0014	355 x 255 x 12 mm	400 x 300 mm
89-6-0015	560 x 360 x 12 mm	600 x 400 mm

Individual rubber foam inserts



On request, rubber foam inserts can be manufactured in various materials and shapes.



Stock items (SKU), for all other items please request the minimum order quantities.

Label pockets



To weld on

Material: PP natural (translucent), 1,5 mm



For paper size A4 (210 x 297 mm)

Article code	Model	Internal dim. (LxWxD)	Immersion depth
89-21-2401	border on 2 sides	216 x 300 x 4 mm	vertical, 100 %
89-21-2402	border on 2 sides	216 x 225 x 4 mm	vertical, 75 %
89-21-2403	border on 2 sides	303 x 213 x 4 mm	horizontal, 100 %
89-21-2404	border on 2 sides	303 x 160 x 4 mm	horizontal, 75 %
89-21-3401	border on 3 sides	216 x 300 x 4 mm	vertical, 100 %
89-21-3402	border on 3 sides	216 x 225 x 4 mm	vertical, 75 %
89-21-3403	border on 3 sides	303 x 213 x 4 mm	horizontal, 100 %
89-21-3404	border on 3 sides	303 x 160 x 4 mm	horizontal, 75 %

For paper size A5 (148 x 210 mm)

Article code	Model	Internal dim. (LxWxD)	Immersion depth
89-21-2501	border on 2 sides	154 x 213 x 2.5 mm	vertical, 100 %
89-21-2502	border on 2 sides	154 x 160 x 2.5 mm	vertical, 75 %
89-21-2503	border on 2 sides	216 x 151 x 2.5 mm	horizontal, 100 %
89-21-2504	border on 2 sides	216 x 115 x 2.5 mm	horizontal, 75 %
89-21-3501	border on 3 sides	154 x 213 x 2.5 mm	vertical, 100 %
89-21-3502	border on 3 sides	154 x 160 x 2.5 mm	vertical, 75 %
89-21-3503	border on 3 sides	216 x 151 x 2.5 mm	horizontal, 100 %
89-21-3504	border on 3 sides	216 x 115 x 2.5 mm	horizontal, 75 %

For paper size A6 (105 x 148 mm)

Article code	Model	Internal dim. (LxWxD)	Immersion depth
89-21-2601	border on 2 sides	111 x 151 x 2.5 mm	vertical, 100 %
89-21-2602	border on 2 sides	111 x 115 x 2.5 mm	vertical, 75 %
89-21-2603	border on 2 sides	154 x 108 x 2.5 mm	horizontal, 100 %
89-21-2604	border on 2 sides	154 x 80 x 2.5 mm	horizontal, 75 %
89-21-3601	border on 3 sides	111 x 151 x 2.5 mm	vertical, 100 %
89-21-3603	border on 3 sides	154 x 108 x 2.5 mm	horizontal, 100 %
89-21-3604	border on 3 sides	154 x 80 x 2.5 mm	horizontal, 75 %

For paper size A7 (74 x 105 mm)

Article code	Model	Internal dim. (LxWxD)	Immersion depth
89-21-2701	border on 2 sides	80 x 108 x 2.5 mm	vertical, 100 %
89-21-2702	border on 2 sides	80 x 80 x 2.5 mm	vertical, 75 %
89-21-2703	border on 2 sides	111 x 77 x 2.5 mm	horizontal, 100 %
89-21-2704	border on 2 sides	111 x 55 x 2.5 mm	horizontal, 75 %
89-21-3701	border on 3 sides	80 x 108 x 2.5 mm	vertical, 100 %
89-21-3702	border on 3 sides	80 x 80 x 2.5 mm	vertical, 75 %
89-21-3703	border on 3 sides	111 x 77 x 2.5 mm	horizontal, 100 %
89-21-3704	border on 3 sides	111 x 55 x 2.5 mm	horizontal, 75 %

Stock items (SKU), for all other items please request the minimum order quantities.

Label pocket



To glue on

Article code	Model	Internal dimensions
89-20-52-90-3-01	border on 3 sides	90 x 52 mm

Label pocket with reversible carrier plate



To weld on

Article code	Article	Model	External dimensions
89-21-21-1	label pocket, translucent	border on 3 sides	130 x 80 mm
26-2-0001.2	reversible carrier		225 x 112 mm

Label clip part




For subsequent welding

Article code	External dimensions
89-21-51	40 x 15.6 mm
89-21-46	70 x 15.6 mm

The article code contains only one label clip part.

Label holder




To glue on (plastic-coated and washable)

Article code	for paper size	External dimensions
89-26U-0098	A6	165 x 114 mm
89-26U-0097	A5	230 x 170 mm
89-26U-0096	A4	335 x 230 mm

Individual sizes available on request.

Stock items (SKU), for all other items please request the minimum order quantities.

Label clips



To clip on

Article code	Width	Model
80-417	30 mm	galvanised
80-417-1	19 mm	galvanised
80-417-2.1	19 mm	blue galvanised
80-985-E	30 mm	stainless steel

To rivet on

Article code	Width	Model
80-169	30 mm	galvanised

Which label clip fits which RAKO container:

Container	80-417	80-417-1	80-417-2.1	80-169	80-985-E
3-200Z-...	✓	-	✓	✓	-
3-201Z-...	✓	-	✓	✓	✓
3-202Z-...	✓	-	-	✓	✓
3-203Z-...	✓	-	✓	✓	-
3-204Z-...	✓	-	✓	✓	-
3-205Z-...	✓	-	✓	✓	✓
3-206Z-...	✓	-	-	✓	-
3-207Z-...	✓	-	✓	✓	-
3-208Z-...	✓	-	✓	✓	-
3-209N-...	-	✓	-	✓	✓
3-209Z-...	✓	-	✓	✓	-
3-210-...	✓	-	✓	✓	-
3-211Z-...	-	-	-	✓	-
3-212Z-...	✓	-	✓	✓	-
3-217Z-...	-	-	-	✓	-

Container	80-417	80-417-1	80-417-2.1	80-169	80-985-E
3-227-...	✓	-	✓	✓	-
3-237-...	-	-	-	✓	-
3-4313N-...	✓	-	✓	✓	-
3-6406-...	✓	✓	-	✓	-
3-6413-...	✓	✓	-	✓	-
3-6413N-...	✓	-	✓	✓	✓
3-6426-...	✓	✓	-	✓	✓
3-6426N-...	✓	-	✓	✓	✓
3-6439-...	✓	✓	-	✓	✓
3-6453-...	✓	✓	-	✓	✓
3-219U-...	✓	-	✓	✓	-
3-220Z-...	✓	-	✓	✓	-
3-221Z-...	✓	-	✓	✓	-
3-222U-...	✓	-	✓	✓	-
3-224U-...	✓	-	✓	✓	-

Adhesive label area



Can be fitted later

Article code	Size
97-N107	150 x 80 mm
97-N109	100 x 100 mm
97-N110	200 x 100 mm

Stock items (SKU), for all other items please request the minimum order quantities.

Handle closures



Covering for handle slots

Article code	Model
9-4033	To be inserted later in the handle slot. The inner wall of the container remains smooth.

Recessed handle

Article code	Model
80-936	To be inserted later in the handle slot. The handle slot remains in place.

More RAKO variants



RAKO ESD

RAKO containers and cases made of ESD material can be found in the ESD Products prospectus.



UN-approved RAKO

Specially equipped RAKO containers tested and approved as hazardous goods containers can be found in the prospectus Shipping and special products.



RAKO in special dimensions

On request, RAKO containers can be manufactured in various special sizes starting from small series.

Dollies



You can find various dollies suitable for RAKO in the prospectus Dollies.



*We are a climate-neutral company.
Discover more under www.utzgroup.com*

